## INTERNATIONAL STANDARD

ISO 4015

Second edition 2022-06

# Fasteners — Hexagon head bolts with reduced shank (shank diameter ≈ pitch diameter) — Product grade B

Fixations — Vis à tête hexagonale partiellement filetées à tige réduite (diamètre de tige  $\approx$  diamètre sur flanc de filet) — Grade B





### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents F	Page
Forew	vord	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Dimensions	2
5	Requirements and reference International Standards	5
6	Marking and labelling 6.1 Marking on product 6.2 Labelling on package	6 6
7	Designation	6
Biblio	graphy	7

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 2, *Fasteners*, Subcommittee SC 11, *Fasteners with metric external thread*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 185, *Fasteners*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 4015:1979), which has been technically revised.

The main changes are as follows:

- the indentation on the head and the washer-face under the head have been left to the choice of the manufacturer, however limits for dimensions have been added:
- tables for dimensions have been restructured;
- M3,5, M7 and M18 have been added;
- $d_{w,min}$  has been changed for sizes  $d \le M5$  from  $s_{min}$  IT16 to  $s_{min}$  IT15 in order to have a larger bearing surface area and thus less contact pressure, and its values for d > M5 have been recalculated in accordance with ISO 4759-1 without rounding off;
- values for  $k_{\text{w.min}}$  have been recalculated in accordance with ISO 4759-1 without rounding off;
- value for  $e_{\min}$  has been corrected for M3;
- addition of property class 6.8 for steel bolts and property class 50 for stainless steel bolts;
- non-ferrous metal bolts have been deleted;
- specifications for marking and labelling have been added as <u>Clause 6</u>.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Fasteners — Hexagon head bolts with reduced shank (shank diameter ≈ pitch diameter) — Product grade B

### 1 Scope

This document specifies the characteristics of hexagon head bolts with reduced shank (shank diameter approximately equal to pitch diameter), in steel and stainless steel, with metric coarse pitch threads M3 to M20, and with product grade B.

If in certain cases other specifications are requested, property classes and stainless steel grades can be selected from ISO 898-1 or ISO 3506-1, and dimensional options from ISO 888 or ISO 4753.

NOTE For hexagon head bolts with full shank, see ISO 4014.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 225, Fasteners — Bolts, screws, studs and nuts — Symbols and descriptions of dimensions

ISO 888, Fasteners — Bolts, screws and studs — Nominal lengths and thread lengths

ISO 898-1, Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread

ISO 965-1, ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data

ISO 1891-4, Fasteners — Vocabulary — Part 4: Control, inspection, delivery, acceptance and quality

ISO 3269, Fasteners — Acceptance inspection

ISO 3506-1, Fasteners — Mechanical properties of corrosion-resistant stainless steel fasteners — Part 1: Bolts, screws and studs with specified grades and property classes

ISO 4042, Fasteners — Electroplated coating systems

ISO 4753, Fasteners — Ends of parts with external ISO metric thread

ISO 4759-1, Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C

ISO 6157-1, Fasteners — Surface discontinuities — Part 1: Bolts, screws and studs for general requirements

ISO 8991, Designation system for fasteners

ISO 8992, Fasteners — General requirements for bolts, screws, studs and nuts

ISO 10683, Fasteners — Non-electrolytically applied zinc flake coating systems

ISO 10684, Fasteners — Hot dip galvanized coatings

### 3 Terms and definitions

No terms and definitions are listed in this document.