

Edition 2.0 2008-11

INTERNATIONAL STANDARD

Multimedia systems and equipment – Colour measurement and management – Part 5: Equipment using plasma display panels

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

V

CONTENTS

FΟ	REWC	DRD	4					
INT	RODU	JCTION	6					
1	Scop	e	7					
2	Norm	Normative references						
3	Term	Terms and definitions						
4	Lette	rs and symbols	9					
5	Conditions							
•	5.1	Environmental conditions						
	5.2	Conditions of measurements						
	5.3	Input digital data						
6	Measurement equipment							
	6.1	Spectroradiometer						
	6.2	Colorimeter						
7	Spectral characteristics and intensity of the primaries and white							
	7.1	Characteristics to be measured	13					
	7.2	Measurement conditions	13					
	7.3	Method of measurement	14					
	7.4	Presentation of results	14					
8	Basic colorimetric characteristics							
	8.1	Characteristics to be measured	15					
	8.2	Method of calculation	15					
	8.3	Presentation of results	16					
9	Tone characteristics							
	9.1	Characteristics to be measured	16					
	9.2	Measurement conditions	17					
	9.3	Method of measurement						
	9.4	Presentation of results						
10		-channel dependency						
		Characteristics to be measured						
		Measurement conditions						
		Method of measurement						
		Presentation of results						
11	Spatial non-uniformity24							
		Characteristics to be measured						
		Measurement conditions						
		Method of measurement						
40		Presentation of results						
12								
	12.1	Short-term stability						
		12.1.1 Characteristics to be measured						
		12.1.2 Measurement conditions						
		12.1.3 Method of measurement						
	12 2	Mid-term stability						
	14.4	12.2.1 Characteristics to be measured						

		12.2.2	Measurement conditions	28	
		12.2.3	Method of measurement	28	
		12.2.4	Presentation of results	28	
13	Surface reflection				
	13.1	13.1 Characteristics to be measured			
	13.2	Measu	rement conditions	29	
	13.3	Method	d of measurement	30	
	13.4 Presentation of results				
14	Display area ratio characteristics				
			eteristics to be measured		
			rement conditions		
			d of measurement		
D.11-			tation of results		
RID	llogra	pny		33	
			ment arrangement for non-contact measurements		
Fig	ure 2	– Equip	ment arrangement for contact measurements	11	
Fig	ure 3	– Size o	f a colour patch	11	
Fig	ure 4	– An ex	ample of the spectral radiance distributions $r(\lambda)$, $g(\lambda)$, $b(\lambda)$	14	
Fig	ure 5	– Meası	ured points and interpolated curves	18	
Fig	ure 6	– Meası	rement points for spatial non-uniformity	24	
Fig	ure 7	– Examı	ole plots for short-term stability	27	
Fig	ure 8	– Exam _l	ole plots for mid-term stability	29	
Fig	ure 9	– Equip	ment arrangement	30	
			ification of a white patch		
_		-	nple plots for the display area ratio characteristics		
Tab	ole 1 –	- Input d	ata for peak primaries and peak white	14	
Tab	ole 2 –	- Examp	le of reporting form for colours in maximum excitations	15	
			le of reporting form		
		-	mple set of basic normalized data for tone characteristics		
Tab	ole 5 –	- Digital	inputs to generate colour patches for measurement of inter-channel		
			lo of normalized triatimulus values (the matrix A)		
		•	le of normalized tristimulus values (the matrix A)		
		•	le of reporting form		
Tab	ne 8 –	Examp	le of reporting form	30	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

Part 5: Equipment using plasma display panels

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61966-5 has been prepared by technical area 2: Colour measurement and management of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2000. This edition includes the following significant technical changes with respect to the previous edition: Annex A has been deleted as it is no longer relevant.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1295/CDV	100/1387/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61966 series, under the general title *Multimedia systems and* equipment – Colour measurement and management, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

A series of methods and parameters for colour measurements and management for use in multimedia systems and equipment is applicable to the assessment of colour production and reproduction. This part of IEC 61966 deals with equipment using plasma display panels (PDP) to display colour images for use in multimedia applications.

The methods of measurement standardized in this part of IEC 61966 are designed to make possible the objective performance assessment and characterization of colour reproduction of PDP displays which accept red – green – blue analogue or digital signals from electrical input terminals and output colour images on PDP display screens. For PDP displays to which analogue signals are applicable, the corresponding digital signals are taken into account. The measured results are intended to be used for the purpose of equipment specific colour control in order to enable colour management in open multimedia systems.

MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

Part 5: Equipment using plasma display panels

1 Scope

This part of IEC 61966 defines input test signals, measurement conditions, methods of measurement and reporting of the measured data, to be used for colour characterization and colour management of plasma display panels in multimedia systems.

Colour control within equipment is outside the scope of this International Standard. It does not specify limiting values for various parameters.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845:1987, International Electrotechnical Vocabulary (IEV) — Chapter 845: Lighting/CIE 17.4:1987, International Lighting Vocabulary (joint IEC/CIE publication)

IEC 61966-3:2000, Multimedia systems and equipment – Colour measurement and management – Part 3: Equipment using cathode ray tubes

ISO 5-4:1995, Photography – Density measurements – Part 4: Geometric conditions for reflection density

ISO 9241-8:1997, Ergonomic requirements for office work with visual display terminals (VDTs) – Part 8: Requirements for displayed colours

ISO/CIE 10526:1999, CIE standard illuminants for colorimetry

ISO/CIE 10527:1991, CIE standard colorimetric observers

CIE 15:2004, Colorimetry