

IEEE Standard for Wireless Access in Vehicular Environments (WAVE)— Multi-channel Operation

IEEE Vehicular Technology Society

Sponsored by the
Intelligent Transportation Systems Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1609.4™-2010
(Revision of
IEEE Std 1609.4-2006)

7 February 2011

IEEE Standard for Wireless Access in Vehicular Environments (WAVE)— Multi-channel Operation

Sponsor

Intelligent Transportation Systems Committee

of the

IEEE Vehicular Technology Society

Approved 30 September 2010

IEEE-SA Standards Board

Approved 26 August 2011

American National Standards Institute

Abstract: Multi-channel wireless radio operations, Wireless Access in Vehicular Environments (WAVE) mode, medium access control (MAC), and physical layers (PHYs), including the operation of control channel (CCH) and service channel (SCH) interval timers, parameters for priority access, channel switching and routing, management services, and primitives designed for multi-channel operations are described in this standard.

Keywords: 1609.4, channel coordination, multi-channel operation, user priority, Wireless Access in Vehicular Environments (WAVE)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2011 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 07 February 2011. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-6489-2 STD97033
Print: ISBN 978-0-7381-6490-8 STDPD97033

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “**AS IS.**”

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1609.4-2010, IEEE Standard for Wireless Access in Vehicular Environments (WAVE)—Multi-channel Operation.

A WAVE system is a radio communications system intended to provide seamless, interoperable services to transportation. These services include those recognized by the U.S. National Intelligent Transportation Systems (ITS) Architecture [B3]^a and many others contemplated by the automotive and transportation infrastructure industries. These services include vehicle-to-roadside communication, vehicle-to-vehicle communications, and potentially communication among other devices. Multi-channel operation provides medium-access channel (MAC)-layer enhancements to the capabilities standardized in IEEE Std 802.11p.^b This is but one component in the overall WAVE architecture, which is described in IEEE P1609.0.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at <http://standards.ieee.org>.

^a The numbers in brackets correspond to those of the bibliography in Annex A.

^b Information on references can be found in Clause 2.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the Dedicated Short Range Communication Working Group had the following membership:

Thomas M. Kurihara, *Chair*
John Moring, *Vice Chair*

Scott Andrews
Roger Berg
Anthony Chou
Susan Dickey
Wayne Fisher
Ramez Gerges
Paul Gray
Refi-Tugrul Güner
Somak Datta Gupta
Gloria Gwynne
Ronald Hochnadel
Gavin Holland

Wendong Hu
Guo-Huang Hsu
Daniel Jiang
Carl Kain
Douglas Kavner
David Kelley
John Kenney
Minjung Kim
Jeremy Landt
Michael Li
Jason Liu

Jules Madey
Alastair Malarky
Justin McNew
Vinuth Rai
Randal Roebuck
Richard Roy
Kuo Sheng-Po
François Simon
George Vlantis
Timothy Weil
Aaron Weinfield
William Whyte

The following members of the balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Iwan Adhicandra	Chung-Hsien Hsu	Alastair Malarky
Lee Armstrong	Wendong Hu	Sean Maschue
H. Stephen Berger	Daniel Jiang	Justin McNew
Harry Bims	Carl Kain	John Moring
William Byrd	Piotr Karocki	Michael S. Newman
Kai T. Chen	Douglas Kavner	Satoshi Oyama
Keith Chow	John Kenney	Venkatesha Prasad
Michael Coop	Stuart J. Kerry	Robert Robinson
Susan Dickey	Dmitri Khijniak	Randal Roebuck
Sourav Dutta	Max Kicherer	Richard Roy
Wayne Fisher	Gerald L. Kolbe	Randall Safier
Andre Fournier	Hsu Kuo-Huang	Reza Salehi
Avraham Freedman	Thomas M. Kurihara	Bartien Sayogo
Ramez Gerges	Richard Lancaster	Gil Shultz
Paul Gray	Jeremy Landt	Walter Struppler
Randall Groves	Hsia-Hsin Li	Mark Sturza
Refi-Tugrul Güner	Jun Liu	Dale Sumida
Gloria Gwynne	William Lumpkins	Jasja Tjink
Ronald Hochnadel	G. Luri	George Vlantis
Werner Hoelzl	Dmitriy Lyubskiy	William Whyte

When the IEEE-SA Standards Board approved this standard on 30 September 2010, it had the following membership:

Robert M. Grow, *Chair*
Richard H. Hulett, *Vice Chair*
Steve M. Mills, *Past President*
Judith Gorman, *Secretary*

Karen Bartleson	Young Kyun Kim	Ronald C. Petersen
Victor Berman	Joseph L. Koepfinger*	Thomas Prevost
Ted Burse	John Kulick	Jon Walter Rosdahl
Clint Chaplin	David J. Law	Sam Sciacca
Andy Drozd	Hung Ling	Mike Seavey
Alexander Gelman	Oleg Logvinov	Curtis Siller
Jim Hughes	Ted Olsen	Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Michelle D. Turner
IEEE Standards Program Manager, Document Development

Matthew J. Ceglia
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
1.3 Conformance	1
1.4 Document conventions	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations	3
3.1 Definitions	3
3.2 Acronyms and abbreviations	5
4. General description.....	6
4.1 Overview	6
4.2 Reference model.....	6
4.3 Overview of the services	7
5. Data plane services	8
5.1 General	8
5.2 Channel coordination.....	9
5.3 Channel routing	11
5.4 User priority.....	15
6. Management plane services.....	16
6.1 General	16
6.2 Multi-channel synchronization	16
6.3 Channel access.....	20
6.4 Vendor Specific Action frames.....	25
6.5 Other IEEE 802.11 services.....	26
6.6 MIB maintenance	27
6.7 Readdressing.....	27
7. Service primitives.....	28
7.1 Overview of management model.....	28
7.2 Channel identification.....	29
7.3 WAVE MLME Extension SAP	29
7.4 WAVE MAC SAP	53
Annex A (informative) Bibliography	55

Annex B (informative) Channel congestion phenomenon following a channel switch.....	56
Annex C (informative) Avoiding transmission at scheduled guard intervals.....	58
Annex D (informative) MIB table.....	59
Annex E (normative) ASN.1 encoding of the IEEE 1609.4 MIB.....	60
Annex F (informative) Precise timing sources and timing quality estimation.....	75
Annex G (normative) Protocol Implementation Conformance Statement (PICS) proforma.....	77
Annex H (normative) System characteristic values.....	79

IEEE Standard for Wireless Access in Vehicular Environments (WAVE)— Multi-channel Operation

IMPORTANT NOTICE: This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

The scope of this standard is the specification of medium access control (MAC) sublayer functions and services that support multi-channel wireless connectivity between IEEE 802.11 Wireless Access in Vehicular Environments (WAVE) devices.

1.2 Purpose

To enable effective mechanisms that control the operation of upper layer data transfers across multiple channels, without requiring knowledge of physical layer (PHY) parameters, and describe the multi-channel operation channel routing and switching for different scenarios.

1.3 Conformance

Per the *IEEE Style Manual* [B1],¹ this standard includes normative and informative information. Normative text may describe mandatory or optional features. A mandatory feature may have optional as well as

¹ The numbers in brackets correspond to those of the bibliography in Annex A.