BS EN 14499:2015



BSI Standards Publication

Textile floor coverings — Minimum requirements for carpet underlays



BS EN 14499:2015 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 14499:2015. It supersedes BS EN 14499:2004 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/3, Textile floor coverings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 83195 9

ICS 59.080.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2015.

Amendments issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 14499

April 2015

ICS 59.080.60

Supersedes EN 14499:2004

English Version

Textile floor coverings - Minimum requirements for carpet underlays

Revêtements de sol textiles - Exigences minimales pour les thibaudes de moquette

Textile Bodenbeläge - Mindestanforderungen an Teppichunterlagen

This European Standard was approved by CEN on 28 February 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents Foreword		Page 3
2	Normative references	4
3	Terms and definitions	4
4	Sampling	5
5	Performance	5
6	Classification	6
7	Marking	7
Anne	ex A (normative) Method for determination of resistance to breaking and cracking	8
A .1	Principle	8
A.2	Apparatus	8
A.3	Test specimen	8
A.4	Procedure	8
A.5	Test report	8
Anne	ex B (normative) Determination of work of compression of underlay	10

Foreword

This document (EN 14499:2015) has been prepared by Technical Committee CEN/TC 134 "Resilient, textile and laminate floor coverings", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14499:2004.

The main technical changes with respect to the previous edition are:

- The scope has been extended to include breaking and cracking resistance, which is in line with the requirement clauses;
- A number of editorial and technical inaccuracies in the text and the figures were corrected.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies minimum performance requirements for fibrous, non-fibrous and combined underlays as well as demands for the breaking and cracking resistance.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1471, Textile floor coverings — Assessment of changes in appearance

EN ISO 13934-1, Textiles — Tensile properties of fabrics — Part 1: Determination of maximum force and elongation at maximum force using the strip method (ISO 13934-1)

ISO 1765, Machine-made textile floor coverings — Determination of thickness

ISO 1957, Machine-made textile floor coverings — Selection and cutting of specimens for physical tests

ISO 2094, Textile floor coverings — Determination of thickness loss under dynamic loading

ISO 3415, Textile floor coverings — Determination of thickness loss after brief, moderate static loading

ISO 3416, Textile floor coverings — Determination of thickness loss after prolonged, heavy static loading

ISO 10361, Textile floor coverings — Production of changes in appearance by means of Vettermann drum and hexapod tumbler tester

BS 4098, Method for the determination of thickness, compression and recovery characteristics of textile floor coverings

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

needlefelt fibrous underlay

material made wholly of fibres entangled or matted together by needling of a fibre batt

3.2

impregnated fibrous underlay

material made of fibres consolidated by impregnation with a binding agent

Note 1 to entry: A woven, nonwoven or film scrim may be included in a fibrous underlay for support during manufacture.

3.3

cellular rubber underlay

material formed of a vulcanized rubber foam, with or without a carrier or backing material bonded thereto

3.4

cellular plastics underlay

material formed of a polymeric foam, e.g. polyurethane, with or without a carrier or backing material bonded thereto