

BS ISO 16505:2015



BSI Standards Publication

Road vehicles — Ergonomic and performance aspects of Camera Monitor Systems — Requirements and test procedures

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 16505:2015.

The UK participation in its preparation was entrusted to Technical Committee AUE/12, Safety related to occupants.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 72020 8

ICS 13.180; 43.040.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

**Road vehicles — Ergonomic and
performance aspects of Camera
Monitor Systems — Requirements and
test procedures**

*Véhicules routiers — Aspects ergonomiques et de performance des
caméras embarquées — Exigences et procédures d'essai*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Vehicle related terms and definitions.....	2
3.2 Mirror related terms and definitions.....	3
3.3 Camera related terms and definitions.....	12
3.4 Monitor related terms and definitions.....	15
3.5 Camera Monitor System based terms and definitions.....	23
4 Symbols and abbreviated terms	32
5 General information and use case definitions	36
6 Requirements	40
6.1 Intended use.....	40
6.1.1 Default view.....	40
6.1.2 Adjusted default view.....	40
6.1.3 Temporary modified view.....	40
6.1.4 Luminance and contrast adjustment.....	41
6.1.5 Overlays.....	41
6.2 Operating readiness (system availability).....	41
6.3 Field of view.....	42
6.4 Magnification and resolution.....	42
6.4.1 Average magnification factor.....	42
6.4.2 Minimum magnification factor.....	42
6.4.3 Resolution (MTF).....	43
6.5 Magnification aspect ratio.....	44
6.6 Monitor integration inside the vehicle.....	44
6.7 Image quality.....	45
6.7.1 Monitor isotropy.....	45
6.7.2 Luminance and contrast rendering.....	46
6.7.3 Colour rendering.....	46
6.7.4 Artefacts.....	47
6.7.5 Sharpness and depth of field.....	48
6.7.6 Geometric distortion.....	48
6.7.7 Further image quality requirements.....	48
6.8 Time behaviour.....	49
6.8.1 Frame rate.....	49
6.8.2 Image formation time.....	49
6.8.3 System latency.....	49
6.9 Failure behaviour.....	49
6.10 Quality and further ergonomic requirements.....	49
6.10.1 Needs of older persons.....	49
6.11 Influences from weather and environment.....	50
7 Test methods	50
7.1 System documentation.....	50
7.2 Intended use.....	50
7.2.1 Default view.....	50
7.2.2 Adjusted default view.....	50
7.2.3 Temporary modified view.....	50
7.2.4 Luminance and contrast adjustment.....	50
7.2.5 Overlays.....	51
7.3 Operating readiness (system availability).....	51

7.4	Field of view	52
7.5	Magnification and resolution.....	52
	7.5.1 Average magnification factor	52
	7.5.2 Minimum magnification factor	53
	7.5.3 Resolution (MTF)	55
7.6	Magnification aspect ratio.....	57
7.7	Monitor integration inside the vehicle	57
7.8	Image quality	58
	7.8.1 Monitor isotropy.....	58
	7.8.2 Luminance and contrast rendering	60
	7.8.3 Colour rendering.....	69
	7.8.4 Artefacts	72
	7.8.5 Sharpness, resolution, and depth of field	73
	7.8.6 Geometric distortion	75
	7.8.7 Further Image quality requirements.....	75
7.9	Time behaviour	75
	7.9.1 Frame rate.....	75
	7.9.2 Image formation time.....	75
	7.9.3 System latency	75
7.10	Failure behaviour.....	76
7.11	Quality and further ergonomic requirements.....	77
	7.11.1 Needs of older persons.....	77
7.12	Influences from weather and environment	77
8	Functional safety	77
	Annex A (normative) Standard application on class II and IV mirrors in commercial vehicles.....	78
	Annex B (informative) Formula applications, explanations, and guidelines	83
	Annex C (informative) Calculation of the dimensional magnification and of a correction factor to obtain the angular magnification	117
	Annex D (informative) Complementary information for resolution measurement.....	122
	Annex E (informative) Correlation between Resolution (MTF) and spatial frequency measured using SFR method for depth of field evaluation or sharpness evaluation	131
	Annex F (informative) Complementary charts and method for long distance measurements	136
	Annex G (informative) Distortion measurement.....	139
	Bibliography	146

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 35, *Lighting and visibility*.

Introduction

The purpose of this International Standard is to give minimum safety, ergonomic, and performance requirements and test methods for Camera Monitor Systems (CMS) to replace mandatory inside and outside rearview mirrors for road vehicles (e.g. classes I to IV as defined in UN REGULATION NO. 46). This International Standard can follow updates of referred national regulations that influence the included contents.

Where possible, the requirements established for a CMS providing a specific legally prescribed field of view are based on the properties of conventional state of the art mirror systems providing that field of view.

The CMS is treated as a functional system in regards to requirement definitions and performance tests.

This International Standard outlines general requirements and test methods regarding the basic aspects of CMS; e.g. intended use, operating readiness, field of view, magnification, etc.

Furthermore, this International Standard outlines requirements and test methods regarding the necessary object size and resolution provided by the CMS. Besides the properties of the mirror system to be replaced, those requirements are also based on physical aspects of the human operator (e.g. visual acuity).

The given requirements follow the assumption, that the CMS provides an ideal mapping of the real world scene. To correspond to reality, this International Standard also provides requirements and test methods for all relevant parameters that worsen the ideal mapping (e.g. isotropy or artefacts).

Finally, this International Standard gives requirements and test methods regarding the aspects of time behaviour and failure behaviour.

All requirements are established to be as generic as possible, i.e. that these are possible to apply to any of the covered rearview mirrors. If additional or specific information is required for certain mirrors, these are provided in separate annexes.

This International Standard declares that CMS replacing legally prescribed mirrors have to be considered as safety-relevant systems and therefore, relevant safety standards (e.g. ISO 26262) have to be considered.

Road vehicles — Ergonomic and performance aspects of Camera Monitor Systems — Requirements and test procedures

1 Scope

This International Standard gives minimum safety, ergonomic, and performance requirements for Camera Monitor Systems to replace mandatory inside and outside rearview mirrors for road vehicles (e.g. classes I to IV as defined in UN REGULATION NO. 46). It addresses Camera Monitor Systems (CMS) that will be used in road vehicles to present the required outside information of a specific field of view inside the vehicle. These specifications are intended to be independent of different camera and display technologies unless otherwise stated explicitly. ADAS Systems (such as parking aid) are not part of this International Standard.

NOTE 1 Mirror classes V and VI (as defined in UN REGULATION NO. 46) are not in scope of this International Standard since the requirements are already defined in UN REGULATION NO. 46.

NOTE 2 The definitions and requirements in this International Standard are formulated with regard to a system structure, where one camera captures one legally prescribed field of view and one monitor displays one legally prescribed field of view. Of course, also other system structures (e. g. with one monitor displaying two legally prescribed fields of view) are within the scope of this International Standard. For those systems, either the system supplier or the vehicle manufacturer has to prove that the resulting system fulfils the requirements given in [Clause 6](#).

NOTE 3 Whenever the phrases “field of view” or “field of vision” are used, then both have the same meaning and are to be used in parallel.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2813, *Paints and varnishes — Determination of gloss value at 20 degrees, 60 degrees and 85 degrees*

ISO 9241-302:2008, *Ergonomics of human-system interaction — Part 302: Terminology for electronic visual displays*

ISO 9241-305:2008, *Ergonomics of human-system interaction — Part 305: Optical laboratory test methods for electronic visual displays*

ISO 9241-307:2008, *Ergonomics of human-system interaction — Part 307: Analysis and compliance test methods for electronic visual displays*

ISO 12233:2014, *Photography — Electronic still picture imaging — Resolution and spatial frequency responses*

UN REGULATION NO. 46, *Uniform provisions concerning the approval of devices for indirect vision and of motor vehicles with regards to the installation of these devices (ECE homologation)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.