



ANSI Z83.8-2016 • CSA 2.6-2016
(reaffirmed 2021)

Gas unit heaters, gas packaged heaters, gas utility heaters, and gas-fired duct furnaces



Legal Notice for Standards

Canadian Standards Association and CSA America Standards, Inc. (operating as “CSA Group”) develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

ANSI Z83.8-2016 • CSA 2.6-2016, Gas unit heaters, gas packaged heaters, gas utility heaters, and gas-fired duct furnaces

Errata — February 2017	Revision symbol (in margin)
Clause 5.3.5	Δ

Revisions from the 5th edition	Revision symbol (in margin)
Clauses 4.30.4 , 4.31.11 , 5.25.1 , and 5.29.4	Δ

Standards Update Service

ANSI Z83.8-2016 • CSA 2.6-2016 January 2016

Title: *Gas unit heaters, gas packaged heaters, gas utility heaters, and gas-fired duct furnaces*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2423636**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

ANSI Z83.8-2016 • CSA 2.6-2016
Gas unit heaters, gas packaged
heaters, gas utility heaters, and gas-
fired duct furnaces



American National Standards Institute, Inc.

IGAC

Interprovincial Gas Advisory Council



*® A trademark of the Canadian Standards Association
and CSA America Standards Inc., operating as "CSA Group"*

*Approved on December 4, 2015 by ANSI
Approved on December 4, 2015 by IGAC
Effective in Canada June 15, 2017
Published in January 2016 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-77139-922-7

*© 2016 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Interprovincial Gas Advisory Council (IGAC)	4
Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories (Z21/83)	6
Technical Committee on Gas Appliances and Related Accessories	9
Z83/CSA Joint Technical Sub-Committee on Gas-Fired Heavy-Duty Forced Air Heaters	11
Preface	14
1 Scope	17
2 Reference publications	19
3 Definitions	22
4 Construction	32
4.1 General construction	32
4.2 Assembly	35
4.3 Accessibility	36
4.4 Combustion air and ventilation	37
4.5 Main burners	38
4.6 Primary air adjustment means	40
4.7 Orifice spuds and orifice fittings	40
4.8 Automatic gas ignition systems	41
4.9 Flame spreaders	44
4.10 Manual gas valves	45
4.11 Gas supply lines	46
4.12 Bleeds and vents	49
4.13 Automatic valves	50
4.14 Gas appliance pressure regulators	51
4.15 Adjustment of minimum input rating	52
4.16 Pilot gas filters	52
4.17 Limit and fan controls	52
4.18 Thickness of materials	54
4.19 Joints in heating elements	57
4.20 Heater openings	58
4.21 Protection of service personnel	58
4.22 Motors and blowers	61
4.23 Flue connections and integral venting systems	66
4.24 Draft hoods	67
4.25 Automatic vent damper devices	68
4.26 Vent-air intake pipes of separated combustion systems	70
4.27 Air filters	70
4.28 Condensate disposal	71
4.29 (Optional) Appliances for installation downstream from refrigeration systems	71

4.30	Instructions	72
4.31	Marking	78
4.31.2	Rating plate(s)	79
4.31.3	Name plate	80
4.31.4	Instructions to put the utility heater in operation	80
4.32	Electrical equipment and wiring	86
5	Performance	86
5.1	General	86
5.2	Test gases	91
5.3	Test pressures and burner adjustments	92
5.4	Category determination	94
5.5	Combustion	96
5.6	Burner operating characteristics	98
5.7	Pilot burners and safety shutoff devices	100
5.8	Direct ignition systems	106
5.9	Proved ignition systems	108
5.10	Efficiency	111
5.11	Main burner and flame spreader temperatures	113
5.12	Non-load-bearing flue gas baffle temperatures	115
5.13	Flame roll-out safety shutoff system	115
5.14	Filters	116
5.15	Allowable air temperature	117
5.16	Gas appliance pressure regulators	119
5.17	Manual valves	119
5.18	Automatic valves	119
5.19	Manifold and control assembly capacity	119
5.20	Wall, floor, and ceiling temperatures	120
5.21	Flue gas temperature	127
5.22	Blocked vent shutoff system	127
5.23	Draft hoods	128
5.24	Automatic vent damper devices	131
5.24.1	Strength	131
5.24.2	Operation under variable voltage	131
5.24.3	Damper force of a thermally actuated vent damper device	132
5.24.4	Exposure to temperature extremes	132
5.24.5	Continued operation	133
5.25	Draft tests for appliances not equipped with draft hoods	133
5.26	Horizontal category appliances	135
5.27	Condensate disposal system(s)	135
5.28	Venting systems for Category II, III, or IV appliances	135
5.29	Separated combustion systems and appliances vented by means other than conventional venting systems	136
5.30	Allowable heating element and load-bearing flue gas baffle	143
5.30.1	Temperatures	143
5.31	Heating element cyclic test	146
5.32	(Optional) High-static appliances for installation downstream from refrigeration systems	147
5.33	Appliances for outdoor installation	148
5.34	Burner durability	150

- 5.35 Safety circuit analysis 150
- 5.36 Electrical power failure 151
- 5.37 Marking material adhesion and legibility 151

6 Items unique to the United States 152

- 6.1 Electrical equipment and wiring 152
- 6.2 Instructions 163
- 6.3 General construction 163

7 Items unique to Canada 163

- 7.1 Automatic vent dampers 163
- 7.2 Instructions and markings 164
- 7.3 Marking material tests for outdoor installation 164
- 7.4 Electrical equipment and wiring 164
- 7.5 Thermal efficiency 164
- 7.6 French translations for quoted instructions and markings 164

8 Manufacturing and production tests 170

-
- Annex A (normative) — Flue loss calculations 172
 - Annex B (normative) — Jacket loss calculations 176
 - Annex C - (Optional) (normative) — Provisions for listed gas appliance conversion kits 179
 - Annex D - (Optional) (normative) — Provisions for listed gas appliance ignition conversion kits 182
 - Annex E (normative) — Outline of lighting instructions for appliances equipped with continuous pilots 186
 - Annex F (normative) — Outline of operating instructions for appliances equipped with intermittent pilot or interrupted pilot systems 189
 - Annex G (normative) — Outline of operating instructions for appliance equipped with direct ignition systems 192
 - Annex H (informative) — Pertinent references to ANSI Y14.15 195
 - Annex I (informative) — Wire color designations 196
 - Annex J (informative) — Recommended wire color usage 197
 - Annex K (informative) — Preferred graphic symbols of commonly used items, extracted from standard ANSI/IEEE 315, Graphic symbols for electrical and electronics diagrams, and abbreviations for these items 198
 - Annex L (informative) — Sample failure modes and effects analysis for component miswiring 200
 - Annex M (informative) — Table of conversion factors 201

Preface

This is the sixth edition of ANSI Z83.8 • CSA 2.6, Gas unit heaters, gas packaged heaters, gas utility heaters, and gas-fired duct furnaces. It supersedes the previous editions published in 2013, 2009, 2006, 2002, and 1996.

This Standard was prepared by the Z83/CSA Joint Technical Advisory Group on Standards for Gas-Fired Heavy Duty Forced Air Heaters under the jurisdiction of the Technical Committee on Gas Appliances and Related Accessories, the Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories, and the Strategic Steering Committee on Standards for Fuel Burning Appliances, and had been formally approved by the Technical Committee(s), American National Standards Institute, and the Interprovincial Gas Advisory Council.

Interpretations: The Strategic Steering Committee on Standards for Fuel Burning Appliances has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *This Standard contains SI (Metric) units corresponding to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009, Quantities and units – Part 1: General, is used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units are both specified as a quoted marking requirement, the first stated unit, or both, are to be provided.*
- 3) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 4) *This publication was developed by consensus, which is defined by CSA Policy governing standardization – Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity.” It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.*
- 5) *This Standard is subject to review at least every five years; and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change*
- 6) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

History of Development of the ANSI Z83.8-2016 • CSA 2.6-2016

Note: *This history is informative and is not part of the standard.*

With the onset of the Free Trade Agreement between the United States and Canada on January 2, 1988, significant attention was given to the harmonization of the United States and Canadian safety standards addressing gas-fired equipment for residential, commercial, and industrial equipment.

It was believed that the elimination of the differences between the standards would remove potential trade barriers and provide an atmosphere in which North American manufacturers could market more freely in the United States and Canada.

A Z83/CGA joint Subcommittee on Standards for Heavy Duty Heaters was then established, based on memberships of the Z83 subcommittee for Gas-Fired Heavy Duty Forced Air Heaters, and the CGA committees for Unit Heaters/Duct Furnaces, Make-up Air Heaters, and Door Heaters.

Membership on the joint heavy duty heaters subcommittee encompasses representatives from the U.S. and Canadian manufacturing industry, gas suppliers (natural and LP), regulatory authorities, and general interest.

To facilitate the reporting structure of joint subcommittees, a CGA Standards Steering Committee on Gas Burning Appliances and Related Accessories was established to parallel Accredited Standards Committees Z21 and Z83.

The first meeting of the Z83/CGA joint heavy duty heaters subcommittee was held on July 14-16, 1992 in Toronto.

During the standards development process, a total of four drafts were circulated for public review.

The fourth draft of the proposed harmonized standard was issued for public review in March 1994. All comments relating to the fourth draft were duly considered by the joint heavy duty heaters subcommittee at its meeting of June 21-22, 1994. The resulting fifth draft of the proposed harmonized standard (fourth draft as revised at the June 21-22, 1994 subcommittee meeting) was submitted for approval by the Z83 Committee and the CGA Steering Committee.

The first edition of the harmonized Z83/CGA standard for Unit Heaters and Gas-Fired Duct Furnaces was approved by the Interprovincial Gas Advisory Council on June 7, 1996, and by the American National Standards Institute, Inc. on August 29, 1996.

The second edition of the harmonized Z83/CSA Standard for Gas Unit Heaters and Gas-Fired Duct Furnaces was approved by the Interprovincial Gas Advisory Council on February 8, 2002 and by the American National Standards Institute, Inc., on April 24, 2002.

The third edition was approved by the Interprovincial Gas Advisory Council on January 13, 2006 and by the American National Standards Institute, Inc. on October 7, 2005.

With the fourth edition, the title of the Standard for Gas Unit Heater and Gas-Fired Duct Furnace was changed. The American National Standard/CSA Standard for Gas Unit Heaters, Gas Packaged Heaters, Gas Utility Heaters, or Gas-Fired Duct Furnaces was approved by the International Gas Advisory Council on December 29, 2008, and by the American National Standards Institute on December 15, 2009.

The fifth edition was approved by the International Gas Advisory Council on February 5, 2013, and by the American National Standards Institute on February 22, 2013.

The sixth edition was approved by the International Gas Advisory Council on December 4, 2015 and by the American National Standards Institute on December 11, 2015.

The previous editions of the gas unit heaters and gas unit heaters, gas packaged heaters, gas utility heaters and gas-fired duct furnaces, and addenda thereto, approved by the Interprovincial Gas Advisory Council and American National Standards Institute, Inc. are as follows:

ANSI Z83.8-1996 (R2001) • CGA 2.6-M96
ANSI Z83.8a-1998 (R2001) • CGA 2.6a-M98
ANSI Z83.8b-2000 (R2001) • CGA 2.6b-2000

ANSI Z83.8-2002 • CSA 2.6-2002
ANSI Z83.8a-2003 • CSA 2.6a-2003
ANSI Z83.8b-2004 • CSA 2.6b-2004

ANSI Z83.8-2006 • CSA 2.6-2006
ANSI Z83.8a-2009 • CSA 2.6a-2009

ANSI Z83.8-2009 • CSA 2.6-2009

ANSI Z83.8-2013 • CSA 2.6-2013

The following identifies the designation and year of this edition of the standard:

ANSI Z83.8-2016 • CSA 2.6-2016

Note: *This edition of ANSI Z83.8 • CSA 2.6 incorporates changes to the 2013 edition. Changes, other than editorial, are denoted by a delta symbol in the margin.*

ANSI Z83.8-2016 • CSA 2.6-2016

Gas unit heaters, gas packaged heaters, gas utility heaters, and gas-fired duct furnaces

1 Scope

1.1

This Standard applies to newly produced gas fired-duct furnaces, packaged heaters, and unit heaters with input rates up to and including 10,000,000 Btu/h (2 931 kW) and utility heaters with inputs up to and including 400,000 Btu/hr (117.2 kW) constructed entirely of new, unused parts and materials:

- a) for use with natural gas with inlet gas pressures up to and including 5.0 psi (34.5 kPa); unit heaters, packaged heaters, and duct furnace with burners having inputs rates over 400,000 Btu/hr (117 228 kW) may have higher inlet pressures;
- b) for use with liquefied petroleum gases; and
- c) convertible for use with natural gas and liquefied petroleum gases, when provision is made for the conversion from one gas to the other.

1.2

The term “appliance”, when used herein, applies to gas-fired duct furnaces, packaged heaters, utility heaters, and unit heaters. Duct furnaces, unit heaters, and package heaters may be factory-built as a single unit or as a package system intended to be disassembled for shipping and reassembled for installation and may be combined with a cooling unit. (See Clause [3](#)).

1.3

Duct furnaces, unit heaters, and packaged heaters may be factory-built as a single unit or as a package system intended to be disassembled for shipping and reassembled for installation, and may be combined with a cooling unit. (See Clause [3](#)).

1.4

The construction of appliances for use with the above-mentioned gases is covered under Clause [4](#).

1.5

The performance of appliances for use with the above-mentioned gases is covered under Clause [5](#).

1.6

This Standard applies to Category I, Category II, Category III, and Category IV Appliances. (See Clause [3](#)).

1.7

This Standard covers self-contained, automatically controlled, vented unit heaters, packaged heaters, utility heaters, and duct furnaces. These appliances are intended for installation in locations where flammable gases or vapors are not generally present.

Unit heaters, packaged heaters, and utility heaters have an integral means for circulation of air. Unit heaters, unless for outdoor installation are intended for installation in the space being heated. Unit heaters may be either suspended or floor-mounted and of either the low- or high-static pressure type as defined in Clause 3. Utility heaters may be suspended or floor-mounted and of the low static type as defined in Clause 3. Packaged heaters may be either suspended, floor-mounted, or roof mounted and may be located within or external to the heated space as defined in Clause 3.

These appliances are suitable for use in aircraft hangars, parking structures, and repair garages when marked and installed, as applicable, in accordance with:

- a) Standard on Aircraft Hangars, ANSI/NFPA 409;
- b) Standard for Parking Structures, ANSI/NFPA 88A;
- c) Standard for Repair Garages, ANSI/NFPA 88B; and
- d) Installation Code for Natural Gas and Propane Installation Code, CSA B149.1.

1.8

This Standard also applies to appliances with draft hoods which are factory equipped with automatic vent damper devices (see Clause 3), hereinafter referred to as vent damper devices.

1.9

A separated combustion system appliance anticipated by this Standard is essentially a balanced flue appliance with the air intake and vent outlet in close proximity. Other designs are subject to such additional tests as believed necessary at the discretion of the testing agency.

1.10

Clause 2 contains a list of standards specifically referenced in this Standard, and sources from which these referenced standards may be obtained.

1.11

If a value for measurement as given in this Standard is followed by an equivalent value in other units, the first stated value is to be regarded as the specification. (See Annex M for Temperature Scales and Conversions).

1.12

Special construction provisions applicable to an appliance designed for use with an optional listed gas conversion kit are outlined under Annex C.

1.13

This Standard also applies to newly produced automatic intermittent-pilot ignition systems (see Clause 3), constructed entirely of new, unused parts and materials, to be adapted in the field to a unit heater or duct furnace equipped with an existing continuous pilot burner and which has been examined and tested for compliance with this Standard when installed on the appliance. (See Annex D).

1.14

All references to psi (kPa) throughout this Standard are to be considered “gauge” pressures unless otherwise specified.