

ETSI TS 129 212 V11.17.0 (2015-10)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Policy and Charging Control (PCC);
Reference points
(3GPP TS 29.212 version 11.17.0 Release 11)**



Reference
RTS/TS 129 212 vbh0
UMTS, LTE, QoS, Charging, Policy
Keywords
LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Postal address

3GPP support office address

650 Route des Lucioles – Sophia Antipolis
Valbonne – France

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

The present document can be downloaded from:

<http://www.etsi.org/standards-search>
<http://www.3gpp.org>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI. The copyright and the foregoing restriction extend to reproduction in all media.

© 2015 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).

All rights reserved.

© European Telecommunications Standards Institute 2015.

All rights reserved.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the Organizational Partners

3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and

GSM® and the GSM logo are registered and owned by the GSM Association

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	13
3 Definitions and abbreviations.....	15
3.1 Definitions	15
3.2 Abbreviations	16
4 Gx reference point	16
4.1 Overview	16
4.2 Gx Reference model.....	16
4.3 PCC Rules	18
4.3.1 PCC Rule Definition.....	18
4.3.2 Operations on PCC Rules	20
4.3a IP flow mobility routing rules	21
4.3a.1 Functional entities.....	21
4.3a.2 IP flow mobility routing rule definition.....	21
4.3a.3 Operations on Routing rules	21
4.3a.4 PCC procedures for IP flow mobility routing rule over Gx reference point	22
4.3a.4.1 Provisioning of IP flow mobility routing rules.....	22
4.3b Void.....	23
4.3b.1 Void	23
4.3b.2 Void	23
4.3b.3 Void	23
4.4 Functional elements.....	23
4.4.1 PCRF	23
4.4.2 PCEF.....	24
4.5 PCC procedures over Gx reference point	24
4.5.1 Request for PCC rules.....	24
4.5.2 Provisioning of PCC rules	26
4.5.2.0 Overview	26
4.5.2.1 Selecting a PCC rule for Uplink IP packets	29
4.5.2.2 Selecting a PCC rule and IP CAN Bearer for Downlink IP packets	30
4.5.2.3 Gate function.....	30
4.5.2.4 Policy enforcement for "Authorized QoS" per PCC Rule.....	30
4.5.2.5 Usage Monitoring Control	30
4.5.2.6 Redirect function.....	31
4.5.3 Provisioning of Event Triggers.....	31
4.5.4 Provisioning of charging related information for the IP-CAN session	32
4.5.4.1 Provisioning of Charging Addresses.....	32
4.5.4.2 Provisioning of Default Charging Method.....	32
4.5.4.3 Void.....	32
4.5.4.4 Provisioning of Access Network Charging Identifier	32
4.5.5 Provisioning and Policy Enforcement of Authorized QoS	32
4.5.5.0 Overview	32
4.5.5.0a Provisioning of authorized QoS per IP CAN bearer	33
4.5.5.1 Policy enforcement for authorized QoS per IP CAN bearer	33
4.5.5.2 Policy provisioning for authorized QoS per service data flow.....	33
4.5.5.3 Policy enforcement for authorized QoS per service data flow	34
4.5.5.4 Coordination of authorized QoS scopes in mixed mode	34
4.5.5.5 Provisioning of authorized QoS per QCI	34
4.5.5.6 Policy enforcement for authorized QoS per QCI.....	34

4.5.5.7	Provisioning of authorized QoS per APN	35
4.5.5.8	Policy enforcement for authorized QoS per APN	35
4.5.5.9	Provisioning of authorized QoS for the Default EPS Bearer	35
4.5.5.10	Policy enforcement for authorized QoS of the Default EPS Bearer	35
4.5.6	Indication of IP-CAN Bearer Termination Implications	35
4.5.7	Indication of IP-CAN Session Termination	36
4.5.8	Request of IP-CAN Bearer Termination	36
4.5.9	Request of IP-CAN Session Termination	37
4.5.10	Bearer Control Mode Selection	37
4.5.11	Provisioning of Event Report Indication	37
4.5.12	PCC Rule Error Handling	38
4.5.13	Time of the day procedures	39
4.5.14	Trace activation/deactivation	40
4.5.15	IMS Emergency Session Support	40
4.5.15.1	Functional Entities	40
4.5.15.2	PCC procedures for Emergency services over Gx reference point	40
4.5.15.2.1	Request for PCC Rules for Emergency services	40
4.5.15.2.2	Provisioning of PCC Rules for Emergency services	40
4.5.15.2.2.1	Provisioning of PCC Rules at Gx session establishment	40
4.5.15.2.2.2	Provisioning of PCC Rules for Emergency Services	41
4.5.15.2.3	Removal of PCC Rules for Emergency Services	41
4.5.15.2.4	Removal of PCC Rules at Gx session termination	42
4.5.16	Requesting Usage Monitoring Control	42
4.5.17	Reporting Accumulated Usage	43
4.5.17.0	General	43
4.5.17.1	Usage Threshold Reached	44
4.5.17.2	PCC Rule Removal	44
4.5.17.3	Usage Monitoring Disabled	44
4.5.17.4	IP-CAN Session Termination	44
4.5.17.5	PCRF Requested Usage Report	44
4.5.17.6	Report in case of Monitoring Time provided	45
4.5.18	IMS Restoration Support	45
4.5.19	Multimedia Priority Support	45
4.5.19.1	PCC Procedures for Multimedia Priority services over Gx reference point	45
4.5.19.1.1	Provisioning of PCC Rules for Multimedia Priority Services	45
4.5.19.1.2	Invocation/Revocation of Priority EPS Bearer Services	46
4.5.19.1.3	Invocation/Revocation of IMS Multimedia Priority Services	46
4.5.20	Sponsored Data Connectivity	47
4.5.21	PCRF Failure and Restoration	47
4.5.22	Reporting Access Network Information	47
4.5.23	Application Detection Information	48
4.6	Void	50
4.6.1	Void	50
4.6.2	Void	50
4.6.2.1	Void	50
4.6.2.2	Void	50
4.6.2.3	Void	50
4.6.2.4	Void	50
4.6.2.5	Void	50
4.6.3	Void	50
4.6.4	Void	50
4.6.5	Void	50
4.6.5.1	Void	50
4.6.5.2	Void	50
4.6.5.3	Void	50
4.6.5.4	Void	50
4.6.5.5	Void	50
4.6.5.6	Void	50
4.6.5.7	Void	50
4.6.6	Void	50
4.6.7	Void	50

4a	Gxx reference points	51
4a.1	Overview	51
4a.2	Gxx Reference model.....	51
4a.3	Quality of Service Control Rules	52
4a.3.1	Quality of Service Control Rule Definition	52
4a.3.2	Operations on QoS Rules.....	53
4a.4	Functional elements.....	54
4a.4.1	PCRF	54
4a.4.2	BBERF.....	54
4a.5	PCC procedures over Gxx reference points	55
4a.5.1	Gateway control and QoS Rules Request	55
4a.5.2	Gateway control and QoS Rules Provision.....	56
4a.5.2.1	Overview.....	56
4a.5.3	Gateway Control Session Termination	58
4a.5.4	Request of Gateway Control Session Termination	58
4a.5.5	QoS Control Rule error handling.....	58
4a.5.6	Gateway Control session to Gx session linking.....	58
4a.5.7	Multiple BBF support.....	59
4a.5.7.1	General	59
4a.5.7.2	Handling of two BBFs associated with the same IP-CAN session during handover	59
4a.5.7.3	Handling of multiple BBFs with flow mobility within IP-CAN session.....	61
4a.5.8	Provisioning of Event Triggers.....	62
4a.5.9	Bearer Control Mode Selection	62
4a.5.10	Provisioning and Policy Enforcement of Authorized QoS	63
4a.5.10.1	Provisioning of authorized QoS for the Default EPS Bearer	63
4a.5.10.2	Policy enforcement for authorized QoS of the Default EPS Bearer.....	63
4a.5.10.3	Provisioning of authorized QoS per APN	63
4a.5.10.4	Policy provisioning for authorized QoS per service data flow.....	63
4a.5.10.5	Policy enforcement for authorized QoS per service data flow	63
4a.5.11	Trace activation/deactivation.....	63
4a.5.12	IMS Emergency Session Support	64
4a.5.12.1	PCC procedures for Emergency services over Gxx reference point	64
4a.5.12.1.1	Gateway control and QoS Rules request for Emergency services.....	64
4a.5.12.1.2	Provisioning of QoS Rules for Emergency services.....	64
4a.5.12.1.2.1	Provisioning of QoS Rules at Gxx session establishment.....	64
4a.5.12.1.2.2	Provisioning of QoS Rules for Emergency services	64
4a.5.12.2	Gateway Control Session to Gx session linking.....	65
4a.5.12.3	Removal of QoS Rules for Emergency Services.....	65
4a.5.12.4	Termination of Gateway Control session for Emergency Services.....	65
4a.5.13	Time of the day procedures.....	65
4a.5.14	Multimedia Priority Support	66
4a.5.14.1	PCC Procedures for Multimedia Priority services over Gxx reference point.....	66
4a.5.14.1.1	Provisioning of QoS Rules for Multimedia Priority Services.....	66
4a.5.14.1.2	Invocation/Revocation of Priority EPS Bearer Services	67
4a.5.14.1.3	Invocation/Revocation of IMS Multimedia Priority Services	67
4a.5.15	PCRF Failure and Restoration	67
4a.5.16	Reporting Access Network Information	67
4b	Sd reference point.....	68
4b.1	Overview	68
4b.2	Sd Reference model.....	69
4b.3	Application Detection and Control Rules.....	70
4b.3.1	Functional entities.....	70
4b.3.2	Application Detection and Control Rule Definition	70
4b.3.3	Operations on ADC Rules	72
4b.4	Functional elements.....	72
4b.4.1	PCRF	72
4b.4.2	TDF.....	72
4b.5	ADC procedures over Sd reference point for solicited application reporting.....	73
4b.5.1	Provisioning of ADC rules	73
4b.5.1.1	General	73
4b.5.1.2	Gate function.....	74

4b.5.1.3	Bandwidth limitation function	74
4b.5.1.4	Redirect function	75
4b.5.1.5	Usage Monitoring Control	75
4b.5.2	Request for ADC rules	75
4b.5.3	Provisioning of Event Triggers	75
4b.5.4	Request of TDF Session Termination	76
4b.5.5	ADC Rule Error Handling	76
4b.5.6	Requesting Usage Monitoring Control	77
4b.5.7	Reporting Accumulated Usage	78
4b.5.7.1	General	78
4b.5.7.2	Usage Threshold Reached	79
4b.5.7.3	ADC Rule Removal	79
4b.5.7.4	Usage Monitoring Disabled	79
4b.5.7.5	TDF Session Termination	79
4b.5.7.6	PCRF Requested Usage Report	79
4b.5.7.7	Report in case of Monitoring Time provided	79
4b.5.8	Provisioning of Event Report Indication	80
4b.5.9	Application Detection Information	80
4b.5.10	Time of the day procedures	81
4b.5.11	PCRF Failure and Restoration	82
4b.5a	ADC procedures over Sd reference point for unsolicited application reporting	82
4b.5a.1	Provisioning of ADC rules	82
4b.5a.1.1	General	82
4b.5a.2	Application Detection Information	82
4b.5a.3	Request of TDF Session Termination	83
4b.5a.4	TDF session to Gx session linking	83
5	Gx protocol	83
5.1	Protocol support	83
5.2	Initialization, maintenance and termination of connection and session	84
5.3	Gx specific AVPs	84
5.3.1	Bearer-Usage AVP (3GPP-GPRS and 3GPP-EPS access types)	87
5.3.2	Charging-Rule-Install AVP (All access types)	88
5.3.3	Charging-Rule-Remove AVP (All access types)	88
5.3.4	Charging-Rule-Definition AVP (All access types)	89
5.3.5	Charging-Rule-Base-Name AVP (All access types)	89
5.3.6	Charging-Rule-Name AVP (All access types)	90
5.3.7	Event-Trigger AVP (All access types)	90
5.3.8	Metering-Method AVP (All access types)	96
5.3.9	Offline AVP (All access types)	96
5.3.10	Online AVP (All access types)	96
5.3.11	Precedence AVP (All access types)	97
5.3.12	Reporting-Level AVP (All access types)	98
5.3.13	TFT-Filter AVP (3GPP-GPRS access type only)	98
5.3.14	TFT-Packet-Filter-Information AVP (3GPP-GPRS access type only)	99
5.3.15	ToS-Traffic-Class AVP (All access types)	99
5.3.16	QoS-Information AVP (All access types)	99
5.3.17	QoS-Class-Identifier AVP (All access types)	100
5.3.18	Charging-Rule-Report AVP (All access types)	101
5.3.19	PCC-Rule-Status AVP (All access types)	101
5.3.20	Bearer-Identifier AVP (Applicable access type 3GPP-GPRS)	102
5.3.21	Bearer-Operation AVP (Applicable access type 3GPP-GPRS)	102
5.3.22	Access-Network-Charging-Identifier-Gx AVP (All access types)	102
5.3.23	Bearer-Control-Mode AVP	103
5.3.24	Network-Request-Support AVP	103
5.3.25	Guaranteed-Bitrate-DL AVP	103
5.3.26	Guaranteed-Bitrate-UL AVP	103
5.3.27	IP-CAN-Type AVP (All access types)	103
5.3.28	QoS-Negotiation AVP (3GPP-GPRS Access Type only)	104
5.3.29	QoS-Upgrade AVP (3GPP-GPRS Access Type only)	104
5.3.30	Event-Report-Indication AVP (All access types)	105
5.3.31	RAT-Type AVP	106

5.3.32	Allocation-Retention-Priority AVP (All access types)	107
5.3.33	CoA-IP-Address AVP (All access types)	107
5.3.34	Tunnel-Header-Filter AVP (All access types)	107
5.3.35	Tunnel-Header-Length AVP (All access types)	108
5.3.36	Tunnel-Information AVP (All access types)	108
5.3.37	CoA-Information AVP (All access types)	108
5.3.38	Rule-Failure-Code AVP (All access types)	108
5.3.39	APN-Aggregate-Max-Bitrate-DL AVP	110
5.3.40	APN-Aggregate-Max-Bitrate-UL AVP	110
5.3.41	Revalidation-Time (ALL Access Types)	110
5.3.42	Rule-Activation-Time (ALL Access Types)	110
5.3.43	Rule-Deactivation-Time (ALL Access Types)	110
5.3.44	Session-Release-Cause (All access types)	110
5.3.45	Priority-Level AVP (All access types)	111
5.3.46	Pre-emption-Capability AVP	111
5.3.47	Pre-emption-Vulnerability AVP	112
5.3.48	Default-EPS-Bearer-QoS AVP	112
5.3.49	AN-GW-Address AVP (All access types)	112
5.3.50	Resource-Allocation-Notification AVP (All access types)	112
5.3.51	Security-Parameter-Index AVP (All access types)	113
5.3.52	Flow-Label AVP (All access types)	113
5.3.53	Flow-Information AVP (All access types)	113
5.3.54	Packet-Filter-Content AVP	113
5.3.55	Packet-Filter-Identifier AVP	114
5.3.56	Packet-Filter-Information AVP	114
5.3.57	Packet-Filter-Operation AVP	114
5.3.58	PDN-Connection-ID AVP	115
5.3.59	Monitoring-Key AVP	115
5.3.60	Usage-Monitoring-Information AVP	115
5.3.61	Usage-Monitoring-Level AVP	115
5.3.62	Usage-Monitoring-Report AVP	116
5.3.63	Usage-Monitoring-Support AVP	116
5.3.64	CSG-Information-Reporting AVP	116
5.3.65	Flow-Direction AVP	117
5.3.66	Packet-Filter-Usage AVP (All access types)	117
5.3.67	Charging-Correlation-Indicator AVP (All access types)	117
5.3.68	Routing-Rule-Install AVP	117
5.3.69	Routing-Rule-Remove AVP	118
5.3.70	Routing-Rule-Definition AVP	118
5.3.71	Routing-Rule-Identifier AVP	118
5.3.72	Routing-Filter AVP	118
5.3.73	Routing-IP-Address AVP	119
5.3.74	Void	119
5.3.75	Void	119
5.3.76	Void	119
5.3.77	TDF-Application-Identifier AVP	119
5.3.78	TDF-Information AVP	119
5.3.79	TDF-Destination-Realm AVP	119
5.3.80	TDF-Destination-Host AVP	120
5.3.81	TDF-IP-Address AVP	120
5.3.82	Redirect-Information AVP	120
5.3.83	Redirect-Support AVP	120
5.3.84	PS-to-CS-Session-Continuity AVP (3GPP-EPS access type only)	120
5.3.85	Void	121
5.3.86	Void	121
5.3.87	Void	121
5.3.88	Void	121
5.3.89	Void	121
5.3.90	Void	121
5.3.91	Application-Detection-Information AVP	121
5.3.92	TDF-Application-Instance-Identifier AVP	121
5.3.93	Void	121

5.3.94	Void	121
5.3.95	HeNB-Local-IP-Address AVP (3GPP-EPS access type only)	121
5.3.96	UE-Local-IP-Address AVP (Non-3GPP-EPS access type only)	121
5.3.97	UDP-Source-Port AVP (3GPP-EPS and Non-3GPP-EPS access types)	122
5.3.98	Mute-Notification AVP	122
5.3.99	Monitoring-Time AVP	122
5.3.100	AN-GW-Status AVP (3GPP-EPS access type).....	122
5.3.101	User-Location-Info-Time AVP.....	122
5.3.102	NetLoc-Access-Support AVP.....	122
5.4	Gx re-used AVPs.....	123
5.4.1	Use of the Supported-Features AVP on the Gx reference point	127
5.4.2	Flow-Description AVP	129
5.5	Gx specific Experimental-Result-Code AVP values	130
5.5.1	General.....	130
5.5.2	Success.....	130
5.5.3	Permanent Failures	130
5.5.4	Transient Failures	131
5.6	Gx Messages	131
5.6.1	Gx Application.....	131
5.6.2	CC-Request (CCR) Command.....	132
5.6.3	CC-Answer (CCA) Command.....	133
5.6.4	Re-Auth-Request (RAR) Command	133
5.6.5	Re-Auth-Answer (RAA) Command	134
5a	Gxx protocols	134
5a.1	Protocol support	134
5a.2	Initialization, maintenance and termination of connection and session.....	135
5a.3	Gxx specific AVPs	135
5a.3.1	QoS-Rule-Install AVP (All access types).....	135
5a.3.2	QoS-Rule-Remove AVP (All access types).....	136
5a.3.3	QoS-Rule-Definition AVP (All access types).....	136
5a.3.4	QoS-Rule-Name AVP (All access types)	137
5a.3.5	QoS-Rule-Report AVP (All access types)	137
5a.3.6	Session-Linking-Indicator AVP (All access types)	137
5a.3.7	QoS-Rule-Base-Name AVP (All access types)	138
5a.4	Gxx re-used AVPs.....	138
5a.4.1	Use of the Supported-Features AVP on the Gxx reference point	142
5a.5	Gxx specific Experimental-Result-Code AVP values	143
5a.6	Gxx Messages	144
5a.6.1	Gxx Application.....	144
5a.6.2	CC-Request (CCR) Command.....	144
5a.6.3	CC-Answer (CCA) Command.....	145
5a.6.4	Re-Auth-Request (RAR) Command	145
5a.6.5	Re-Auth-Answer (RAA) Command	146
5b	Sd protocol	146
5b.1	Protocol support	146
5b.2	Initialization, maintenance and termination of connection and session.....	146
5b.3	Sd specific AVPs.....	146
5b.3.1	ADC-Rule-Install AVP.....	147
5b.3.2	ADC-Rule-Remove AVP	147
5b.3.3	ADC-Rule-Definition AVP	147
5b.3.4	ADC-Rule-Base-Name AVP	148
5b.3.5	ADC-Rule-Name AVP	148
5b.3.6	ADC-Rule-Report AVP	148
5b.4	Sd re-used AVPs	148
5b.4.1	Use of the Supported-Features AVP on the Sd reference point.....	154
5b.5	Sd specific Experimental-Result-Code AVP values.....	155
5b.5.1	General.....	155
5b.5.2	Success.....	155
5b.5.3	Permanent Failures	155
5b.5.4	Transient Failures	155

5b.6	Sd Messages	155
5b.6.1	Sd Application	155
5b.6.2	TDF-Session-Request (TSR) Command.....	156
5b.6.3	TDF-Session-Answer (TSA) Command.....	156
5b.6.4	CC-Request (CCR) Command.....	157
5b.6.5	CC-Answer (CCA) Command.....	157
5b.6.6	Re-Auth-Request (RAR) Command	158
5b.6.7	Re-Auth-Answer (RAA) Command	158
Annex A (normative): Access specific aspects (GPRS).....		159
A.1	Scope	159
A.2	Reference Model	159
A.2	Functional Elements	159
A.2.1	PCRF	159
A.3	PCC procedures.....	159
A.3.1	Request for PCC rules	159
A.3.2	Provisioning of PCC rules	160
A.3.2.1	PCC rule request for services not known to PCRF.....	161
A.3.2.2	Selecting a PCC rule and IP CAN Bearer for Downlink IP packets.....	161
A.3.3	Provisioning and Policy Enforcement of Authorized QoS	161
A.3.3.0	Overview	161
A.3.3.1	Provisioning of authorized QoS per IP CAN bearer.....	161
A.3.3.2	Policy enforcement for authorized QoS per IP CAN bearer.....	163
A.3.3.2a	Policy provisioning for authorized QoS per service data flow	163
A.3.3.3	Policy enforcement for authorized QoS per service data flow.....	163
A.3.3.3a	Coordination of authorized QoS scopes in mixed mode.....	163
A.3.3.3b	Provisioning of authorized QoS per QCI.....	164
A.3.3.4	Policy enforcement for authorized QoS per QCI.....	164
A.3.3.5	Void	164
A.3.3.6	Provisioning of authorized QoS per APN.....	164
A.3.4	Indication of IP-CAN Bearer Termination Implications	164
A.3.5	Indication of IP-CAN Session Termination	164
A.3.6	Request of IP-CAN Bearer Termination	164
A.3.7	Request of IP-CAN Session Termination.....	165
A.3.8	Bearer Control Mode Selection	165
A.3.9	Bearer Binding Mechanism.....	166
A.3.10	Void.....	166
A.3.11	PCC Rule Error Handling.....	166
A.3.12	IMS Emergency Session Support.....	166
A.3.12.1	Request of PCC Rules for an Emergency services	166
A.3.12.2	Provisioning of PCC Rules for an Emergency services.....	166
A.3.13	Removal of PCC Rules for Emergency Services	167
A.3.14	Removal of PCC Rules at Gx session termination	167
A.3.15	IMS Restoration Support.....	167
A.3.16	Provisioning of CSG information reporting indication	167
A.3.17	Packet-Filter-Usage AVP	167
A.3.18	Precedence handling.....	167
A.3.19	Reporting Access Network Information.....	168
A.3.20	User CSG Information Reporting.....	168
A.4	QoS Mapping	168
A.4.1	GPRS QCI to UM3GPP TS QoS parameter mapping.....	168
A.4.2	GPRS ARP to UM3GPP TS ARP parameter mapping	169
Annex B (normative): Access specific aspects, 3GPP (GERAN/UTRAN/E-UTRAN) EPS		170
B.1	Scope	170
B.2	Functional Elements.....	170
B.2.1	PCRF	170
B.2.2	PCEF	170

B.2.3	BBERF	170
B.3	PCC procedures.....	170
B.3.1	Request for PCC and/or QoS rules.....	170
B.3.2	Provisioning of PCC and/or QoS rules.....	172
B.3.3	Provisioning and Policy Enforcement of Authorized QoS	172
B.3.3.1	Provisioning of authorized QoS per APN.....	172
B.3.3.2	Policy enforcement for authorized QoS per APN.....	172
B.3.3.3	QoS handling for interoperation with Gn/Gp SGSN	172
B.3.3.4	Void	175
B.3.3.5	Policy provisioning for authorized QoS per service data flow	175
B.3.4	Packet-Filter-Information AVP	175
B.3.5	Bearer Control Mode Selection	175
B.3.6	Trace activation/deactivation at P-GW.....	176
B.3.7	IMS Restoration Support.....	176
B.3.8	Provisioning of CSG information reporting indication	176
B.3.9	Packet-Filter-Usage AVP	176
B.3.10	User CSG Information Reporting.....	176
B.3.10.1	GTP-based S5/S8.....	176
B.3.10.2	PMIP-based S5/S8.....	176
B.3.11	Request of IP-CAN Bearer Termination	177
B.3.12	CS to PS handover.....	177
B.3.13	Precedence handling.....	177
B.3.14	S-GW Restoration Support.....	177
B.3.15	Reporting Access Network Information.....	179
Annex C (Informative): Mapping table for type of access networks.....		180
Annex D (normative): Access specific aspects (EPC-based Non-3GPP)		181
D.1	Scope	181
D.2	EPC-based eHRPD Access	181
D.2.1	General	181
D.2.2	Gxa procedures.....	181
D.2.2.1	Request for QoS rules.....	181
D.2.2.2	Provisioning of QoS rules.....	182
D.2.2.2.1	QoS rule request for services not known to PCRF.....	182
D.2.2.3	Provisioning and Policy Enforcement of Authorized QoS	182
D.2.2.3.1	Provisioning of authorized QoS	182
D.2.2.3.2	Policy enforcement for authorized QoS	182
D.2.3	Bearer Control Mode Selection	182
D.2.4	QoS Mapping	183
D.2.4.1	QCI to eHRPD QoS parameter mapping	183
D.3	EPC-based Trusted WLAN Access with S2a.....	183
Annex E (normative): Access specific aspects, Fixed Broadband Access interworking with EPC		184
E.1	Scope	184
E.2	Definitions and abbreviations.....	184
E.2.1	Definitions	184
E.2.2	Abbreviations	184
E.3	Reference points and Reference model	184
E.3.0	General	184
E.3.1	Gx Reference Point	185
E.3.2	Gxx Reference Point	185
E.3.3	S15 Reference Point	185
E.3.3a	Sd Reference Point	185
E.3.4	Reference Model	185
E.4	Functional Elements.....	188

E.4.1	PCRF	188
E.4.2	PCEF	189
E.4.3	BBERF	189
E.4.4	HNB GW	189
E.5	PCC procedures	189
E.5.1	PCC procedures over Gx reference point	189
E.5.2	PCC procedures over Gxx reference point	190
E.5.2.1	Gateway Control Session Establishment	190
E.5.2.2	Gateway Control Session Modification	190
E.5.2.3	Gateway Control Session Termination	190
E.5.2.4	Request of Gateway Control Session Termination	190
E.5.3	S15 Procedures	190
E.5.3.1	S15 Session Establishment	190
E.5.3.2	S15 Session Modification	191
E.5.3.2.1	S15 Session Modification initiated by the HNB GW	191
E.5.3.2.2	S15 Session Modification initiated by the PCRF	191
E.5.3.3	S15 Session Termination	191
E.5.4	ADC procedures over Sd reference point for solicited application reporting	191
E.5.4.1	TDF session establishment	191
E.5.5	ADC procedures over Sd reference point for unsolicited application reporting	192
E.5.5.1	General	192
E.5.5.2	TDF session to S9a* session linking	192
E.6	S15 Protocol	192
E.6.1	Protocol support	192
E.6.2	Initialization, maintenance and termination of connection and session	193
E.6.3	S15 specific AVPs	193
E.6.3.1	General	193
E.6.3.2	CS-Service-QoS-Request-Identifier	193
E.6.3.3	CS-Service-QoS-Request-Operation	194
E.6.3.4	CS-Service-Resource-Result-Operation	194
E.6.3.5	CS-Service-Resource-Failure-Cause	194
E.6.3.6	CS-Service-Resource-Report	194
E.6.4	S15 re- used AVPs	195
E.6.4.1	General	195
E.6.4.2	Use of the Supported-Features AVP on the S15 reference point	195
E.6.5	S15 specific Experimental-Result-Code AVP values	196
E.6.5.1	General	196
E.6.5.2	Success	196
E.6.5.3	Permanent Failures	196
E.6.5.4	Transient Failures	196
E.6.6	S15 Messages	196
E.6.6.1	S15 Application	196
E.6.6.2	CC-Request (CCR) Command	196
E.6.6.3	CC-Answer (CCA) Command	197
E.6.6.4	Re-Auth-Request (RAR) Command	197
E.6.6.5	Re-Auth-Answer (RAA) Command	198
Annex F (informative):	Change history	199
History		203

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- Y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document provides the stage 3 specification of the Gx, Gxx and Sd reference points for the present release. The functional requirements and the stage 2 specifications of the Gx, Gxx and Sd reference points are contained in 3GPP TS 23.203 [7]. The Gx reference point lies between the Policy and Charging Rule Function and the Policy and Charging Enforcement Function. The Gxx reference point lies between the Policy and Charging Rule Function and the Bearer Binding and Event Reporting Function. The Sd reference point lies between the Policy and Charging Rule Function and the Traffic Detection Function.

Whenever it is possible the present document specifies the requirements for the protocol by reference to specifications produced by the IETF within the scope of Diameter. Where this is not possible, extensions to Diameter are defined within the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 29.210: "Charging Rule Provisioning over Gx Interface".
- [3] Void.
- [4] Void.
- [5] IETF RFC 3588: "Diameter Base Protocol".
- [6] Void.
- [7] 3GPP TS 23.203: "Policy Control and Charging architecture".
- [8] 3GPP TS 29.213: "Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping".
- [9] IETF RFC 4006: "Diameter Credit Control Application".
- [10] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [11] 3GPP TS 29.061: "Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN)".
- [12] IETF RFC 4005: "Diameter Network Access Server Application".
- [13] 3GPP TS 24.008: "Mobile radio interface Layer 3 specification".
- [14] 3GPP TS 29.229: "Cx and Dx interfaces based on Diameter protocol; Protocol details".
- [15] IETF RFC 3162: "Radius and Ipv6".
- [16] 3GPP TS 32.295: "Telecommunication management; Charging management; Charging Data Record (CDR) transfer".