

FINAL VERSION

VERSION FINALE



Photovoltaic systems – Design qualification of solar trackers

Systèmes photovoltaïques – Qualification de conception des suiveurs solaires

CONTENTS

FOREWORD..... 6

1 Scope and object..... 8

2 Normative references 8

3 Terms and definitions 9

4 Specifications for solar trackers for PV applications..... 9

5 Report 12

6 Tracker definitions and taxonomy 13

6.1 General..... 13

6.2 Payload types 13

6.2.1 Standard photovoltaic (PV) module trackers 13

6.2.2 Concentrator photovoltaic (CPV) module trackers..... 13

6.3 Rotational axes 14

6.3.1 General 14

6.3.2 Single-axis trackers 14

6.3.3 Dual-axis trackers..... 15

6.4 Actuation and control 17

6.4.1 Architecture 17

6.4.2 Drive train..... 17

6.4.3 Drive types 17

6.4.4 Drive train torque..... 18

6.5 Types of tracker control 18

6.5.1 Passive control 18

6.5.2 Active control..... 18

6.5.3 Backtracking..... 19

6.6 Structural characteristics 19

6.6.1 Vertical supports..... 19

6.6.2 Foundation types 20

6.6.3 Tracker positions 20

6.6.4 Stow time 21

6.7 Energy consumption 21

6.7.1 Daily energy consumption..... 21

6.7.2 Stow energy consumption..... 21

6.8 External elements and interfaces 21

6.8.1 Foundation 21

6.8.2 Foundation interface 21

6.8.3 Payload 21

6.8.4 Payload interface..... 22

6.8.5 Payload mechanical interface 22

6.8.6 Payload electrical interface..... 22

6.8.7 Grounding interface 22

6.8.8 Installation effort..... 22

6.8.9 Control interface 22

6.9 Internal tolerances 23

6.9.1 Primary-axis tolerance 23

6.9.2 Secondary axis tolerance..... 23

6.9.3 Backlash..... 23

| | | |
|--------|---|----|
| 6.9.4 | Stiffness | 23 |
| 6.10 | Tracker system elements | 24 |
| 6.10.1 | Mechanical structure | 24 |
| 6.10.2 | Tracker controller | 24 |
| 6.10.3 | Sensors | 24 |
| 6.11 | Reliability terminology..... | 24 |
| 6.11.1 | General | 24 |
| 6.11.2 | Mean time between failures (MTBF) | 24 |
| 6.11.3 | Mean time between critical failures (MTBCF)..... | 25 |
| 6.11.4 | Mean time to repair (MTTR)..... | 25 |
| 6.12 | Environmental conditions | 25 |
| 6.12.1 | Operating temperature range..... | 25 |
| 6.12.2 | Survival temperature range..... | 25 |
| 6.12.3 | Wind speed | 25 |
| 6.12.4 | Maximum wind during operation | 26 |
| 6.12.5 | Maximum wind during stow..... | 26 |
| 6.12.6 | Snow load | 26 |
| 7 | Tracker accuracy characterization | 26 |
| 7.1 | Overview | 26 |
| 7.2 | Pointing error (instantaneous)..... | 26 |
| 7.3 | Measurement..... | 27 |
| 7.3.1 | Overview | 27 |
| 7.3.2 | Example of experimental method to measure pointing error | 27 |
| 7.3.3 | Calibration of pointing error measurement tool | 28 |
| 7.4 | Calculation of tracker accuracy | 29 |
| 7.4.1 | Overview | 29 |
| 7.4.2 | Data collection..... | 29 |
| 7.4.3 | Data binning by wind speed..... | 31 |
| 7.4.4 | Data filtering..... | 31 |
| 7.4.5 | Data quantity | 31 |
| 7.4.6 | Accuracy calculations | 31 |
| 8 | Tracker test procedures..... | 32 |
| 8.1 | Visual inspection..... | 32 |
| 8.1.1 | Purpose..... | 32 |
| 8.1.2 | Procedure..... | 32 |
| 8.1.3 | Requirements | 33 |
| 8.2 | Functional validation tests..... | 33 |
| 8.2.1 | Purpose..... | 33 |
| 8.2.2 | Tracking limits verification | 33 |
| 8.2.3 | Hard limit switch operation..... | 33 |
| 8.2.4 | Automatic sun tracking after power outage and feedback sensor shadowing | 33 |
| 8.2.5 | Manual operation..... | 34 |
| 8.2.6 | Emergency stop..... | 34 |
| 8.2.7 | Maintenance mode | 34 |
| 8.2.8 | Operational temperature range | 34 |
| 8.2.9 | Wind stow..... | 34 |
| 8.3 | Performance tests..... | 34 |
| 8.3.1 | Purpose..... | 34 |

| | | |
|-----------|--|----|
| 8.3.2 | Daily energy and peak power consumption | 34 |
| 8.3.3 | Stow time and stow energy and power consumption | 35 |
| 8.4 | Mechanical testing | 35 |
| 8.4.1 | Purpose | 35 |
| 8.4.2 | Control/drive train pointing repeatability test | 36 |
| 8.4.3 | Deflection under static load test..... | 37 |
| 8.4.4 | Torsional stiffness, mechanical drift, drive torque, and backlash testing | 39 |
| 8.4.5 | Moment testing under extreme wind loading | 43 |
| 8.5 | Environmental testing | 45 |
| 8.5.1 | Purpose | 45 |
| 8.5.2 | Procedure..... | 45 |
| 8.5.3 | Requirements | 47 |
| 8.6 | Accelerated mechanical cycling | 47 |
| 8.6.1 | Purpose | 47 |
| 8.6.2 | Procedure..... | 48 |
| 8.6.3 | Requirements | 50 |
| 9 | Design qualification testing specific to tracker electronic equipment | 50 |
| 9.1 | General purpose | 50 |
| 9.2 | Sequential testing for electronic components | 50 |
| 9.2.1 | General | 50 |
| 9.2.2 | Visual inspection of electronic components..... | 51 |
| 9.2.3 | Functioning test..... | 52 |
| 9.2.4 | Protection against dust, water, and foreign bodies (IP code)..... | 53 |
| 9.2.5 | Protection against mechanical impacts (IK code) | 53 |
| 9.2.6 | Robustness of terminals test..... | 54 |
| 9.2.7 | Surge immunity test..... | 55 |
| 9.2.8 | Shipping vibration test | 55 |
| 9.2.9 | Shock test | 56 |
| 9.2.10 | UV test | 56 |
| 9.2.11 | Thermal cycling test..... | 57 |
| 9.2.12 | Humidity-freeze test..... | 58 |
| 9.2.13 | Damp heat..... | 59 |
| 10 | Additional optional accuracy calculations..... | 59 |
| 10.1 | Typical tracking accuracy range | 59 |
| 10.2 | Tracking error histogram | 59 |
| 10.3 | Percent of available irradiance as a function of pointing error | 60 |
| | | |
| Figure 1 | – Convention for elevation angle | 16 |
| Figure 2 | – Illustration of primary-axis tolerance for VPDAT | 23 |
| Figure 3 | – General illustration of pointing error | 27 |
| Figure 4 | – Example of experimental method to measure pointing error | 27 |
| Figure 5 | – Example measurement locations for structural deflection | 38 |
| Figure 6 | – Load configurations while the payload is in the horizontal position | 38 |
| Figure 7 | – Load configuration when the payload is in the vertical position..... | 38 |
| Figure 8 | – Moment load applied to an elevation axis | 40 |
| Figure 9 | – Angular displacement versus applied torque to axis of rotation | 41 |
| Figure 10 | – Examples of characteristic length for (a) elevation torque, (b) azimuth torque | 42 |

| | |
|---|----|
| Figure 11 – Two configurations for extreme wind moment loading..... | 44 |
| Figure 12 – Representation of a tracker’s discrete-movement profile | 48 |
| Figure 13 – Representation of an accelerated discrete-movement profile for testing | 49 |
| Figure 14 – Test sequence for electronic components..... | 51 |
| Figure 15 – Electronic component thermal cycling test..... | 57 |
| Figure 16 – Electronic component humidity-freeze test | 58 |
| Figure 17 – Pointing-error frequency distribution for the entire test period | 60 |
| Figure 18 – Available irradiance as a function of pointing error | 60 |
| Figure 19 – Available irradiance as a function of pointing error with binning by wind speed | 61 |
| | |
| Table 1 – Tracker specification template | 10 |
| Table 2 – Alternate tracking-accuracy reporting template..... | 32 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PHOTOVOLTAIC SYSTEMS –
DESIGN QUALIFICATION OF SOLAR TRACKERS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 62817 bears the edition number 1.1. It consists of the first edition (2014-08) [documents 82/853/FDIS and 82/877/RVD] and its amendment 1 (2017-07) [documents 82/1018/CDV and 82/1097/RVC]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62817 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

PHOTOVOLTAIC SYSTEMS – DESIGN QUALIFICATION OF SOLAR TRACKERS

1 Scope and object

This International Standard is a design qualification standard applicable to solar trackers for photovoltaic systems, but may be used for trackers in other solar applications. The standard defines test procedures for both key components and for the complete tracker system. In some cases, test procedures describe methods to measure and/or calculate parameters to be reported in the defined tracker specification sheet. In other cases, the test procedure results in a pass/fail criterion.

The objective of this design qualification standard is twofold.

First, this standard ensures the user of the said tracker that parameters reported in the specification sheet were measured by consistent and accepted industry procedures. This provides customers with a sound basis for comparing and selecting a tracker appropriate to their specific needs. This standard provides industry-wide definitions and parameters for solar trackers. Each vendor can design, build, and specify the functionality and accuracy with uniform definition. This allows consistency in specifying the requirements for purchasing, comparing the products from different vendors, and verifying the quality of the products.

Second, the tests with pass/fail criteria are engineered with the purpose of separating tracker designs that are likely to have early failures from those designs that are sound and suitable for use as specified by the manufacturer. Mechanical and environmental testing in this standard is designed to gauge the tracker's ability to perform under varying operating conditions, as well as to survive extreme conditions. Mechanical testing is not intended to certify structural and foundational designs, because this type of certification is specific to local jurisdictions, soil types, and other local requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-21, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60904-3:2008, *Photovoltaic devices – Part 3: Measurement principles for terrestrial photovoltaic (PV) solar devices with reference spectral irradiance data*

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*