

ETSI TS 129 244 V14.1.0 (2017-10)



**LTE;
Interface between the Control plane Plane
and the User Plane of EPC Nodes
(3GPP TS 29.244 version 14.1.0 Release 14)**



Reference

RTS/TSGC-0429244ve10

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	12
3.1 Definitions	12
3.2 Abbreviations	12
4 Protocol Stack	13
4.1 Introduction	13
4.2 UDP Header and Port Numbers	14
4.2.1 General.....	14
4.2.2 Request Message	15
4.2.3 Response Message	15
4.3 IP Header and IP Addresses	15
4.3.1 General.....	15
4.3.2 Request Message	15
4.3.3 Response Message	15
4.4 Layer 2	15
4.5 Layer 1	15
5 General description.....	16
5.1 Introduction	16
5.2 Packet Forwarding Model	16
5.2.1 General.....	16
5.2.2 Usage Reporting Rule Handling	18
5.2.2.1 General.....	18
5.2.2.2 Provisioning of Usage Reporting Rule in the UP function	18
5.2.2.3 Reporting of Usage Report to the CP function.....	21
5.2.2.4 Reporting of Linked Usage Reports to the CP function.....	22
5.2.3 Forwarding Action Rule Handling.....	23
5.2.3.1 General.....	23
5.2.4 Buffering Action Rule Handling.....	23
5.2.4.1 General.....	23
5.2.4.2 Provisioning of Buffering Action Rule in the UP function.....	24
5.2.5 QoS Enforcement Rule Handling	24
5.2.5.1 General.....	24
5.2.5.2 Provisioning of QoS Enforcement Rule in the UP function.....	24
5.2.6 Combined SGW/PGW Architecture	24
5.3 Data Forwarding between the CP and UP Functions	25
5.3.1 General.....	25
5.3.2 Sending of End Marker Packets.....	25
5.3.3 Forwarding of Packets Subject to Buffering in the CP Function.....	26
5.3.3.1 General.....	26
5.3.3.2 Forwarding of Packets from the UP Function to the CP Function	26
5.3.3.3 Forwarding of Packets from the CP Function to the UP Function	27
5.3.4 Data Forwarding between the CP and UP Functions with one Sx-u Tunnel per UP Function or PDN.....	27
5.3.4.1 General.....	27
5.3.4.2 Forwarding of Packets from the UP Function to the CP Function	27
5.3.4.3 Forwarding of Packets from the CP Function to the UP Function	27
5.4 Policy and Charging Control	28
5.4.1 General.....	28
5.4.2 Service Detection and Bearer Binding.....	28

5.4.3	Gating Control	28
5.4.4	QoS Control.....	29
5.4.5	DL Flow Level Marking for Application Detection	29
5.4.6	Usage Monitoring	29
5.4.7	Traffic Redirection.....	30
5.4.8	Traffic Steering.....	30
5.4.9	Provisioning of Predefined PCC/ADC Rules	31
5.4.10	Charging	32
5.4.11	(Un)solicited Application Reporting.....	32
5.4.12	Service Identification for Improved Radio Utilisation for GERAN	33
5.5	F-TEID Allocation and Release	33
5.5.1	General.....	33
5.5.2	F-TEID allocation in the CP function.....	34
5.5.3	F-TEID allocation in the UP function.....	34
5.6	Sx Session Handling.....	34
5.6.1	General.....	34
5.6.2	Session Endpoint Identifier Handling	34
5.6.3	Modifying the Rules of an Existing Sx Session.....	34
5.7	Support of Lawful Interception	35
5.8	Sx Association.....	35
5.8.1	General.....	35
5.8.2	Behaviour with an Established Sx Association.....	35
5.8.3	Behaviour without an Established Sx Association.....	36
5.9	Usage of Vendor-specific IE	36
5.10	Error Indication Handling	36
6	Procedures	37
6.1	Introduction	37
6.2	Sx Node Related Procedures	37
6.2.1	General.....	37
6.2.2	Heartbeat Procedure.....	37
6.2.2.1	General	37
6.2.2.2	Heartbeat Request	37
6.2.2.3	Heartbeat Response.....	37
6.2.3	Load Control Procedure.....	37
6.2.3.1	General	37
6.2.3.2	Principles.....	37
6.2.3.3	Load Control Information	38
6.2.3.3.1	General Description.....	38
6.2.3.3.2	Parameters	38
6.2.3.3.2.1	Load Control Sequence Number.....	38
6.2.3.3.2.2	Load Metric.....	39
6.2.3.3.3	Frequency of Inclusion.....	39
6.2.4	Overload Control Procedure	40
6.2.4.1	General	40
6.2.4.2	Principles.....	40
6.2.4.3	Overload Control Information	40
6.2.4.3.1	General Description.....	40
6.2.4.3.2	Parameters	41
6.2.4.3.2.1	Overload Control Sequence Number	41
6.2.4.3.2.2	Period of Validity.....	42
6.2.4.3.2.3	Overload Reduction Metric.....	42
6.2.4.3.3	Frequency of Inclusion	43
6.2.4.4	Message Throttling.....	43
6.2.4.4.1	General	43
6.2.4.4.2	Throttling algorithm – "Loss"	43
6.2.4.4.2.1	Description	43
6.2.4.5	Message Prioritization	44
6.2.4.5.1	Description	44
6.2.4.5.2	Based on the Message Priority Signalled in the PFPCP Message	44
6.2.5	Sx PFD Management Procedure	45
6.2.5.1	General	45

6.2.5.2	CP Function Behaviour	45
6.2.5.3	UP Function Behaviour.....	45
6.2.6	Sx Association Setup Procedure	45
6.2.6.1	General.....	45
6.2.6.2	Sx Association Setup Initiated by the CP Function.....	46
6.2.6.2.1	CP Function Behaviour	46
6.2.6.2.2	UP Function behaviour	46
6.2.6.3	Sx Association Setup Initiated by the UP Function	46
6.2.6.3.1	UP Function Behaviour	46
6.2.6.3.2	CP Function Behaviour	46
6.2.7	Sx Association Update Procedure.....	47
6.2.7.1	General.....	47
6.2.7.2	Sx Association Update Procedure Initiated by the CP Function	47
6.2.7.2.1	CP Function Behaviour	47
6.2.7.2.2	UP Function Behaviour	47
6.2.7.3	Sx Association Update Procedure Initiated by UP Function.....	47
6.2.7.3.1	UP Function Behaviour	47
6.2.7.3.2	CP Function Behaviour	47
6.2.8	Sx Association Release Procedure.....	48
6.2.8.1	General.....	48
6.2.8.2	CP Function Behaviour	48
6.2.8.3	UP Function behaviour	48
6.2.9	Sx Node Report Procedure	48
6.2.9.1	General	48
6.2.9.2	UP Function Behaviour.....	48
6.2.9.3	CP Function behaviour.....	48
6.3	Sx Session Related Procedures.....	49
6.3.1	General.....	49
6.3.2	Sx Session Establishment Procedure	49
6.3.2.1	General.....	49
6.3.2.2	CP Function Behaviour	49
6.3.2.3	UP Function Behaviour.....	49
6.3.3	Sx Session Modification Procedure	49
6.3.3.1	General	49
6.3.3.2	CP Function behaviour.....	49
6.3.3.3	UP Function Behaviour.....	50
6.3.4	Sx Session Deletion Procedure	50
6.3.4.1	General	50
6.3.4.2	CP Function Behaviour	50
6.3.4.3	UP Function Behaviour.....	50
6.3.5	Sx Session Report Procedure	50
6.3.5.1	General	50
6.3.5.2	UP Function Behaviour.....	51
6.3.5.3	CP Function Behaviour	51
6.4	Reliable Delivery of PFCP Messages.....	51
7	Messages and Message Formats.....	51
7.1	Transmission Order and Bit Definitions.....	51
7.2	Message Format	52
7.2.1	General.....	52
7.2.2	Message Header.....	52
7.2.2.1	General Format	52
7.2.2.2	PFCP Header for Node Related Messages	52
7.2.2.3	PFCP Header for Session Related Messages	53
7.2.2.4	Usage of the PFCP Header.....	53
7.2.2.4.1	General	53
7.2.2.4.2	Conditions for Sending SEID=0 in PFCP Header	54
7.2.3	Information Elements	54
7.2.3.1	General	54
7.2.3.2	Presence Requirements of Information Elements	54
7.2.3.3	Grouped Information Elements	56
7.2.3.4	Information Element Type	56

7.3	Message Types	56
7.4	Sx Node Related Messages	57
7.4.1	General.....	57
7.4.2	Heartbeat Messages	57
7.4.2.1	Heartbeat Request	57
7.4.2.2	Heartbeat Response	58
7.4.3	Sx PFD Management.....	58
7.4.3.1	Sx PFD Management Request.....	58
7.4.3.2	Sx PFD Management Response	59
7.4.4	Sx Association messages	59
7.4.4.1	Sx Association Setup Request.....	59
7.4.4.2	Sx Association Setup Response	60
7.4.4.3	Sx Association Update Request	61
7.4.4.4	Sx Association Update Response	61
7.4.4.5	Sx Association Release Request	61
7.4.4.6	Sx Association Release Response	62
7.4.4.7	Sx Version Not Supported Response	62
7.4.5	Sx Node Report Procedure	62
7.4.5.1	Sx Node Report Request	62
7.4.5.1.1	General	62
7.4.5.1.2	User Plane Path Failure Report IE within Sx Node Report Request	62
7.4.5.2	Sx Node Report Response	63
7.4.5.2.1	General	63
7.4.6	Sx Session Set Deletion	63
7.4.6.1	Sx Session Set Deletion Request.....	63
7.4.6.2	Sx Session Set Deletion Response	63
7.5	Sx Session Related Messages	64
7.5.1	General.....	64
7.5.2	Sx Session Establishment Request.....	64
7.5.2.1	General	64
7.5.2.2	Create PDR IE within Sx Session Establishment Request.....	65
7.5.2.3	Create FAR IE within Sx Session Establishment Request	67
7.5.2.4	Create URR IE within Sx Session Establishment Request.....	69
7.5.2.5	Create QER IE within Sx Session Establishment Request.....	72
7.5.2.6	Create BAR IE within Sx Session Establishment Request.....	75
7.5.3	Sx Session Establishment Response	75
7.5.3.1	General	75
7.5.3.2	Created PDR IE within Sx Session Establishment Response.....	76
7.5.3.3	Load Control Information IE within Sx Session Establishment Response	76
7.5.3.4	Overload Control Information IE within Sx Session Establishment Response.....	77
7.5.4	Sx Session Modification Request	77
7.5.4.1	General	77
7.5.4.2	Update PDR IE within Sx Session Modification Request.....	80
7.5.4.3	Update FAR IE within Sx Session Modification Request.....	81
7.5.4.4	Update URR IE within Sx Session Modification Request	83
7.5.4.5	Update QER IE within Sx Session Modification Request	86
7.5.4.6	Remove PDR IE within Sx Session Modification Request	87
7.5.4.7	Remove FAR IE within Sx Session Modification Request	88
7.5.4.8	Remove URR IE within Sx Session Modification Request	88
7.5.4.9	Remove QER IE Sx Session Modification Request.....	88
7.5.4.10	Query URR IE within Sx Session Modification Request.....	88
7.5.4.11	Update BAR IE within Sx Session Modification Request	89
7.5.4.12	Remove BAR IE within Sx Session Modification Request	89
7.5.5	Sx Session Modification Response	89
7.5.5.1	General	89
7.5.5.2	Usage Report IE within Sx Session Modification Response.....	90
7.5.6	Sx Session Deletion Request	91
7.5.7	Sx Session Deletion Response	91
7.5.7.1	General	91
7.5.7.2	Usage Report IE within Sx Session Deletion Response.....	92
7.5.8	Sx Session Report Request	93
7.5.8.1	General	93

7.5.8.2	Downlink Data Report IE within Sx Session Report Request.....	93
7.5.8.3	Usage Report IE within Sx Session Report Request	94
7.5.8.4	Error Indication Report IE within Sx Session Report Request	95
7.5.9	Sx Session Report Response.....	95
7.5.9.1	General	95
7.5.9.2	Update BAR IE within Sx Session Report Response.....	96
7.6	Error Handling.....	97
7.6.1	Protocol Errors.....	97
7.6.2	Different PFCP Versions	97
7.6.3	PFCP Message of Invalid Length	97
7.6.4	Unknown PFCP Message	97
7.6.5	Unexpected PFCP Message	97
7.6.6	Missing Information Elements.....	98
7.6.7	Invalid Length Information Element	98
7.6.8	Semantically incorrect Information Element	98
7.6.9	Unknown or unexpected Information Element.....	99
7.6.10	Repeated Information Elements.....	99
8	Information Elements	99
8.1	Information Elements Format.....	99
8.1.1	Information Element Format.....	99
8.1.2	Information Element Types	100
8.2	Information Elements	106
8.2.1	Cause	106
8.2.2	Source Interface	109
8.2.3	F-TEID.....	109
8.2.4	Network Instance	110
8.2.5	SDF Filter	110
8.2.6	Application ID	112
8.2.7	Gate Status.....	112
8.2.8	MBR	113
8.2.9	GBR	113
8.2.10	QER Correlation ID.....	113
8.2.11	Precedence	114
8.2.12	Transport Level Marking	114
8.2.13	Volume Threshold	114
8.2.14	Time Threshold.....	115
8.2.15	Monitoring Time	115
8.2.16	Subsequent Volume Threshold	116
8.2.17	Subsequent Time Threshold	116
8.2.18	Inactivity Detection Time	117
8.2.19	Reporting Triggers	117
8.2.20	Redirect Information.....	118
8.2.21	Report Type	118
8.2.22	Offending IE	119
8.2.23	Forwarding Policy	119
8.2.24	Destination Interface	119
8.2.25	UP Function Features.....	120
8.2.26	Apply Action	121
8.2.27	Downlink Data Service Information	121
8.2.28	Downlink Data Notification Delay	121
8.2.29	DL Buffering Duration	122
8.2.30	DL Buffering Suggested Packet Count.....	122
8.2.31	SxSMReq-Flags	123
8.2.33	Sequence Number	123
8.2.34	Metric.....	124
8.2.35	Timer	124
8.2.36	Packet Detection Rule ID (PDR ID)	125
8.2.37	F-SEID.....	125
8.2.38	Node ID	125
8.2.39	PFD Contents.....	126
8.2.40	Measurement Method	127

8.2.41	Usage Report Trigger.....	127
8.2.42	Measurement Period	128
8.2.43	Fully qualified PDN Connection Set Identifier (FQ-CSID).....	128
8.2.44	Volume Measurement.....	129
8.2.45	Duration Measurement	130
8.2.46	Time of First Packet.....	130
8.2.47	Time of Last Packet	130
8.2.48	Quota Holding Time	131
8.2.49	Dropped DL Traffic Threshold.....	131
8.2.50	Volume Quota.....	131
8.2.51	Time Quota	132
8.2.52	Start Time	132
8.2.53	End Time	133
8.2.54	URR ID	133
8.2.55	Linked URR ID IE.....	133
8.2.56	Outer Header Creation.....	134
8.2.57	BAR ID	134
8.2.58	CP Function Features.....	135
8.2.59	Usage Information	135
8.2.60	Application Instance ID	136
8.2.61	Flow Information	136
8.2.62	UE IP Address	136
8.2.63	Packet Rate	137
8.2.64	Outer Header Removal	138
8.2.65	Recovery Time Stamp	138
8.2.66	DL Flow Level Marking	139
8.2.67	Header Enrichment	139
8.2.68	Measurement Information.....	140
8.2.69	Node Report Type.....	140
8.2.70	Remote GTP-U Peer	141
8.2.71	UR-SEQN	141
8.2.72	Activate Predefined Rules	141
8.2.73	Deactivate Predefined Rules	142
8.2.74	FAR ID	142
8.2.75	QER ID	142
8.2.76	OCI Flags.....	143
8.2.77	Sx Association Release Request	143
8.2.78	Graceful Release Period.....	143
8.2.79	PDN Type	144
8.2.80	Failed Rule ID.....	144
8.2.81	Time Quota Mechanism.....	145
8.2.82	User Plane IP Resource Information.....	145

Annex A (Informative):	PFCP Load and Overload Control Mechanism.....	147
A.1	Throttling Algorithms.....	147
A.1.1	"Loss" Throttling Algorithm.....	147
A.1.1.1	Example of Possible Implementation.....	147

Annex B (Normative):	CP and UP Selection Functions with Control and User Plane Separation.....	148
B.1	CP Selection Function	148
B.1.1	General.....	148
B.2	UP Selection Function.....	148
B.2.1	General.....	148
B.2.2	SGW-U Selection Function	148
B.2.3	PGW-U Selection Function	149
B.2.4	Combined SGW-U/PGW-U Selection Function.....	149
B.2.5	TDF-U selection function	150
B.2.6	UP Selection Function Based on DNS	150
B.2.6.1	General	150
B.2.6.2	SGW-U Selection Function Based on DNS	150
B.2.6.3	PGW-U Selection Function Based on DNS	150

B.2.6.4	Combined SGW-U/PGW-U Selection Function Based on DNS	151
Annex C (Informative):	Examples scenarios	152
C.1	General	152
C.2	Charging Support	152
C.2.1	Online Charging.....	152
C.2.1.1	Online Charging Call Flow – Normal Scenario	152
Annex D(Informative):	Change history	154
History		155

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document specifies the Packet Forwarding Control Protocol (PFCP) used on the interface between the control plane and the user plane function in a split SGW, PGW and TDF architecture in EPC.

The architecture reference model and stage 2 information are specified in 3GPP TS 23.214 [2].

PFCP shall be used over the Sxa, Sxb, Sxc and the combined Sxa/Sxb reference points.

PFCP shall also be used over the Sxa' and Sxb' reference points specified in 3GPP TS 33.107 [20]. In the rest of this specification, no difference is made between Sxa and Sxa', or between Sxb and Sxb'. The Sxa' and Sxb' reference points reuse the protocol specified for the Sxa and Sxb reference points, but comply in addition with the security requirements specified in clause 8 of 3GPP 33.107 [20].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.214: "Architecture enhancements for control and user plane separation of EPC nodes; Stage 2".
- [3] 3GPP TS 29.281: "General Packet Radio System (GPRS) Tunnelling Protocol User Plane (GTPv1-U)".
- [4] IETF RFC 768: "User Datagram Protocol".
- [5] IETF RFC 791: "Internet Protocol".
- [6] IETF RFC 2460: "Internet Protocol, Version 6 (IPv6) Specification".
- [7] 3GPP TS 23.203: "Policy and charging control architecture; Stage 2".
- [8] 3GPP TS 29.212: "Policy and Charging Control (PCC); Reference points".
- [9] 3GPP TS 29.274: "3GPP Evolved Packet System. Evolved GPRS Tunnelling Protocol for EPS (GTPv2)".
- [10] 3GPP TS 36.413: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [11] 3GPP TS 29.213: "Policy and Charging Control signalling flows and Quality of Service (QoS) parameter mapping".
- [12] IETF RFC 5905: "Network Time Protocol Version 4: Protocol and Algorithms Specification".
- [13] IETF RFC 2474: "Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers".
- [14] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".