

# ETSI TS 136 323 V14.5.0 (2018-01)



LTE;  
**Evolved Universal Terrestrial Radio Access (E-UTRA);  
Packet Data Convergence Protocol (PDCP) specification  
(3GPP TS 36.323 version 14.5.0 Release 14)**



---

Reference

RTS/TSGR-0236323ve50

---

Keywords

LTE

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.  
**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under  
<http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	6
1    Scope .....	7
2    References .....	7
3    Definitions and abbreviations.....	8
3.1    Definitions .....	8
3.2    Abbreviations .....	8
4    General .....	9
4.1    Introduction .....	9
4.2    PDCP architecture .....	9
4.2.1    PDCP structure .....	9
4.2.2    PDCP entities.....	10
4.3    Services .....	11
4.3.1    Services provided to upper layers .....	11
4.3.2    Services expected from lower layers .....	11
4.4    Functions .....	12
4.5    Data available for transmission .....	12
5    PDCP procedures .....	13
5.1    PDCP Data Transfer Procedures .....	13
5.1.1    UL Data Transfer Procedures .....	13
5.1.2    DL Data Transfer Procedures .....	14
5.1.2.1    Procedures for DRBs.....	14
5.1.2.1.1    Void.....	14
5.1.2.1.2    Procedures for DRBs mapped on RLC AM when the reordering function is not used .....	14
5.1.2.1.2a    RN procedures for DRBs mapped on RLC AM.....	15
5.1.2.1.3    Procedures for DRBs mapped on RLC UM .....	16
5.1.2.1.3a    RN procedures for DRBs mapped on RLC UM .....	16
5.1.2.1.4    Procedures for DRBs mapped on RLC AM and for LWA bearers when the reordering function is used.....	16
5.1.2.1.4.1    Procedures when a PDCP PDU is received from the lower layers .....	16
5.1.2.1.4.2    Procedures when <i>t-Reordering</i> expires .....	18
5.1.2.1.4.3    Procedures when the value of <i>t-Reordering</i> is reconfigured.....	18
5.1.2.2    Procedures for SRBs .....	18
5.1.3    SL Data Transmission Procedures .....	19
5.1.4    SL Data Reception Procedures .....	19
5.2    Re-establishment procedure .....	19
5.2.1    UL Data Transfer Procedures .....	19
5.2.1.1    Procedures for DRBs mapped on RLC AM .....	19
5.2.1.2    Procedures for DRBs mapped on RLC UM .....	20
5.2.1.3    Procedures for SRBs .....	20
5.2.2    DL Data Transfer Procedures .....	20
5.2.2.1    Procedures for DRBs mapped on RLC AM while the reordering function is not used .....	20
5.2.2.1a    Procedures for DRBs mapped on RLC AM while the reordering function is used.....	20
5.2.2.2    Procedures for DRBs mapped on RLC UM .....	21
5.2.2.3    Procedures for SRBs .....	21
5.2.2.4    Procedures for LWA bearers.....	21
5.3    PDCP Status Report .....	21
5.3.1    Transmit operation.....	21
5.3.2    Receive operation .....	22
5.4    PDCP discard .....	22
5.5    Header Compression and Decompression .....	22

5.5.1	Supported header compression protocols and profiles.....	22
5.5.2	Configuration of header compression.....	23
5.5.3	Protocol parameters .....	23
5.5.4	Header compression.....	24
5.5.5	Header decompression.....	24
5.5.6	PDCP Control PDU for interspersed ROHC feedback packet.....	24
5.5.6.1	Transmit Operation .....	24
5.5.6.2	Receive Operation .....	24
5.6	Ciphering and Deciphering.....	24
5.6.0	General.....	24
5.6.1	SL Ciphering and Deciphering for one-to-many communication.....	25
5.6.2	SL Ciphering and Deciphering for one-to-one communication.....	25
5.6.3	Handling of LWA end-marker PDCP Control PDU.....	25
5.6.3.1	Transmit operation .....	25
5.6.3.2	Receive Operation .....	26
5.7	Integrity Protection and Verification.....	26
5.8	Handling of unknown, unforeseen and erroneous protocol data .....	27
5.9	PDCP Data Recovery procedure .....	27
5.10	Status report for LWA.....	27
5.10.1	Transmit operation.....	27
5.10.2	LWA status report.....	28
5.10.3	Receive operation .....	28
6	Protocol data units, formats and parameters.....	28
6.1	Protocol data units .....	28
6.1.1	PDCP Data PDU.....	28
6.1.2	PDCP Control PDU .....	29
6.2	Formats.....	29
6.2.1	General.....	29
6.2.2	Control plane PDCP Data PDU .....	29
6.2.3	User plane PDCP Data PDU with long PDCP SN (12 bits) .....	29
6.2.4	User plane PDCP Data PDU with short PDCP SN (7 bits) .....	30
6.2.5	PDCP Control PDU for interspersed ROHC feedback packet.....	30
6.2.6	PDCP Control PDU for PDCP status report .....	30
6.2.7	Void .....	31
6.2.8	RN user plane PDCP Data PDU with integrity protection.....	32
6.2.9	User plane PDCP Data PDU with extended PDCP SN (15 bits) .....	32
6.2.10	User plane PDCP Data PDU for SLRB .....	32
6.2.11	User plane PDCP Data PDU with further extended PDCP SN (18 bits) .....	33
6.2.12	PDCP Control PDU for LWA status report .....	34
6.2.13	PDCP Control PDU for LWA end-marker packet .....	35
6.3	Parameters .....	36
6.3.1	General.....	36
6.3.2	PDCP SN .....	36
6.3.3	Data.....	36
6.3.4	MAC-I .....	36
6.3.5	COUNT .....	36
6.3.6	R .....	37
6.3.7	D/C.....	37
6.3.8	PDU type .....	37
6.3.9	FMS .....	37
6.3.10	Bitmap .....	37
6.3.11	Interspersed ROHC feedback packet .....	38
6.3.12	PGK Index .....	38
6.3.13	PTK Identity .....	38
6.3.14	SDU Type .....	38
6.3.15	K <sub>D-sess</sub> ID .....	38
6.3.16	NMP.....	39
6.3.17	HRW .....	39
6.3.18	P.....	39
6.3.19	LSN.....	39

7	Variables, constants and timers .....	39
7.1	State variables .....	39
7.2	Timers .....	40
7.3	Constants .....	40
<b>Annex A (informative):      Change history .....</b>		<b>42</b>
History .....		45

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

## 1 Scope

The present document provides the description of the Packet Data Convergence Protocol (PDCP).

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.300: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description".
- [3] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA) Radio Resource Control (RRC); Protocol Specification".
- [4] 3GPP TS 36.321: "Evolved Universal Terrestrial Radio Access (E-UTRA) Medium Access Control (MAC) protocol specification".
- [5] 3GPP TS 36.322: "Evolved Universal Terrestrial Radio Access (E-UTRA) Radio Link Control (RLC) protocol specification".
- [6] 3GPP TS 33.401: "3GPP System Architecture Evolution: Security Architecture".
- [7] IETF RFC 5795: "The ROBust Header Compression (ROHC) Framework".
- [8] IETF RFC 6846: "ROBust Header Compression (ROHC): A Profile for TCP/IP (ROHC-TCP)".
- [9] IETF RFC 3095: "ROBust Header Compression (ROHC): Framework and four profiles: RTP, UDP, ESP and uncompressed".
- [10] IETF RFC 3843: "ROBust Header Compression (ROHC): A Compression Profile for IP".
- [11] IETF RFC 4815: "ROBust Header Compression (ROHC): Corrections and Clarifications to RFC 3095".
- [12] IETF RFC 5225: "ROBust Header Compression (ROHC) Version 2: Profiles for RTP, UDP, IP, ESP and UDP Lite".
- [13] 3GPP TS 33.303: "Proximity-based Services; Security Aspects".
- [14] 3GPP TS 23.303: "Proximity-based Services; Stage 2".
- [15] 3GPP TS 36.360: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE-WLAN Aggregation Adaptation Protocol (LWAAP) specification".