

Edition 3.0 2018-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Failure modes and effects analysis (FMEA and FMECA)

Analyse des modes de défaillance et de leurs effets (AMDE et AMDEC)





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@jec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



Edition 3.0 2018-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Failure modes and effects analysis (FMEA and FMECA)

Analyse des modes de défaillance et de leurs effets (AMDE et AMDEC)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 03.120.01 03.120.30 21.020

ISBN 978-2-8322-5915-3

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| FC | DREWO | RD | 6 |
|----|----------------|---|----|
| IN | TRODU | CTION | 8 |
| 1 | Scop | e | 9 |
| 2 | Norm | native references | 9 |
| 3 | Term | s, definitions and abbreviated terms | 9 |
| | 3.1 | Terms and definitions | |
| | 3.2 | Abbreviated terms | |
| 4 | _ | view | |
| | 4.1 | Purpose and objectives | 14 |
| | 4.2 | Roles, responsibilities and competences | |
| | 4.3 | Terminology | |
| 5 | Meth | odology for FMEA | |
| | 5.1 | General | 15 |
| | 5.2 | Plan the FMEA | |
| | 5.2.1 | General | 17 |
| | 5.2.2 | Define the objectives and scope of analysis | 17 |
| | 5.2.3 | Identify boundaries and scenarios | 17 |
| | 5.2.4 | Define decision criteria for treatment of failure modes | 19 |
| | 5.2.5 | Determine documentation and reporting requirements | 20 |
| | 5.2.6 | Define resources for analysis | 21 |
| | 5.3 | Perform the FMEA | 22 |
| | 5.3.1 | General | 22 |
| | 5.3.2 | ' | |
| | 5.3.3 | , , | |
| | 5.3.4 | | |
| | 5.3.5 | , | |
| | 5.3.6 | • | |
| | 5.3.7 | , | |
| | 5.3.8 | • | |
| | 5.3.9 | • | |
| _ | 5.4 | Document the FMEA | _ |
| Ar | | informative) General considerations for tailoring an FMEA | |
| | A.1 | General | |
| | A.1.1 | | |
| | A.1.2 | | |
| | A.1.3 | , | |
| | A.1.4 | | |
| | A.2 | Factors influencing FMEA tailoring | |
| | A.2.1 | , | |
| | A.2.2 A.2.3 | , , , , , | |
| | A.2.3 | Examples of FMEA tailoring for items and processes | |
| | A.3.1 | | |
| | A.3.1 | | |
| | A.3.2 | | |
| | A.3.4 | , , | |
| | , | =pro or tanoring an imeritor modical procession | |

| A.3.5 | Example of failoring an FMEA for electronic control systems | 36 |
|----------------|--|-----|
| A.3.6 | Example of tailoring an FMEA for a pump hydro block | 37 |
| A.3.7 | Example of tailoring an FMEA for a wind turbine for power generation | 37 |
| Annex B (in | formative) Criticality analysis methods | 38 |
| B.1 G | eneral | 38 |
| B.2 M | leasurement scales for criticality parameters | 38 |
| B.2.1 | General | |
| B.2.2 | Scale definition | 38 |
| B.2.3 | Assessing likelihood | 39 |
| B.3 A | ssigning criticality using a matrix or plot | |
| B.3.1 | General | |
| B.3.2 | Criticality matrix | |
| B.3.3 | Criticality plots | |
| | ssigning criticality using a risk priority number | |
| B.4.1 | General | |
| B.4.2 | Risk priority number | 42 |
| B.4.3 | Alternative risk priority number method | |
| | formative) Example of FMEA report content | |
| , | eneral | |
| | xample of generation of reports from a database information system for an | |
| | MEA of a power supply unit | 46 |
| Annex D (in | formative) Relationship between FMEA and other dependability analysis | |
| | formative) Application considerations for FMEA | |
| , | eneral | |
| | oftware FMEA | |
| | rocess FMEA | |
| | MEA for design and development | |
| | MEA within reliability centred maintenance | |
| | MEA for safety related control systems | |
| E.6.1 | General | |
| E.6.2 | FMEA in planning a safety application | |
| E.6.3 | Criticality analysis including diagnostics | |
| | MEA for complex systems with reliability allocation | |
| E.7.1 | General | |
| E.7.2 | Criticality assessment for non-repairable systems with allocated unreliability | |
| E.7.3 | Criticality assessment for repairable systems with allocated availability | |
| | formative) Examples of FMEA from industry applications | |
| | ieneral | |
| _ | ealth process application for drug ordering process | |
| | lanufacturing process application for paint spraying | |
| | esign application for a water pump | |
| F.4.1 | General | |
| F.4.1 | Item function | |
| F.4.2 F.4.3 | Item failure modes | |
| F.4.3 F.4.4 | Item failure effects | |
| | xample of an FMEA with criticality analysis for a complex non-repaired | 0 1 |
| | vetom | 62 |

| F.6 Software application for a blood sugar calculator | 63 |
|---|-----|
| F.7 Automotive electronics device | |
| F.8 Maintenance and support application for a hi-fi system | 64 |
| F.9 Safety related control system applications | |
| F.9.1 Electronic circuit | |
| F.9.2 Automated train control system | |
| F.10 FMEA including human factors analysis | |
| F.11 Marking and encapsulation process for an electronic component | |
| bibliography | 70 |
| Figure 1 – Overview of FMEA methodology before tailoring | 16 |
| Figure B.1 – Example of a qualitative criticality matrix | |
| Figure B.2 – Examples of criticality plots | |
| | |
| Figure C.1 – Database information system to support FMEA report generation | |
| Figure C.2 – Diagram of power supply type XYZ | 47 |
| Figure C.3 – Criticality matrix for FMECA report in Table C.5 created as a two dimensional image without taking into account detectability | 51 |
| Figure E.1 – General software failure model for a component software unit (CSU) | 55 |
| Figure E.2 – Allocation of system failure probabilities | 59 |
| Figure F.1 – Hierarchy of a series electronic system, its subsystems and assemblies with allocated unreliability values, F(t) | 62 |
| Figure F.2 – Automotive air-bag part | 64 |
| | |
| Table 1 – Example of terms commonly associated with levels of hierarchy | 15 |
| Table A.1 – Characteristics of top-down and bottom-up approaches to FMEA | |
| Table A.2 – General application of common approaches to FMEA | |
| Table C.1 – Example of fields selected for FMEA report of power supply based on | |
| database information | 48 |
| Table C.2 – Example of report of component FMEA | 49 |
| Table C.3 – Example of report of parts with possible common cause failures | 50 |
| Table C.4 – Example of report of FMECA using RPN criticality analysis | 50 |
| Table C.5 – Example of report of FMECA using criticality matrix for global effect | 51 |
| Table F.1 – Extract from FMEA of the process of ordering a drug from a pharmacy | 60 |
| Table F.2 – Extract from FMEA of paint spraying step of a manufacturing process | |
| Table F.3 – Allocation and assessment of unreliability values for different criticality categories of failure modes for the electronic system represented in Figure F.1 | |
| Table F.4 – Allocation and assessment of unreliability values for different criticality categories of failure modes for subsystem 2 of the system represented in Figure F.1 | |
| Table F.5 – Hazards and safe/dangerous failures in an automated train control system | |
| Table F.6 – Extract from FMEA of the process of monitoring blood sugar (1 of 2) | |
| Table F.7 – Extract of automotive electronic part FMEA | |
| Table F.8 – Extract from system FMEA for a remote control for a hi-fi system | |
| Table F.9 – Extract from design FMEA for a remote control for a hi-fi system | |
| | |
| Table F.10 – Extract from process FMEA for a remote control for a hi-fi system | / 1 |
| Table F.11 – Extract from maintenance service FMEA for a remote control for a hi-fi system | 71 |

| Table F.12 – Extract from an FMEDA for an electronic circuit in a safety control system (1 of 2) | 72 |
|--|----|
| Table F.13 – Extract from an FMEA for a coffee-maker | |
| Table F.14 – Extract from an FMEA for an electronic component marking and | |
| encapsulation process | 75 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FAILURE MODES AND EFFECTS ANALYSIS (FMEA and FMECA)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60812 has been prepared by IEC technical committee 56: Dependability.

This third edition cancels and replaces the second edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the normative text is generic and covers all applications;
- b) examples of applications for safety, automotive, software and (service) processes have been added as informative annexes;
- c) tailoring the FMEA for different applications is described;
- d) different reporting formats are described, including a database information system;
- e) alternative means of calculating risk priority numbers (RPN) have been added;
- f) a criticality matrix based method has been added;
- q) the relationship to other dependability analysis methods have been described.

The text of this International Standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 56/1775/FDIS | 56/1782/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Failure modes and effects analysis (FMEA) is a systematic method of evaluating an item or process to identify the ways in which it might potentially fail, and the effects of the mode of failure upon the performance of the item or process and on the surrounding environment and personnel. This document describes how to perform an FMEA.

The purpose of performing an FMEA is to support decisions that reduce the likelihood of failures and their effects, and thus contribute to improved outcomes either directly or through other analyses. Such improved outcomes include, but are not limited to, improved reliability, reduced environmental impact, reduced procurement and operating costs, and enhanced business reputation.

FMEA can be adapted to meet the needs of any industry or organization. FMEA is applicable to hardware, software, processes, human action and their interfaces, in any combination.

FMEA can be carried out several times in the lifetime for the same item or process. A preliminary analysis can be conducted during the early stages of design and planning, followed by a more detailed analysis when more information is available. FMEA can include existing controls, or recommended treatments, to reduce the likelihood or the effects of a failure mode. In the case of a closed loop analysis, FMEA allows for evaluation of the effectiveness of any treatment.

FMEA can be tailored and applied in different ways depending on the objectives.

Failure modes may be prioritized according to their importance. The prioritization can be based on a ranking of the severity alone, or this can be combined with other measures of importance. When failure modes are prioritized, the process is referred to as failure modes, effects and criticality analysis (FMECA). This document uses the term FMEA to include FMECA.

This document gives general guidance on how to plan, perform, document and maintain an FMEA by:

- a) describing the principles;
- b) providing the steps in analysis;
- c) giving examples of the documentation;
- d) providing example applications.

FMEA may be used in a certification or assurance process. For example, FMEA may be used in safety analysis for regulatory purposes but, as this document is a generic standard, it does not specifically address safety.

FMEA should be conducted in a manner that is consistent with any legislation, which is in effect within the scope of FMEA, or the type of risks involved.

Primary users of this document are those who are leading or participating in the analysis.

FAILURE MODES AND EFFECTS ANALYSIS (FMEA and FMECA)

1 Scope

This document explains how failure modes and effects analysis (FMEA), including the failure modes, effects and criticality analysis (FMECA) variant, is planned, performed, documented and maintained.

The purpose of failure modes and effects analysis (FMEA) is to establish how items or processes might fail to perform their function so that any required treatments could be identified. An FMEA provides a systematic method for identifying modes of failure together with their effects on the item or process, both locally and globally. It may also include identifying the causes of failure modes. Failure modes can be prioritized to support decisions about treatment. Where the ranking of criticality involves at least the severity of consequences, and often other measures of importance, the analysis is known as failure modes, effects and criticality analysis (FMECA).

This document is applicable to hardware, software, processes including human action, and their interfaces, in any combination.

An FMEA can be used in a safety analysis, for regulatory and other purposes, but this being a generic standard, does not give specific guidance for safety applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-192, *International electrotechnical vocabulary – Part 192: Dependability* (available at http://www.electropedia.org)

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purpose of this document, the terms and definitions given in IEC 60050-192 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1

failure mode

DEPRECATED: fault mode manner in which failure occurs

Note 1 to entry: A failure mode may be determined by the function lost or other state transition that occurred.