

Australian Standard[®]

**STEEL SHEET AND STRIP—
TERNE (LEAD-TIN ALLOY)
COATED**

[Title allocated by Defence Cataloguing Authority:
TERNEPLATE (Coils and Cut Lengths)]

This Australian Standard was prepared by Committee MT/1, Iron and Steel. It was approved on behalf of the Council of the Standards Association of Australia on 8 December 1981 and published on 9 August 1982.

The following interests were represented on the committee responsible for the preparation of this standard:

- Australian Farmers Federation
 - Australian Institute of Steel Construction
 - Australian Lead Development Association
 - Confederation of Australian Industry
 - Society of Automotive Engineers—Australasia
-

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for comment as DR 78021.

Australian Standard[®]

**STEEL SHEET AND STRIP—
TERNE (LEAD-TIN ALLOY)
COATED**

First published (as AS G28)	1969
First published as AS 2552	1982

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 2573 8

PREFACE

This standard was prepared by a subcommittee of the Association's Committee on Iron and Steel to supersede AS G28-1969. It provides for the supply of flat steel sheet and strip, terne-coated by the hot-dip process.

During the preparation of this standard, cognizance was taken of ISO 4999, Continuous Hot-dip Terne (Lead Alloy) Coated Cold-reduced Carbon Steel Sheet of Commercial and Drawing Qualities, issued by the International Organization for Standardization, but it was felt that alignment of the standard with the ISO standard was not practicable at this time, since designation, grades, coating masses and dimensional tolerances were not compatible with Australian practice. However, this standard specifies the composition of the terne coating, and adopts the ISO 4999 method for determining the composition of the coating (Appendix D).

Appendix A presents purchasing guidelines, including contractual requirements, and directs attention to matters requiring consideration at the time of enquiry and/or order. The intention is to avoid misinterpretation or other problems and to ensure a clear understanding of product requirements by both supplier and purchaser.

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL	
1.1 Scope	3
1.2 Application	3
1.3 Referenced Documents	3
1.4 Designation	3
1.5 Definitions	3
1.6 Identification	3
1.7 Rounding of Results Obtained by Inspection and Testing	3
SECTION 2. THE STEEL BASE	
2.1 Scope of Section	4
2.2 Designation of Base Steel Grade	4
2.3 Freedom from Defects	4
2.4 Chemical Composition	4
2.5 Mechanical Property Requirements	4
2.6 Retests	5
2.7 Manufacturing Tolerances	5
SECTION 3. THE TERNE (LEAD-TIN ALLOY) COATING	
3.1 Scope of Section	6
3.2 Coating Designation	6
3.3 Coating Composition	6
3.4 Coating Mass	6
3.5 Determination of Coating Mass	6
3.6 Coating Adhesion	6
3.7 Finish	6
APPENDICES	
A Purchasing Guidelines	7
B Approximate Coating Thicknesses	8
C Methods for Determination of Coating Mass	9
D Method for Determination of Tin Content in Coating	10
E Rounding of Results Obtained by Inspection and Testing	12

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

for

STEEL SHEET AND STRIP—TERNE (LEAD-TIN ALLOY) COATED

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This standard specifies requirements for flat steel sheet and strip terne (8 percent to 20 percent tin, remainder lead) coated by the hot-dip process, in thicknesses from 0.6 mm up to and including 2.0 mm and up to 1220 mm wide. It provides for four grades of steel, the chemical composition and mechanical properties of which are in accordance with the grades of cold rolled material in AS 1595. Provision is made for three classes of terne coating based on the mass per unit area of the coating metal applied.

NOTE: Guidelines to purchasers on requirements that must be specified by the purchaser and those that must be agreed at the time of enquiry and/or order are given in Appendix A.

1.2 APPLICATION. The material shall be supplied in accordance with the requirements of this Section 1.

The steel base shall comply with the requirements of Section 2.

The terne coating shall comply with the requirements of Section 3.

1.3 REFERENCED DOCUMENTS. The following standards are referred to in this standard:

AS 1050	Methods for the Analysis of Iron and Steel
AS 1213	Methods for the Sampling of Iron, Steel, Permanent Magnet Alloys and Ferroalloys
AS 1365	Tolerances for Hot-rolled and Cold-rolled Unalloyed Low Carbon Steels (Coils and Cut Lengths)
AS 1391	Methods for the Tensile Testing of Metals
AS 1397	Hot-Dipped Zinc-coated or Aluminium/zinc-coated Steel Sheet in Coil and Cut Lengths
AS 1595	Cold-rolled Unalloyed Low Carbon Steel Sheet and Strip
AS 1650	Galvanized Coatings
AS 1812	Lead Ingot
AS 1815	Method for Rockwell Hardness Test Part 1—Testing of Metals
AS 2025	Method for Rockwell Superficial Hardness Test Part 1—Testing of Metals, N and T Scales
AS 2331	Methods of Test for Metallic and Related Coatings
AS 2338	Preferred Dimensions of Wrought Metal Products
AS 2505	Methods for Bend Testing of Metals Part 1—Sheet, Strip and Plate

AS KI Methods for the Sampling and Analysis of Iron and Steel.

1.4 DESIGNATION.

1.4.1 Steel Base. The steel base shall be designated in terms of the grade designation as given in Clause 2.2 and Table 2.1.

1.4.2 Terne Coating. The terne coating shall be designated in terms of the coating class as given in Clause 3.2 and Table 3.1.

1.5 DEFINITIONS. For the purpose of this standard, the following definitions apply:

Cold-rolled sheet—a rolled product of any width and thickness, supplied in cut lengths and terne-coated prior to cutting to length. Edges available are mill, sheared or slit.

Cold-rolled strip—a rolled product of any width and thickness, supplied in coil form. Edges available are mill or slit.

Test batch—consists of one grade of the same product form and thickness processed under similar conditions.

1.6 IDENTIFICATION.

1.6.1 Package. Each package for delivery shall be marked or tagged as follows to enable it to be identified with this standard:

- (a) A number to enable it to be traced to the ladle of steel from which it was made.
- (b) The steel quality and grade, coating class, the ordered dimensions and the manufacturer's name or trademark.

1.6.2 Product. Each coil or cut length shall have a brand or sticker showing the number of this Australian standard, i.e. AS 2552, the base steel thickness, the steel quality and grade, and the coating class.

NOTE: Manufacturers who place the number of this Australian standard on steel sheet or strip, its packaging or literature related thereto should ensure that the steel sheet or strip complies with the standard.

1.7 ROUNDING OF RESULTS OBTAINED BY INSPECTION AND TESTING. For the purpose of deciding whether a particular requirement of this standard is complied with, the determined value, observed or calculated, shall be rounded off in accordance with Appendix E. The number of significant places retained in the rounded-off value shall be the same as that of the specified value in this standard.