Specification for Subsea Wellhead and Tree Equipment

API SPECIFICATION 17D THIRD EDITION, OCTOBER 2021

API MONOGRAM PROGRAM EFFECTIVE DATE: OCTOBER 2022

ERRATA 1, DECEMBER 2021 ADDENDUM 1, DECEMBER 2022 (API MONOGRAM PROGRAM EFFECTIVE DATE: JUNE 2023)



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, "may" denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, "can" denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

1	Scope	1
2	Normative References	1
3	Terms, Definitions, Acronyms, Abbreviations, and Symbols	2
3.1	Terms and Definitions	
3.2	Acronyms, Abbreviations, and Symbols	10
4	Application, Service Conditions, and Production Specification Levels	12
4.1	Application	12
4.2	Service Conditions	
4.3	Product Specification Levels	
5	Common System Requirements	16
5.1	Design and Performance Requirements	
5.2	Materials	29
5.3	Welding	
5.4	Quality Control	30
5.5	Equipment Marking	34
5.6	Storing and Shipping	35
6	General Design Requirements for Subsea Tree Systems	36
6.1	General	36
6.2	Tubing Head and Tree Valving	37
6.3	Thermally Induced Pressure Changes	45
6.4	Testing of Subsea Tree Assemblies	
6.5	Marking	
6.6	Storing and Shipping	45
7	Specific Requirements—Subsea Tree-related Equipment and Subassemblies	49
7.1	Flanged End and Outlet Connections	49
7.2	API Clamp Hub-type Connections	70
7.3	Threaded Connections	
7.4	Other End Connectors	
7.5	Studs, Nuts, and Bolting	
7.6	Crosses, Tees, and Elbows	
7.7	Completion Guidebase	
7.8	Tree and Tubing Head Connectors	
7.9	Tree Stab/Seal Subs for Vertical Tree	
7.10	Valves, Valve Blocks, and Actuators/Operators	
7.11	Re-entry Interface	
7.12	Subsea Tree Cap	
7.13 7.14	Tree Cap Running ToolTree and Tubing Head Guide Frames	
7.14 7.15		
7.15 7.16	Tree Running Tool Tree, Tubing Head, and Completion Guidebase Piping	98
7.16 7.17	Flowline Connections	
7.17 7.18	Ancillary Equipment Running Tools	
7.10 7.19	Tree-mounted Hydraulic/Electric/Optical Control Interfaces	
7.19 7.20	Subsea Chokes and Actuators/Operators	
7.20 7.21	Miscellaneous Equipment	
8	Specific Requirements—Subsea Wellhead	
o 8.1	General	
8.2	Temporary Guidebase	
8.3	Permanent Guidebase	
8.4	Conductor (Low-pressure) Housing	

8.5	Wellhead (High-pressure) Housing	
8.6	Casing Hangers	
8.7	Annulus Seal Assemblies	
8.8 8.9	Casing Hanger Lockdown Bushing Bore Protectors and Wear Bushings	
o. y 8.10	Corrosion Cap	
8.11	Running, Retrieving, and Testing Tools	
8.12	Overtrawlable Protection Structure	
8.13	Wellhead Inclination and Orientation	
8.14	Submudline Casing Hanger and Submudline Annulus Seal Assemblies	142
9	Specific Requirements—Subsea Tubing Hanger System	143
9.1	Design	
9.2	Materials	
9.3	Testing	146
10	Specific Requirements—Mudline Suspension Equipment	147
10.1	General	147
10.2	Mudline Suspension-landing/Elevation Ring	
10.3	Casing Hangers	
10.4	Casing Hanger Running Tools and Tieback Adapters	
10.5 10.6	Abandonment Caps Mudline Conversion Equipment for Subsea Completions	
10.7	Tubing Hanger System—Mudline Conversion Equipment for Subsea Completions	
11 11.1	Specific Requirements—Drill-through Mudline Suspension EquipmentGeneral	
11.2	External Drill-through Casing Hangers (Outside of the Drill-through Casing Hanger	133
	Housing)	155
11.3	Drill-through Casing Hanger Housing	155
11.4	Internal Drill-through Mudline Casing Hangers	
11.5	Internal Drill-through Annulus Seal Assemblies	158
11.6 11.7	Internal Drill-through Bore Protectors and Wear Bushings Tubing Hanger System—Drill-through Mudline Equipment for Subsea Completions	159
Annex	A (informative) Subsea Wellhead	161
	B (informative) Purchasing Guidelines	
Annex	C (informative) Alternate Requirements for Carbon and Low-alloy Steel Subsea Forgings.	180
Annex	D (informative) High-pressure High-temperature	182
Annex	E (normative) Mudline Suspension and Conversion Systems	191
Annex	F (informative) Assembly Guidelines of API Bolted Flanged Connections	197
Annex	G (informative) Design and Testing of Pad Eyes for Lifting	204
	H (informative) Design and Testing of Subsea Wellhead Running, Retrieving, and g Tools	216
	I (informative) Procedure for the Application of a Coating System	
	J (informative) Validation of Valves and Actuators/Operators	
	K (informative) Screening Tests for Material Compatibility	
	L (informative) Subsea Tubing Hanger.	
	M (informative) Drill-through Mudline Suspension Systems	
Annex	N (informative) Hyperbaric Testing Guidelines	237

Annex	O (informative) Vertical Subsea Trees	239
Annex	P (informative) Horizontal Subsea Trees	242
Bibliog	ıraphy	245
Figures	S	
1	Example of a Dual-bore Tree on a Subsea Wellhead	39
2	Example of Vertical Trees on Tubing Heads	
3	Examples of Horizontal Trees	41
4	Examples of Bore Penetrations	
5	Examples of Tree Valving for Downhole Chemical Injection and SCSSV	
6	Type 17SS Integral or Blind Flange	55
7	Alternate Rough and Finish Machining Detail for Corrosion-resistant BX-149	
	and BX-150 Ring Grooves	59
8	Weld End Preparation for Types 17SS and 17SV Welding Neck Flanges	
9	Assembled Type 17SV Flange	
10	Tree Guide Frames	
11	Choke Common Orifice Configurations	
12	External Loads on a Subsea Tree and Wellhead	
13	Permanent Guidebase Loads	
14	Typical Conductor (Low-pressure) Housing	
15	Typical Wellhead (High-pressure) Housings	
A.1	Subsea Wellhead	
B.1	PSL Decision Tree for Subsea Equipment	
B.2	Examples of Subsea Tree P&ID	
E.1 E.2	Mudline Suspension (Wellhead) and Conversion Equipment	
E.2 E.3	Mudline Conversion Equipment Stress Distribution, Axisymmetric Cross Section, Mudline Suspension Components	
E.4	Limiting Stress Values, Mudline Suspension Components	
F.1	Flange-to-flange Alignment Tolerances	
F.2	Cross-bolt Torque Tightening Sequence for One Tool, Two Tools, and Four Tools	
G.1	Shackle and Pad Eye Profiles and Dimensions (Not to Scale)	
G.1 G.2	Pad Eye Lift Sub Dimensions (Not to Scale)	
G.2	Pictorial Representation of Lifting Set Showing the Angle of Sling Leg from Vertical	
G.4	Localized Testing of Fabricated Pad Eyes	
G.5	NDE Regions on Fabricated Pad Eyes	
L.1	Concentric Tubing Hanger	
L.2	Tubing Hanger with Multiple Bores	
L.3	Tubing Hanger for Horizontal Tree	
L.4	Extended Tubing Hanger for Horizontal Tree	
M.1	Drill-through Mudline Suspension System	
0.1	Guideline Style Vertical Tree	
0.2	Guidelineless Style Vertical Tree	
P.1	Guideline Style Horizontal Tree	
P.2	Guidelineless Style Horizontal Tree	
Tables		
1	Material Requirements	17
2	Equipment Standard Pressure Rating	
3	Pressure Ratings for Internal Thread End or Outlet Connectors	
4	Bolting Classifications and Material Requirements	
5	Minimum Validation Requirements	
6	Pressure Test Pictorial Representations	
7	Rated Working Pressures and Size Ranges of API Flanges	
8	API-type SBX Pressure-energized Ring Gaskets	

9	Basic Flange and Bolt Dimensions for Type 17SS Flanges for 5000 psi (34.5 MPa) Rated Working Pressure	E 1
10	Basic Flange and Bolt Dimensions for $^{3}/_{4}$ in. (19 mm) and 1 in. (25 mm) Type 17SS Flanges	54 : 56
11	Hub and Bore Dimensions for Type 1755 Line Pipe Welding Neck Flanges	, 50
• • •	for 5000 psi (34.5 MPa) Rated Working Pressure	57
12	Rough Machining Detail for Corrosion-resistant API Ring Groove	57 58
13	Hub Dimensions for Type 17SV Flanges—USC Units	
14	Ring Dimensions for Type 17SV Flanges—USC Units	
15	Hub Dimensions for Type 17SV Flanges—SI Units	
16	Ring Dimensions for Type 17SV Flanges—SI Units	
17	Wellhead Systems—Standard Sizes and Types	
18	Operating Parameters of Valves and Actuators/Operators	
19	Center Distances of Conduit Bores for Dual Parallel Bore Valve Blocks	
20a	Example of PSL 2 Valve Factory Acceptance Test Documentation	
20b	Example of PSL 3 Valve Factory Acceptance Test Documentation	
20c	Example of PSL 3G Valve Factory Acceptance Test Documentation	
21	Example Documentation of the Factory Acceptance Testing for a Hydraulic Actuator	
22	Marking for Subsea Valve Actuator/Operator	
23	Marking for Subsea Valve and Actuator/Operator Assembly	
24	Example Documentation of the Factory Acceptance Testing for a Subsea Choke	00
4	with Actuator/Operator—Mechanical Override Operational Test	116
25	Example Data Sheet for the Factory Acceptance Testing of a Hydraulic Actuator	118
26	Example Documentation of the Factory Acceptance Testing for the Operational	110
20	Test of a Subsea Choke with Actuator/Operator	119
27	Example Data Sheet for the Factory Acceptance Testing of a Manual Operated	
	Subsea Choke	119
28	Marking for Subsea Chokes	121
29	Marking for Subsea Choke Manual Operators	
30	Marking for Subsea Choke Actuator/Operator	
31	Marking for Subsea Choke and Actuator/Operator Assembly	121
32	Test Pressure	
33	Recommended Minimum Vertical Bore Sizes for Casing Hangers, Bore Protectors,	
	and Wear Bushings	136
34	Maximum Allowable Stress Due to Pressure (for Mudline Equipment Only)	
35	Drill-through Casing Hanger Housing—Pressure Rating and Test Pressure	
C.1	SFC 2 Subsea Components	
D.1	HPHT Equipment Standard Pressure Rating	
D.2	Minimum CVN Absorbed Energy in Longitudinal and Transverse Direction	
F.1	Example Flange Bolt Torques (0.07 Friction Factor) for 67 % Yield Strength Tension	
F.2	Flange Connection Make-up Record	
G.1	Enhancement Factors for Pad Eyes on Subsea Equipment	
J.1	Valve Cycle Position	221
N.1	Hyperbaric Testing Guidelines	

Specification for Subsea Wellhead and Tree Equipment

1 Scope

This document provides specifications for subsea wellheads, mudline wellheads, drill-through mudline wellheads, and both vertical and horizontal subsea trees. It specifies the associated tooling necessary to handle, test, and install the equipment. It also specifies the areas of design, material, welding, quality control [including factory acceptance testing (FAT)], marking, storing, and shipping for individual equipment, subassemblies, and subsea tree assemblies.

The user/purchaser is responsible for ensuring that subsea equipment meets any additional requirements of governmental regulations for the country in which it is installed. This is outside the scope of this specification.

This specification is not applicable to the rework and repair of used equipment.

In situ testing is beyond the scope of this specification.

System integration test (SIT) is beyond the scope of this specification.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies, except that new editions may be used on issue and shall become mandatory upon the effective date specified by the publisher or 6 months from the date of the revision (where no effective date is specified).

API Specification 5B, Threading, Gauging, and Inspection of Casing, Tubing, and Line Pipe Threads

API Specification 5CT, Casing and Tubing

API Specification 5DP, Drill Pipe

API Specification 6A, Specification for Wellhead and Tree Equipment, 21st Edition

API Standard 6AV1, Validation of Safety and Shutdown Valves for Sandy Service

API Specification 16A, Specification for Drill-through Equipment

API Recommended Practice 17A, Design and Operation of Subsea Production Systems—General Requirements and Recommendations

API Standard 17F, Standard for Subsea Production Control Systems

API Standard 17G, Design and Manufacture of Subsea Well Intervention Equipment

API Recommended Practice 17H, Remotely Operated Tools and Interfaces on Subsea Production Systems

API Recommended Practice 17P, Recommended Practice for Subsea Structures and Manifolds

API Recommended Practice 17R, Recommended Practice for Flowline Connectors and Jumpers

API Technical Report 17TR7, Verification and Validation of Subsea Connectors