

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements

Lampes et sources lumineuses pour véhicules routiers – Exigences dimensionnelles, électriques et lumineuses



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 60809

Edition 4.1 2023-11
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements

Lampes et sources lumineuses pour véhicules routiers – Exigences dimensionnelles, électriques et lumineuses

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.20, 43.040.20

ISBN 978-2-8322-7833-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements

Lampes et sources lumineuses pour véhicules routiers – Exigences dimensionnelles, électriques et lumineuses

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	12
4 Requirements and test conditions for filament lamps	15
4.1 General requirements	15
4.2 Lamp marking	15
4.3 Bulbs	16
4.4 Colour.....	16
4.4.1 Colour of light.....	16
4.4.2 Colour endurance	17
4.4.3 Coated bulb	18
4.5 Lamp dimensions	18
4.6 Caps and bases	18
4.7 Initial electrical and luminous requirements.....	18
4.8 Check on optical quality	18
4.8.1 General	18
4.8.2 12 V lamps emitting white light	18
4.8.3 6 V and 24 V lamps emitting white light	19
4.8.4 Lamps emitting selective-yellow light	19
4.9 UV radiation.....	19
4.10 Standard (étalon) filament lamps	20
4.11 Non-replaceable filament lamps	20
4.11.1 General	20
4.11.2 Fixation	21
4.11.3 Lifetime	21
4.11.4 Colour endurance	22
4.11.5 Luminous flux and colour maintenance	22
4.11.6 Vibration and shock resistance	22
5 Requirements and test conditions for discharge lamps	22
5.1 General requirements	22
5.2 Lamp marking	22
5.3 Bulbs	23
5.4 Caps	23
5.5 Position and dimensions of electrodes, arc and black stripes	23
5.5.1 Measurements.....	23
5.5.2 Electrodes	23
5.5.3 Arc	23
5.5.4 Black stripes.....	23
5.6 Starting, run-up and hot-restrike characteristics	24
5.6.1 Starting.....	24
5.6.2 Run-up	24
5.6.3 Hot-restrike.....	24
5.6.4 Compliance	24
5.7 Electrical and photometric characteristics	25
5.7.1 Voltage and wattage	25
5.7.2 Luminous flux	25

5.7.3	Compliance	25
5.8	Colour.....	25
5.9	UV radiation.....	26
5.10	Standard (étalon) discharge lamps.....	27
6	Requirements and test conditions for LED light sources	27
6.1	General requirements	27
6.2	Light source marking.....	27
6.3	Optical surfaces	27
6.4	Colour of light	27
6.5	Lamp dimensions	27
6.6	Caps and bases	28
6.7	Initial electrical and photometrical requirements.....	28
6.8	Red content	28
6.9	UV radiation.....	29
6.10	Standard (étalon) light sources	29
7	Sampling and conditions of compliance	29
8	Lamp data sheets	29
8.1	General.....	29
8.2	List of specific lamp types	30
8.3	Data sheets not transferred to UN R.E.5	34
9	Requirements and test conditions for matrix light sources (MLSs)	34
9.1	General requirements	34
9.2	Photometrical requirements and test conditions	35
9.2.1	Measurement methods	35
9.2.2	Reference system.....	35
9.2.3	Operating conditions.....	35
9.2.4	Parameters determined by all pixels	35
9.2.5	Parameters determined per pixel	36
9.2.6	Characteristic parameters for luminance contrast behaviour	39
Annex A	(normative) Filament shape, length and position	61
A.1	General.....	61
A.2	Filaments shown as points	61
A.3	Line filaments	61
A.4	Coiled-coil filaments.....	61
A.5	Extreme filament turns	61
A.6	Filament extremities.....	61
A.6.1	General	61
A.6.2	Axial filaments	61
A.6.3	Transverse filaments	61
A.7	Determination of filament length.....	62
A.8	Filament offsets	62
A.9	Lateral deviation	62
A.10	Filament location check system (box system).....	62
Annex B	(normative) Measurement method of the colour of filament lamps	65
B.1	General.....	65
B.2	Colour.....	65
B.3	Measuring directions.....	65
B.3.1	General	65

B.3.2	Filament lamps used in headlamps	65
B.3.3	Filament lamps used in light signalling devices	66
Annex C (normative)	Test conditions for electrical and luminous characteristics	67
C.1	Filament lamps	67
C.1.1	Ageing	67
C.1.2	Test conditions	67
C.1.3	Electrical instrumentation	67
C.1.4	Photometry	67
C.2	LED light sources.....	67
C.2.1	Test conditions	67
C.2.2	Luminous flux	67
C.2.3	Normalized luminous intensity	68
C.2.4	Colour	68
C.2.5	Power consumption	68
C.2.6	Luminous flux and colour at elevated temperature	69
Annex D (normative)	Measurement method of internal elements of R2 lamps	72
D.1	General test conditions	72
D.1.1	Measurement position.....	72
D.1.2	Ageing	72
D.1.3	Test conditions	72
D.2	Reference axis, reference plane and planes for measurements.....	72
D.2.1	Reference axis	72
D.2.2	Reference plane	72
D.2.3	Plane V-V	72
D.2.4	Plane H-H.....	72
D.2.5	Plane X-X	72
D.2.6	Plane Y1-Y1	72
D.2.7	Plane Y2-Y2	72
D.3	Viewing directions (see Figure D.1).....	73
D.3.1	Viewing direction ①	73
D.3.2	Viewing direction ②	73
D.3.3	Viewing direction ③	73
D.4	Measuring points (MP)	73
D.5	Dimensions to be measured.....	74
Annex E (normative)	Measurement method of internal elements of H4 and HS1 lamps	77
E.1	General test conditions	77
E.1.1	Measurement position.....	77
E.1.2	Ageing	77
E.1.3	Test conditions	77
E.2	Reference axis, reference plane and planes for measurement	77
E.2.1	Reference axis	77
E.2.2	Reference plane	77
E.2.3	Plane V-V	77
E.2.4	Plane H-H.....	77
E.2.5	Plane X-X	77
E.2.6	Plane Y1-Y1	77
E.2.7	Plane Y2-Y2	78
E.2.8	Plane Y3-Y3	78

E.2.9	Plane Y4-Y4	78
E.2.10	Plane Y5-Y5	78
E.3	Viewing directions (see Figure E.1).....	78
E.3.1	Viewing direction ①	78
E.3.2	Viewing direction ②	78
E.3.3	Viewing direction ③	78
E.3.4	Viewing direction ④	78
E.4	Measuring points (MP)	78
E.4.1	General	78
E.4.2	Shield and filaments (see Figure E.2)	79
E.4.3	Top obscuration (see Figure E.3).....	79
E.5	Dimensions to be measured	79
Annex F (normative)	Measurement method of internal elements of HB1 lamps	84
F.1	General test conditions	84
F.1.1	Measurement position.....	84
F.1.2	Ageing	84
F.1.3	Test conditions	84
F.2	Dipped-beam filament location	84
F.2.1	Horizontal location	84
F.2.2	Vertical location.....	84
F.2.3	Axial location	84
F.3	Main-beam filament location	84
F.3.1	Horizontal location	84
F.3.2	Vertical location.....	84
F.3.3	Axial location.....	85
Annex G (informative)	Optical set-up for the measurement of the position and form of the arc and of the position of the electrodes of discharge lamps	86
Annex H (normative)	Measurement method of electrical and photometric characteristics of discharge lamps	87
H.1	General.....	87
H.2	Ballast	87
H.3	Burning position	87
H.4	Ageing	87
H.5	Supply voltage	87
H.6	Starting test	87
H.7	Run-up test	87
H.8	Hot restrike test	87
H.9	Electrical and photometric test.....	88
H.10	Colour.....	88
Annex I (informative)	Overview of lamp types and their applications	89
Annex J (normative)	Test conditions for colour endurance measurements	92
J.1	General.....	92
J.2	Calibration and ageing	92
J.3	Test voltage	93
J.4	Operating position.....	93
J.5	Test rack.....	93
J.6	Operating cycles	93
J.7	Closure	96

Annex K (informative) Method(s) to determine the value of the light centre length for Lx3A, Lx3B, Lx4A, Lx4B, Lx5A, Lx5B, Lx6A, Lx6B, L1A/6 and L1B/6	97
K.1 Measurement and calculation method based on ray tracing	97
K.2 Alternative method	98
Annex L (informative) Method to determine the maximum luminance gradient of LED light sources	99
L.1 Measuring the luminance	99
L.2 Calculating the maximum luminance gradient.....	99
Bibliography.....	101
Figure 1 – Illustration of a grid of pixels with corresponding LEAs and subsections of pixels under test	38
Figure 2 – Illustration of method to determine the gap width	39
Figure 3 – Example of gap width characterization (luminance profile)	39
Figure 4 – Illustration of method to determine the luminance contrast for a column.....	41
Figure 5 – Example of luminance contrast determination (luminance profile).....	41
Figure A.1 – Determination of apexes, filament length and filament offsets (A and B).....	63
Figure A.2 – Determination of filament centre.....	63
Figure A.3 – Determination of lateral deviations (A and B) and tolerance on the light centre length (C)	64
Figure B.1 – Positions of the colorimetric receiver when measuring lamps used in headlamps	66
Figure B.2 – Positions of the colorimetric receiver when measuring lamps used in light signalling devices	66
Figure C.1 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	70
Figure C.2 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	71
Figure D.1 – Viewing directions, seen from the top of the lamp	75
Figure D.2 – Position of measuring points of R2 lamps	76
Figure E.1 – Viewing directions, seen from the top of the lamp	81
Figure E.2 – Position of measuring points of H4, H17, H19 and HS1 lamps	82
Figure E.3 – Top obscuration	83
Figure F.1 – Side view, view from ③ ^{ab}	85
Figure F.2 – Plan view, view from ④ ^a	85
Figure G.1 – Optical system.....	86
Figure J.1 – Side view of box	93
Figure J.2 – Front view of box.....	93
Figure J.3 – Temperature in the climate chamber during one operating cycle.....	94
Figure J.4 – Relative humidity in the climate chamber during one operating cycle.....	94
Figure J.5 – Switching modes of filament lamps for intermittent operation during one operating cycle	95
Figure J.6 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	95
Figure J.7 – Switching modes of filament lamps for continuous operation during one operating cycle	96

Figure J.8 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	96
Figure K.1 – Set-up to measure the luminance distribution of the A versions of the LED light sources	97
Figure K.2 – Set-up to measure the luminance distribution of the B versions of the LED light sources	98
Figure L.1 – Example of a luminance image and the calculated average luminance values $L(x)$	100
Figure L.2 – Example for 1 μ m-interpolation and position of maximum luminance gradient	100
Table 1 – Lifetime of non-replaceable light sources used in devices (luminaires)	21
Table 2 – Spectral weighting function	26
Table 3 – List of specific lamp types	30
Table C.1 – Luminous flux tolerance limits	68
Table D.1 – Dimensions to be measured for R2 lamps	74
Table E.1 – Dimensions to be measured for H4, H17, H19 and HS1 lamps	80
Table I.1 – Overview of lamp types and their applications	89
Table J.1 – Applicable switching modes	92
Table J.2 – Applicable boxes of the test racks	92
Table J.3 – Dimensions of the applicable boxes and the relative position of the centre of the filament	93
Table J.4 – Timing during one operating cycle	94
Table J.5 – Switching modes of the filament lamps	95

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES –
DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60809 edition 4.1 contains the fourth edition (2021-04) [documents 34A/2232/FDIS and 34A/2235/RVD] and its amendment 1 (2023-11) [documents 34A/2370/FDIS and 34A/2378/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC 60809 has been prepared by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting. It is an International Standard.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of a light technical measurement on LED light sources intended for use in front-lighting applications.
- b) As the original data sheets and some figures from previous editions were not available in an editable format, they have been reproduced from their old format, following the current drafting rules and are now in single language format. Some reproductions constitute minor (obvious) editorial changes of the original text sections and original figures; no technical changes were introduced.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The '*colour inside*' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

1 Scope

This document is applicable to electric light sources (see Note 1) for use in automotive applications, for example in road illumination devices and/or light signalling devices for road vehicles.

It is especially applicable to light sources listed in UN Resolution R.E.5 and light sources subject to other legislations.

This document specifies the technical requirements for interchangeability for example dimensional, electrical and photometrical characteristics, and includes test methods.

For the light sources listed in this document, the data sheets are contained either in this document or are included by reference to UN Resolution R.E.5.

Performance requirements are specified in IEC 60810, for example life, torsion strength, resistance to vibration and shock.

The requirements for miniature light sources for supplementary purposes, not subject to legislation, are specified in IEC 60983.

NOTE 1 The terms "lamp" and "light source" are both used in this document to mean the same product, so the two terms are interchangeable throughout this document.

NOTE 2 In various vocabularies and standards, different terms are used for "incandescent lamp" (IEC 60050-845:1987, 845-07-04), "discharge lamp" (IEC 60050-845:1987, 845-07-17) and "LED lamp". In this document "filament lamp", "discharge lamp" and "LED light source" are used, however, where only "lamp" or "light source" is written, all light sources, independent of the technology used, are meant, unless the context clearly shows that it applies to one kind of technology only. In the UN Regulations, the word "light source" is used for the products specified in this document.

NOTE 3 Wherever the term "device" is used, it is meant to designate equipment which is used as a luminaire. It can for instance take the form and purpose of a headlight or signal light.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <http://www.electropedia.org/>)

IEC 60051-1, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 1: Definitions and general requirements common to all parts*

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps* (available at <http://std.iec.ch/iec60061>)

IEC 60810:2017, *Lamps, light sources and LED packages for road vehicles – Performance requirements*