

# IEEE Standard for Wearable, Cuffless Blood Pressure Measuring Devices

IEEE Engineering in Medicine and Biology Society

Sponsored by the  
Standards Committee



# IEEE Standard for Wearable, Cuffless Blood Pressure Measuring Devices

Sponsor

**Standards Committee**  
of the  
**IEEE Engineering in Medicine and Biology Society**

Approved 21 August 2014

**IEEE-SA Standards Board**

**Abstract:** IEEE Std 1708™ establishes a normative definition of wearable cuffless blood pressure (BP) measuring devices and the objective performance evaluation of this kind of device. The standard is independent of the form of the device or the vehicle to which the device is attached or in which it is embedded. The standard is applicable to all types of wearable BP measurement devices including epidermal and unobtrusive BP devices that have different modes of operation (e.g., to measure short-term, long-term, snapshot, continuous, beat(s)-to-beat(s) BP, or BP variability). This standard is, however, limited to evaluation of devices that do not use a cuff during measurement and do not cover evaluation of all sphygmomanometers that are used with an occluding or inflatable cuff for the indirect determination of BP on the upper arm or wrist. This standard provides guidelines for manufacturers to qualify and validate their products, potential purchasers or users to evaluate and select prospective products, and health care professionals to understand the manufacturing practices on wearable BP devices.

**Keywords:** blood pressure measuring devices, cuffless, epidermal, hypertension, IEEE 1708™, performance evaluation, unobtrusive, wearable

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2014 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 26 August 2014. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-9213-0 STD98718  
Print: ISBN 978-0-7381-9214-7 STDPD98718

*IEEE prohibits discrimination, harassment, and bullying.*

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

## **Important Notices and Disclaimers Concerning IEEE Standards Documents**

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

### **Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents**

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

### **Translations**

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

## **Official statements**

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

## **Comments on standards**

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854 USA

## **Laws and regulations**

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

## **Copyrights**

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## **Photocopies**

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

## Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## Participants

At the time this IEEE standard was completed, the Wearable Cuffless Blood Pressure Monitors Working Group had the following membership:

**Yuan-Ting Zhang, Chair**

**Carole Carey, Vice Chair**

Todd Cooper  
Guy Dumont  
Young Huh  
S. Johnson  
Emil Jovanov  
Yongming Kim  
Ikka Korhonen

J. Liu  
Nigel Lovell  
S. Luo  
Ratko Magjarević  
Jens Muehlsteff  
K. S. Park  
C. Poon  
E. Solane

Kenji Sunagawa  
H. L. Tai  
Toshiyo Tamura  
Z. H. Wang  
Z. Y. Wu  
I. R. F. Yan  
Kenichi Yumakoshi

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Arthur Astrin  
Christopher Biernacki  
Lyle Bullock  
Keith Chow  
Todd Cooper  
Sourav Dutta  
Kenneth Fuchs  
Randall Groves  
Voicu Groza

Kai Hassing  
Werner Hoelzl  
Noriyuki Ikeuchi  
Atsushi Ito  
Piotr Karocki  
JongMuk Lee  
Vincent Lipsio  
Greg Luri  
Iulian Profir  
Sergio Rapuano

Bartien Sayogo  
Veselin Skendzic  
Kapil Sood  
Walter Struppler  
Chandrasekaran Subramaniam  
John Vergis  
Oren Yuen  
Yuanting Zhang  
Daidi Zhong

When the IEEE-SA Standards Board approved this standard on 21 August 2014, it had the following membership:

**John Kulick, Chair**

**Jon Walter Rosdahl, Vice Chair**

**Richard H. Hulett, Past Chair**

**Konstantinos Karachalios, Secretary**

Peter Balma  
Farooq Bari  
Ted Burse  
Clint Chaplin  
Stephen Dukes  
Jean-Philippe Faure  
Gary Hoffman

Michael Janezic  
Jeffrey Katz  
Joseph L. Koepfinger\*  
David J. Law  
Hung Ling  
Oleg Logvinov  
Ted Olsen  
Glenn Parsons

Ron Petersen  
Adrian Stephens  
Peter Sutherland  
Yatin Trivedi  
Phil Winston  
Don Wright  
Yu Yuan

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*  
Michael Janezic, *NIST Representative*

Julie Alessi  
*IEEE-SA Content Publishing*

Kathryn Bennett  
*IEEE-SA Technical Community Programs*



## Introduction

This introduction is not part of IEEE Std 1708™-2014, IEEE Standard for Wearable, Cuffless Blood Pressure Measuring Devices.

Hypertension is an important public-health challenge worldwide [B12]. In 2000, the estimated global number of adults with hypertension was 972 million, 26.4% of the adult population [B12]. Hypertension is important not only because of its high frequency but also because it is a major modifiable risk factor for cardiovascular and kidney disease [B12]. It was reported by WHO report 2002 [B2] that about 62% of strokes and 49% of heart attacks are caused by hypertension; 7.1 million die from hypertension, which is about 13% of the global fatality in total [B35].

Despite the risk people with hypertension may face, lack of awareness makes the situation difficult to control. The Joint National Committee 7th report (JNC 7) [B5] stated that the percentage of persons in whom hypertension is properly controlled (BP < 140 mmHG/90 mmHg) is limited; more than 30% of the hypertensive populations are still unaware of their condition and are therefore not receiving treatment.

BP measured in a clinical setting by a trained physician using the auscultative technique with the mercury column has been used as the standard parameter for clinical diagnosis for over 100 years [B25]. It is, however, becoming increasingly clear that this reading is often inadequate or even misleading to represent a patient's true BP status [B25]. On the other hand, ambulatory BP measurement (ABPM) and home (or self) BP measurement (HBPM) are shown to be superior to clinic BP measurement (CBPM) in predicting cardiovascular mortality [B6]. Comparing to CBPM, ABPM, and HBPM have the following advantages [B5], [B10], and [B16]: (1) eliminate the white-coat effect; (2) helpful to the assessment of clinic effects, drug effects, and work influence on BP; (3) better predict cardiovascular events and mortality; and (4) cost effective.

Therefore, in 2008, the American Heart Association (AHA), American Society of Hypertension (ASH), and Preventive Cardiovascular Nurses Association (PCNA) published a joint scientific statement that recommended using HBPM and further stated that HBPM should become a routine component of BP measurement in the majority of patients with known or suspected hypertension [B25].

Current devices employed for ABPM and HBPM are usually developed based on the oscillometric method, which has to be used with an inflatable cuff during measurement. Those systems have several drawbacks which hinder their popularizing in the broad masses. One of the major problems is the employment of an inflatable cuff during the measurement. Patients find the cuff pressure is intolerable, particularly those with very high BP and who need frequently repeated readings; petechiae of the upper arm and bruising under the inflating cuff may occur; sleep disturbance is fairly common.

Moreover, to have an accurate measurement, an appropriate cuff size must be selected according to the upper-arm circumference of users [B7]. Applying a cuff that is inappropriately small or large against the upper-arm circumference will contribute a substantially false elevation or reduction to the BP readings [B7]. Educating practitioners about appropriate sized cuffs for out-of-office BP measurement is necessary [B7] but increases the workload of the nurses.

Last but not least, the readings by conventional devices may be insufficient indicators for hypertension. Since only intermittent measurements of single snapshot readings are provided, current devices are incapable of recording the time varying BP or capturing the dynamic state of the cardiovascular system throughout the day [B15]. In addition, study of pathogenesis of hypertension reveals that the systolic hypertension is dependent on a series of changes in the vasculature, the most important of which is increased central arterial stiffness [B8]. Those signals are diffused by the relative imprecision in the techniques utilized by current devices [B8].

In the past few years, there was an emerging interest in developing non-invasive BP measuring devices without an occluding cuff. Leading investigators in this field suggest that BP can be estimated indirectly from pulse transit time (PTT), which is a time period taken for the pulse wave to travel along the artery and arrive at the periphery, or parameters such as pulse arrival time (PAT), pulse wave velocity (PWV), pre-ejection period (PEP), etc., or their combinations. Models that relate BP, PTT, and other physiological parameters have been developed based on biological and mechanical properties of the cardiovascular system, e.g., elastic modulus, dimensions and stiffness of the intervening vessels. Based on these models, systems that use electrocardiographic, photoplethysmographic, and/or phonocardiographic sensors have been proposed for the cuffless and continuous measurement of BP [B15], [B8], [B4], [B28], [B27], and [B18].

Cuffless BP measuring devices successfully release the users from the cuffs and are therefore more suitable to be implemented into the HBPM or ABPM systems, where frequent measurements are usually needed. When they are designed as wearable devices, e.g., a shirt [B40] or watch [B26] and [B29], or integrated with furniture at home, e.g., a chair [B36] or bed [B9] for unobtrusive BP monitoring, or epidermal BP devices based on flexible-stretchable-printable electronics, the long-term and out-of-office monitoring becomes more comfortable and thus more attractive to the patients.

In addition, those devices have the great advantage of being not only capable of providing a snapshot of BP, but also potentially being usable for continuous BP monitoring. This special feature makes them superior to CBPM for the prompt identification of cardiovascular risk. Also, since signals (e.g., arterial stiffness) are implemented into the estimation model, the cuffless devices are potentially more capable of providing informative indication of the patient's health condition.

Nevertheless, since the physiology coefficients employed for BP estimation are subject-dependent, calibration is crucial to ensure the accuracy of the cuffless devices. A major challenge is to find a simple and accurate way to calibrate the device individually or estimate BP directly without a calibration procedure.

To date, there is no defined and independent standard for wearable cuffless devices. Existing standards for evaluating sphygmomanometers are intended only for devices that are used with an occluding cuff and, therefore, do not cover all aspects needed for the emerging cuffless devices. As a result, validating approaches of the cuffless techniques or devices vary largely from study to study.

Since cuffless approaches have become important in hypertension research in recent years, a section of this standard is devoted to the assessment process. It is crucial for the clinicians and engineers to join efforts in establishing an evaluation standard. Although existing standards for evaluating sphygmomanometers were developed for devices with an occluding or inflatable cuff, parts of them are still applicable to the evaluation of cuffless devices. The experiences of these current standards need to be carefully appreciated during the development of the new standard.

In typical settings of wearable cuffless devices, biosignals such as biopotentials and body motion signals are acquired by wearable sensors attached to a patient's body (or epidermal sensors on the skin) and sent to a nearby intermediate terminal for processing and/or relaying to a remote terminal. The wearable sensors may be equipped with a sensor of optical transmitter and detector, accelerometer, pulse meter, thermometer, pressure sensor, and galvanic skin reflex (GSR) electrodes to monitor the user's health conditions and/or movements. The signals collected from the sensors may also communicate with the personal server, which in turn connects to a mobile gateway for further signal processing and storage. Cellular communication capability may be added to expand service coverage to outdoors. Wireless body area networks (BSN) have great potential to be implemented into the settings.

For compatibility and convenience, the standard is organized to cover all of the following aspects: 1) device accuracy, 2) wearable sensors, 3) network with communication protocols if used, 4) electrical safety, and 5) stability.

## Contents

1. Overview .....	1
1.1 Scope .....	1
1.2 Purpose .....	1
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations .....	2
3.1 Definitions .....	2
3.2 Acronyms and abbreviations .....	3
4. Performance evaluation .....	4
4.1 Summary.....	4
4.2 Observer training and measurement .....	5
4.3 Subject selection .....	6
4.4 Validation procedure .....	7
4.5 Validation criteria .....	8
4.6 Data reporting .....	10
5. Wearable sensor.....	12
6. Communication .....	13
7. Safety.....	13
8. Stability .....	13
Annex A (informative) Statistical considerations.....	14
A.1 Distribution model considerations .....	14
A.2 Parameter selection considerations .....	18
Annex B (informative) Observer training.....	20
Annex C (informative) Bibliography.....	22



# IEEE Standard for Wearable, Cuffless Blood Pressure Measuring Devices

*IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.*

*This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.*

## 1. Overview

### 1.1 Scope

The intent of this standard is to establish objective performance evaluation of wearable, cuffless blood pressure (BP) measuring devices. The standard is independent of the form of the device or the vehicle to which the device is attached or in which it is embedded. The standard is applicable to all types of wearable BP measurement devices that have different modes of operation (e.g., to measure short-term, long-term, snapshot, continuous, beat(s)-to-beat(s) BP, or BP variability). This standard is, however, limited to evaluation of devices that do not use a cuff during measurement and does not cover evaluation of all sphygmomanometers that are used with an occluding or inflatable cuff for the indirect determination of BP on the upper arm or wrist.

### 1.2 Purpose

There is currently no defined, independent standard for wearable cuffless BP measurement devices, which have drawn growing interest in recent years. Existing standards for evaluating sphygmomanometers are intended only for devices that are used with an occluding cuff and, therefore, do not cover all aspects needed for the emerging wearable devices. This standard provides guidelines for manufacturers to qualify and validate their products, potential purchasers or users to evaluate and select prospective products, and health care professionals to understand the manufacturing practices on wearable BP devices.