

# **Ground-fault circuit interrupters**



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Update No. 1***

## ***C22.2 No. 144.1-16***

### ***February 2018***

**Note:** For information about the **Standards Update Service**, go to **shop.csa.ca** or e-mail **techsupport@csagroup.org**.

**Title:** *Ground-fault circuit interrupters* — originally published May 2016

The following revisions have been formally approved and are marked a vertical line in the margin on the attached replacement pages:

<b>Revised</b>	Cover, copyright page, Preface, Clauses 5.15.5, 6.27.1.1, 6.27.2, and 6.31.2, Table 6.4, and Annex A
<b>New</b>	Clauses 3.13A, 3.16A, and 5.17
<b>Deleted</b>	

- Update your copy by inserting these revised pages.
- Keep the pages you remove for reference.

# *Standards Update Service*

*C22.2 No. 144.1-16*

*May 2016*

**Title:** *Ground-fault circuit interrupters*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](http://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2423810**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.



Association of Standardization and Certification  
NMX-J-520-ANCE  
Third Edition



CSA Group  
CSA C22.2 No. 144.1-16  
Second Edition



Underwriters Laboratories Inc.  
UL 943  
Fifth Edition

## Ground-Fault Circuit-Interruptions

May 17, 2016



ANSI/UL 943-2016

## **Commitment for Amendments**

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

---

## **Copyright © 2016 ANCE**

Rights reserved in favor of ANCE

---

## **ISBN 978-1-77139-993-7 © 2016 CSA Group**

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquires@csagroup.org](mailto:inquires@csagroup.org) and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-463-6727 or 416-747-4044.

---

## **Copyright © 2016 Underwriters Laboratories Inc.**

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fifth edition. The most recent designation of ANSI/UL 943 as an American National Standard (ANSI) occurred on May 17, 2016. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 943 on November 30, 1994. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

To purchase UL Standards, visit Comm 2000 at [http://www.comm-2000.com/help/how\\_to\\_order.aspx](http://www.comm-2000.com/help/how_to_order.aspx) or call toll-free 1-888-853-3503.

---

## CONTENTS

Preface .....	6
1 Scope .....	8
2 Normative References .....	8
3 Definitions .....	8
4 General .....	10
4.1 Components .....	10
4.2 Units of measurement .....	11
5 Construction .....	11
5.1 All types .....	11
5.2 Resistance to corrosion .....	12
5.3 Grounding and bonding .....	12
5.4 Enclosure and housing .....	13
5.5 Provision for connection to permanent wiring systems .....	13
5.6 Insulation .....	14
5.7 Accessibility of energized parts .....	14
5.8 Internal wiring .....	15
5.9 Field wiring .....	15
5.10 Power-supply cord .....	16
5.11 Receptacles .....	19
5.12 Spacings .....	20
5.13 Alternative spacings – clearances and creepage distances .....	22
5.14 Operating mechanism .....	23
5.15 Supervisory circuit .....	24
5.16 Auto-monitoring function .....	24
6 Tests .....	24
6.1 General .....	24
6.2 Polymeric enclosures .....	28
6.3 Enclosure and housing – performance .....	29
6.4 Representative devices .....	30
6.5 Leakage current test .....	31
6.6 Voltage surge test .....	33
6.7 High-resistance ground fault .....	38
6.8 Resistance to false tripping test .....	46
6.9 Immunity to conducted disturbances, induced by RF fields .....	48
6.10 Normal temperature test .....	48
6.11 Dielectric voltage withstand test .....	49
6.12 Overload and motor starting test .....	51
6.13 Low-resistance ground fault test .....	52
6.14 Endurance test .....	53
6.15 Abnormal operation test .....	54
6.16 Surge current test .....	58
6.17 Abnormal overvoltage tests .....	59
6.18 Extra-low-resistance ground faults test .....	63
6.19 Short circuit test .....	65
6.20 Dust test .....	65
6.21 Corrosion test .....	66
6.22 Visual inspection test .....	67
6.23 Reverse line-load miswire test .....	67
6.24 Reverse line-load miswire test - repeated .....	68

6.25	Supplemental voltage surge immunity test	.68
6.26	Operating mechanism test	.69
6.27	Permanently connected GFCI end of life test	.70
6.28	GFCI receptacle temperature tests	.70
6.29	Mechanical endurance test	.76
6.30	Spill test	.77
6.31	Auto-monitoring function tests	.77
7	Markings	.79
7.1	Permanence of marking	.79
7.2	Marking	.79
7.3	Permanently connected ground-fault circuit-interrupters	.80
7.4	Portable ground-fault circuit-interrupters	.81
8	Installation Instructions	.82
8.1	General	.82
8.2	Permanently connected ground-fault circuit-interrupters	.83

## **SUPPLEMENT SA - OPTIONAL 10 KA SHORT CIRCUIT CURRENT TEST FOR OUTLET-BOX TYPE GROUND-FAULT CIRCUIT-INTERRUPTERS**

### **INTRODUCTION**

SA1	Scope	.85
-----	-------	-----

### **PERFORMANCE**

SA2	General	.85
-----	---------	-----

### **MARKINGS**

SA3	General	.85
-----	---------	-----

### **Annex A (Normative) Reference Standards**

A1	Reference Standards	.86
----	---------------------	-----

### **Annex B (Informative) French Translations and Markings**

B1	French Translations and Markings	.88
----	----------------------------------	-----

### **Annex C (Informative) Spanish Translations and Markings**

C1	Spanish Translations and Markings	.89
----	-----------------------------------	-----

### **Annex D (Informative) Reference Publications**

D1	Reference Publications	.90
----	------------------------	-----



**Annex E (Normative in Canada and the United States; informative in Mexico) Installation Instructions – Configuration Drawings**

E1 Installation Instructions – Configuration Drawings .....94

## Preface

This is the harmonized ANCE, CSA Group, and UL Standard for Ground-Fault Circuit-Interrupters. It is the third edition of NMX-J-520-ANCE, the second edition of CSA C22.2 No. 144.1, and the fifth edition of UL 943. This edition of NMX-J-520-ANCE supersedes the previous edition published on February 1, 2006. This edition of CSA C22.2 No. 144.1 supersedes the previous edition published in February 2006. This edition of UL 943 supersedes the previous edition published on February 1, 2006, and revised on June 29, 2012.

This harmonized Standard was prepared by the Association of Standardization and Certification (ANCE), CSA Group, and Underwriters Laboratories Inc. (UL). The efforts and support of the CANENA Technical Harmonization Subcommittee 23E, Ground-Fault Circuit-Interrupters, are gratefully acknowledged.

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

The present Mexican standard was developed by the CT 23 Accesorios Electricos from the Comite de Normalizacion de la Asociacion de Normalizacion y Certificacion, A.C., CONANCE, with the collaboration of the ground fault circuit interrupters manufacturers and users.

This Standard was reviewed by the CSA Subcommittee on Ground-Fault Circuit-Interrupters, under the jurisdiction of the CSA Technical Committee on Industrial Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee.

This Standard has been approved by the American National Standards Institute (ANSI) as an American National Standard.

### Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is to be considered a minimum quantity.

**Note:** Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

### Level of harmonization

This Standard uses the IEC format but is not based on, nor shall it be considered equivalent to, an IEC Standard. This Standard is published as an identical Standard for ANCE, CSA Group, and UL.

An identical Standard is a Standard that is exactly the same in technical content except for national differences resulting from conflicts in codes and governmental regulations. Presentation is word for word except for editorial changes.

### Reasons for differences from IEC

This Standard provides requirements for ground-fault circuit-interrupters for use in accordance with the electrical installation codes of Canada, Mexico, and the United States. At present there is no IEC Standard for ground-fault circuit-interrupters for use in accordance with these codes. Therefore, this Standard does not employ any IEC Standard for base requirements.

**Interpretations**

The interpretation by the standards development organization of an identical or equivalent Standard is based on the literal text to determine compliance with the Standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

## 1 Scope

1.1 This Standard applies to Class A, single- and three-phase, ground-fault circuit-interrupters intended for protection of personnel, for use only in grounded neutral systems in accordance with the National Electrical Code (NEC), ANSI/NFPA 70, the Canadian Electrical Code, Part I, and Electrical Installations (Use), NOM-001-SEDE. These devices are intended for use on alternating current (AC) circuits of 120 V, 208Y/120 V, 120/240 V, 127 V, or 220Y/127 V, 60 Hz circuits.

**Note:** In Canada, the text “intended for protection of personnel” is excluded.

1.2 These requirements do not cover ground-fault circuit-interrupters intended for use in circuits served by a transformer having windings wholly insulated from each other.

1.3 This Standard applies to all Class A ground-fault circuit-interrupters. These Class A GFCIs are permitted to be integrated into other devices, in which case, besides complying with this Standard, these devices are to comply with the corresponding applicable Standard for the device in question.

1.4 This Standard includes minimum requirements for the function, construction, performance, and markings of ground-fault circuit-interrupters included in the scope.

1.5 This Standard is intended to cover only Class A GFCI devices.

1.6 This Standard also covers GFCIs of the self contained type that are intended for installation in a counter, such as would be suitable for installation in a kitchen or bathroom counter top.

## 2 Normative References

2.1 Any normative reference to a code or Standard appearing in the requirements of this Standard shall be interpreted as referring to the latest edition of that code or Standard. See Annex A.

2.2 When a reference is made to another code or Standard, the product shall comply with the installation code or Standard of the country or countries in which the product is intended to be used.

2.3 For products intended for use in Canada general requirements are given in CSA Standard C22.2 No. 0, *Definitions and General Requirements – Canadian Electrical Code, Part II*.

## 3 Definitions

For the purposes of this Standard, the following definitions apply:

3.1 ACCESSIBLE PART – A part so located that it can be contacted by a person, either directly or by means of a probe or tool.

3.2 AUTOMATIC RECLOSURE – Denotes the act of a ground-fault circuit-interrupter resetting itself after having been tripped.