

---

---

**Information technology — Dynamic  
adaptive streaming over HTTP  
(DASH) —**

Part 1:  
**Media presentation description and  
segment formats**

*Technologies de l'information — Diffusion en flux adaptatif  
dynamique sur HTTP (DASH) —*

*Partie 1: Description de la présentation et formats de remise des  
médias*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Foreword.....	vii
Introduction.....	viii
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
3.1 Terms and definitions .....	2
3.2 Symbols and abbreviated terms .....	7
3.3 Conventions .....	9
<b>4 Overview .....</b>	<b>10</b>
4.1 System description .....	10
4.2 DASH Client model.....	11
4.3 DASH data model overview .....	12
4.4 Protocols .....	15
4.5 Media stream and Representation properties .....	16
4.5.1 Switching and Random Access Support.....	16
4.5.2 Media stream access points .....	16
4.5.3 Non-overlapping Segments and Subsegments .....	17
4.5.4 Conforming Segment track.....	18
4.6 Brands.....	18
4.7 Schemes .....	19
<b>5 Media Presentation .....</b>	<b>22</b>
5.1 General.....	22
5.2 Media Presentation Description.....	22
5.2.1 General .....	22
5.2.2 Schema.....	23
5.2.3 Elements and Attributes added in revisions and amendments.....	24
5.3 Hierarchical data model .....	26
5.3.1 General .....	26
5.3.2 Period.....	33
5.3.3 Adaptation Sets.....	39
5.3.4 Media content component.....	50
5.3.5 Representation .....	51
5.3.6 Sub-Representation .....	62
5.3.7 Common attributes and elements .....	63
5.3.8 Subsets.....	70
5.3.9 Segments and Segment information .....	71
5.3.10 Label and Group Label .....	93
5.3.11 Preselection.....	95
5.3.12 Initialization Set, Group and Presentation .....	99
5.3.13 Resynchronization .....	103
5.4 Media Presentation Description updates.....	106
5.4.1 General .....	106
5.4.2 MPD Reset.....	108
5.5 MPD assembly .....	108
5.5.1 General .....	108
5.5.2 Syntax and semantics .....	108
5.5.3 Processing .....	109
5.6 Base URL Processing.....	110

5.6.1	Overview .....	110
5.6.2	Semantics .....	111
5.6.3	XML syntax.....	112
5.6.4	Reference resolution.....	112
5.6.5	Alternative base URLs.....	113
5.7	Program information.....	113
5.7.1	Overview .....	113
5.7.2	Semantics .....	113
5.7.3	XML syntax.....	114
5.8	Descriptors .....	114
5.8.1	General.....	114
5.8.2	Semantics of generic descriptor .....	115
5.8.3	XML syntax of generic descriptor.....	115
5.8.4	Specific descriptors .....	116
5.8.5	Specific scheme definitions .....	122
5.9	DASH metrics descriptor .....	133
5.9.1	Overview .....	133
5.9.2	Semantics .....	133
5.9.3	XML syntax.....	134
5.9.4	Metric reporting .....	135
5.10	Events .....	135
5.10.1	Overview .....	135
5.10.2	MPD Events.....	135
5.10.3	Inband Event Signalling .....	139
5.10.4	DASH-specific events.....	142
5.11	MPD Chaining .....	146
5.11.1	General.....	146
5.11.2	Regular Chaining .....	146
5.11.3	Fallback Chaining.....	147
5.12	Producer Reference Time .....	148
5.12.1	General.....	148
5.12.2	Semantics .....	148
5.12.3	XML Syntax .....	150
5.13	Leap seconds.....	150
5.13.1	Overview .....	150
5.13.2	Semantics .....	151
5.13.3	XML-Syntax.....	151
5.13.4	Leap second information updates.....	152
5.14	Content Popularity Rate .....	152
5.14.1	General.....	152
5.14.2	Semantics .....	153
5.14.3	XML syntax.....	154
5.15	MPD patch framework.....	155
5.15.1	Overview .....	155
5.15.2	MPD Patch Location.....	155
5.15.3	MPD patch document.....	156
5.15.4	Processing Model .....	158
5.15.5	Recommended Client Operation.....	159
6	Segment formats.....	159
6.1	General .....	159
6.2	Segment types.....	160
6.2.1	General.....	160
6.2.2	Initialization Segment .....	160
6.2.3	Media Segment .....	160

6.2.4	Index Segment .....	162
6.2.5	Bitstream Switching Segment .....	162
6.2.6	Missing Content Segment.....	162
6.3	Segment formats for ISO base media file format.....	162
6.3.1	General .....	162
6.3.2	Preliminaries: Refinements of generic concepts .....	163
6.3.2.5	Resynchronization Point .....	163
6.3.3	Initialization Segment format .....	164
6.3.4	Media Segment types.....	164
6.3.5	Self-Initializing Media Segment formats .....	166
6.4	Segment formats for MPEG-2 transport streams .....	166
6.4.1	General .....	166
6.4.2	Preliminaries: Refinements of generic concepts .....	167
6.4.3	Initialization Segment types and formats.....	168
6.4.4	Media Segment types and formats .....	169
6.4.5	Bitstream Switching Segment .....	169
6.4.6	Index Segment .....	170
6.4.7	Boxes used with MPEG-2 TS Index Segments .....	172
7	Combined semantics of MPD and Segment formats .....	172
7.1	Overview .....	172
7.2	General.....	173
7.2.1	Media Presentation timeline .....	173
7.2.2	Segment Index .....	174
7.2.3	Segment alignment .....	174
7.2.4	Subsegment alignment .....	174
7.3	Media Presentation based on the ISO base media file format .....	174
7.3.1	General .....	174
7.3.2	Media presentation timeline .....	175
7.3.3	Authoring Rules for specific MPD attributes .....	175
7.3.4	Sub-Representations .....	176
7.3.5	Segment Timeline without Segment Index.....	176
7.4	Media Presentation based on MPEG-2 TS .....	176
7.4.1	General .....	176
7.4.2	Media presentation timeline .....	177
7.4.3	Authoring rules for specific MPD attributes.....	177
7.4.4	Sub-Representations .....	178
8	Profiles.....	178
8.1	Definition .....	178
8.2	Full profile .....	180
8.2.1	General .....	180
8.2.2	Media Presentation Description constraints.....	180
8.2.3	Segment format constraints .....	180
8.3	ISO Base media file format On Demand profile.....	180
8.3.1	General .....	180
8.3.2	Media Presentation Description constraints.....	181
8.3.3	Segment format constraints .....	182
8.4	ISO Base media file format live profile.....	182
8.4.1	General .....	182
8.4.2	Media Presentation Description constraints.....	182
8.4.3	Segment format constraints .....	183
8.5	ISO Base media file format main profile.....	183
8.5.1	General .....	183
8.5.2	Media Presentation Description constraints.....	184

8.5.3	Segment format constraints .....	184
8.6	MPEG-2 TS main profile .....	185
8.6.1	General.....	185
8.6.2	Media Presentation Description constraints .....	185
8.6.3	Segment format constraints .....	185
8.6.4	Comments and recommendations .....	185
8.7	MPEG-2 TS simple profile .....	186
8.7.1	General.....	186
8.7.2	Media Presentation Description constraints .....	186
8.7.3	Segment format constraints .....	186
8.7.4	Recommendations .....	187
8.8	ISO Base media file format extended live profile.....	187
8.8.1	General.....	187
8.8.2	Media Presentation Description constraints .....	187
8.8.3	Segment format constraints .....	188
8.8.4	Inband Events .....	188
8.9	ISO Base media file format extended On Demand profile .....	188
8.9.1	General.....	188
8.9.2	Media Presentation Description constraints .....	189
8.9.3	Segment format constraints .....	190
8.10	ISO Base media file format common profile.....	190
8.10.1	General.....	190
8.10.2	Media Presentation Description constraints .....	190
8.10.3	Segment format constraints .....	191
8.11	ISO Base media file format broadcast TV profile.....	191
8.11.1	General.....	191
8.11.2	Media Presentation Description constraints .....	191
8.11.3	Segment format constraints .....	193
8.11.4	MPD Updates and Inband Event Streams .....	193
8.12	DASH profile for CMAF content .....	194
8.12.1	General.....	194
8.12.2	CMAF content model for DASH profile definition.....	194
8.12.3	CMAF to DASH Mapping Principles .....	197
8.12.4	DASH profiles for CMAF content - Common constraints .....	200
8.12.5	DASH CMAF Core Profile .....	208
8.12.6	DASH CMAF Extended Profile .....	208
8.12.7	Conformance Checking Considerations .....	208
	<b>Annex A (informative) Example DASH Client behaviour .....</b>	<b>210</b>
	<b>Annex B (normative) MPD schema .....</b>	<b>234</b>
	<b>Annex C (normative) MIME type registration for MPD and other resources.....</b>	<b>235</b>
	<b>Annex D (normative) DASH Metrics .....</b>	<b>242</b>
	<b>Annex E (normative) Byte range requests with regular HTTP GET methods .....</b>	<b>251</b>
	<b>Annex F (informative) Guidelines for extending DASH with other delivery formats.....</b>	<b>254</b>
	<b>Annex G (informative) MPD Examples and MPD Usage.....</b>	<b>256</b>
	<b>Annex H (normative) Spatial Relationship Description.....</b>	<b>284</b>
	<b>Annex I (normative) Flexible Insertion of URL Parameters .....</b>	<b>293</b>
	<b>Annex J (informative) Open GOP resolution change .....</b>	<b>307</b>
	<b>Annex K (normative) DASH Service Description .....</b>	<b>308</b>
	<b>Bibliography.....</b>	<b>319</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see [patents.iec.ch](http://patents.iec.ch)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This fifth edition cancels and replaces the fourth edition (ISO/IEC 23009-1:2020), which has been technically revised.

The main changes are as follows:

- DASH profile for using Common Media Application Format (CMAF) are added;
- The concept Resynchronization is added in order to identify stream access points in Segments;
- MPD patching is updated to support explicit MPD updates of smaller size, not only as inband messages;
- A client processing model for Event Streams and Timed Metadata tracks is introduced;
- Extensions are added to content protection for efficient signalling and to support robustness levels.
- A descriptor is added in order to describe the minimum required device output protection security;
- More flexible bandwidth signalling is provided to signal variable bitrate encoding.

A list of all parts in the ISO/IEC 23009 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and <https://www.iec.ch/national-committees>.

## **Introduction**

Dynamic adaptive streaming over HTTP (DASH) is intended to support a media-streaming model for delivery of media content in which control lies primarily with the client. Clients may request data using the HTTP protocol from standard web servers that have no DASH-specific capabilities. Consequently, this document focuses not on client or server procedures but on the data formats used to provide a DASH Media Presentation.

The International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. Information may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents) or <https://patents.iec.ch>.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.



# Information technology — Dynamic adaptive streaming over HTTP (DASH) —

## Part 1: Media presentation description and segment formats

### 1 Scope

This document primarily specifies formats for the Media Presentation Description and Segments for dynamic adaptive streaming delivery of MPEG media over HTTP. It is applicable to streaming services over the Internet.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 13818-1, *Information technology — Generic coding of moving pictures and associated audio information — Part 1: Systems*

ISO/IEC 14496-12, *Information technology — Coding of audio-visual objects — Part 12: ISO base media file format*

ISO/IEC 23000-19, *Information technology — Multimedia application format (MPEG-A) — Part 19: Common media application format (CMAF) for segmented media*

ISO/IEC 23091-2, *Information technology — Coding-independent code points — Part 2: Video*

ISO/IEC 23091-3, *Information technology — Coding-independent code points — Part 3: Audio*

IETF RFC 2397, *The “data” URL scheme*

IETF RFC 3629, *UTF-8, a transformation format of ISO 10646*

IETF RFC 3986, *Uniform Resource Identifier (URI): Generic Syntax*

IETF RFC 4122, *A Universally Unique Identifier (UUID) URN Namespace*

IETF RFC 4337, *MIME Type Registration for MPEG-4*

IETF RFC 4648, *The Base16, Base32, and Base64 Data Encodings*

IETF RFC 5234, *Augmented BNF for Syntax Specifications: ABNF*

IETF RFC 5261, *An Extensible Markup Language (XML) Patch Operations Framework Utilizing XML Path Language (XPath) Selectors*

IETF RFC 5646, *Tags for Identifying Languages*

IETF RFC 6381, *The ‘Codecs’ and ‘Profiles’ Parameters for “Bucket” Media Types*