



IEEE Guide for Array and Battery Sizing in Stand-Alone Photovoltaic (PV) Systems

IEEE Standards Coordinating Committee 21

Sponsored by the
IEEE Standards Coordinating Committee 21 on
Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage

1562TM

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

12 May 2008

IEEE Std 1562TM-2007

IEEE Guide for Array and Battery Sizing in Stand-Alone Photovoltaic (PV) Systems

Sponsor

**IEEE Standards Coordinating Committee 21 on
Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage**

Approved 5 December 2007
IEEE-SA Standards Board

Abstract: A method for properly sizing the PV array and battery for stand-alone PV systems where PV is the only charging source is recommended (in conjunction with IEEE Std 1013™). Load calculations and determination of solar radiation in the sizing of the system need special attention. Additionally, the critical nature of the load in deciding an acceptable annual availability needs to be considered.

Keywords: battery sizing, photovoltaic systems, PV array sizing

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2008 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 12 May 2008. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code and NEC are registered trademarks in the U.S. Patent & Trademark Office, owned by The National Fire Protection Association.

RETScreen® is a registered trademark of the Minister of Natural Resources Canada.

PDF: ISBN 978-0-7381-5356-8 STD95751
Print: ISBN 978-0-7381-5357-5 STDPD95751

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “**AS IS.**”

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 1562-2007, IEEE Guide for Array and Battery Sizing in Stand-Alone Photovoltaic Systems.

This guide is intended to assist system designers and end users in sizing stand-alone photovoltaic (PV) systems. This guide uses the “Peak Sun-hour” method of sizing. Systems are sized based upon the worst case month using monthly solar irradiance and load demand. This document is not intended to be used for grid-connected or hybrid systems, where the systems are generally designed for annual values. Refer to IEEE Std 1561™ for hybrid designs.

Two critical pieces of information are required for the proper sizing of the PV array and battery in a stand-alone PV system: accurate load data and accurate solar radiation data. The performance of the system will be only as good as these data.

A computer sizing program is recommended for critical applications.

The annexes contain information on photovoltaic module technology, charge controllers, module tilt angles, and sizing examples using the System Sizing worksheet.

This guide should be used in combination with IEEE Std 1361™, IEEE Guide for Selection, Charging, Test and Evaluation of Lead-acid Batteries Used in Stand-Alone Photovoltaic Systems, and, IEEE Std 1013™-2007, IEEE Recommended Practice for Sizing Lead-acid Batteries for Photovoltaic Systems. Together, these documents will provide the user with a general guide to sizing and designing the PV array storage batteries for stand-alone PV systems.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association Web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA Web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this guide may require use of subject matter covered by patent rights. By publication of this guide, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this guide are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this guide was submitted to the IEEE-SA Standards Board for approval, IEEE Standards Coordinating Committee 21 on Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage had the following membership:

Richard DeBlasio, *Chair*
Stephen Chalmers, *Vice Chair*
Thomas S. Basso, *Secretary*

David L. Bassett
John J. Bzura
Jay L. Chamberlin
James M. Daley

Douglas C. Dawson
Frank Goodman
Kelvin Hecht
Joseph Koepfinger

Benjamin Kroposki
Robert Saint
Mallur N. Satyanarayan
Timothy P. Zgonena

At the time this guide was submitted to the IEEE-SA Standards Board for approval, the Energy Storage Subsystems Working Group had the following membership:

Jay L. Chamberlin, *Chair*
Kenneth S. Sanders, *Secretary*

Rob Rallo, Task Leader
Howard Barikmo
Ced Currin
Jim Dunlop
Lauren Giles

Robert Hammond
Thomas D. Hund
Liang Ji
Peter F. McNutt

Haissam Nasrat
Michael T. Nispel
Carl D. Parker
Stephen L. Vechy
John Wiles

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William J. Ackerman
Curtis Ashton
Ali Al Awazi
Thomas Basso
Wallace Binder
William G. Bloethe
Steven R. Brockschink
William P. Cantor
James Case
Jay L. Chamberlin
Keith Chow
Mark S. Clark
Stephen P. Conrad
Garth P. Corey
Gary Engmann
Rabiz N. Foda
Manuel Gonzalez

Randall Groves
Kenneth Hanus
Werner Hoelzl
Dennis Horwitz
Thomas D. Hund
Hermann Koch
Joseph L. Koepfinger
Jim Kulchisky
Scott R. Lacy
Chung-Yiu Lam
Keith N. Malmedal
James McDowall
Peter F. McNutt
Gary L. Michel
Jerry Murphy
Haissam Nasrat

Michael Newman
Michael T. Nispel
Carl D. Parker
Percy E. Pool
Vikram Punj
Robert F. Rallo
Charles W. Rogers
Joseph R. Rostron
Kenneth S. Sanders
Bartien Sayogo
Herbert J. Sinnock
Charles M. Whitaker
James W. Wilson
Oren Yuen
Theodore C. Zeiss
James A. Ziebarth
Ahmed Zobaa

When the IEEE-SA Standards Board approved this guide on 5 December 2007, it had the following membership:

Steve M. Mills, *Chair*
Robert M. Grow, *Vice Chair*
Don Wright, *Past Chair*
Judith Gorman, *Secretary*

Richard DeBlasio
Alex Gelman
William R. Goldbach
Arnold M. Greenspan
Joanna N. Guenin
Kenneth S. Hanus
William B. Hopf
Richard H. Hulett

Hermann Koch
Joseph L. Koepfinger*
John Kulick
David J. Law
Glenn Parsons
Ronald C. Petersen
Tom A. Prevost

Narayanan Ramachandran
Greg Ratta
Robby Robson
Anne-Marie Sahazizian
Virginia C. Sulzberger
Malcolm V. Thaden
Richard L. Townsend
Howard L. Wolfman

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish K. Aggarwal, *NRC Representative*
Michael H. Kelley, *NIST Representative*

Lorraine Patsco
IEEE Standards Program Manager, Document Development

Bill Ash
IEEE Standards Program Manager, Technical Program Development

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions, acronyms, and abbreviations	2
3.1 Definitions	2
3.2 Acronyms and abbreviations	3
4. Outline of sizing methodology	4
4.1 Sun-hour method for PV array sizing.....	4
5. Load calculation	4
6. Days of autonomy.....	5
7. Battery sizing and selection.....	5
8. Solar radiation	5
9. PV Array sizing.....	5
9.1 PV module selection.....	5
9.2 System losses.....	5
9.3 Determine the number of series-connected PV modules.....	6
9.4 Determine the number of parallel strings of PV modules.....	6
10. Design verification	7
Annex A (informative) Photovoltaic module technologies	9
A.1 General.....	9
A.2 Crystalline silicon PV modules.....	9
A.3 Amorphous silicon (a-Si) PV modules	9
A.4 Copper indium diselenide (CIS) PV modules.....	10
A.5 Cadmium telluride (CdTe) PV modules	10
A.6 Heterojunction with intrinsic thin layer (HIT) PV modules	10
A.7 Self-regulating PV modules.....	10
A.8 Temperature effect on modules	10
A.9 PV module selection	11
Annex B (informative) Tilt angle selection.....	12
B.1 Recommended tilt angle.....	12
B.2 PV array orientation.....	12
B.3 Tracking structures.....	12
Annex C (informative) Charge controller technologies.....	13
C.1 General.....	13
C.2 Shunt regulator.....	14
C.3 Series regulator	15
C.4 PWM regulator.....	16
C.5 MPPT charge controller.....	17

Annex D (informative) Examples.....	18
D.1 Refrigerator/freezer for vaccine storage	18
D.2 Microwave repeater	20
Annex E (informative) Bibliography.....	22

IEEE Guide for Array and Battery Sizing in Stand-Alone Photovoltaic (PV) Systems

IMPORTANT NOTICE: This standard is not intended to assure safety, security, health, or environmental protection in all circumstances. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

This guide was written to provide a method for sizing the array and the battery, when used in conjunction with IEEE Std 1013™,¹ for stand-alone photovoltaic (PV) systems. Use of this document by funding organizations, PV system integrators, and consumers should provide the means for improved system performance and operating life. This document is intended to provide a means of sizing a stand-alone PV system to meet the load demand in a cost-effective manner.

1.1 Scope

This guide provides information to assist in sizing the array and battery of a stand-alone photovoltaic system. Systems considered in this guide consist of PV as the only power source and a battery for energy storage. These systems also commonly employ controls to protect the battery from being over- or under-charged, and may employ a power conversion subsystem (inverter or converter).

This guide is applicable to all stand-alone PV systems where PV is the only charging source. This guide does not include PV hybrid systems nor grid-connected systems. This guide covers lead-acid batteries only; nickel-cadmium and other battery types are not included. This guide does not include the sizing of the system controller, inverter, wiring, or other system components.

¹ Information on references can be found in Clause 2.