



## **Masonry in small buildings**

### **Part 2: Construction**



This Australian Standard® was prepared by Committee BD-004, Masonry Structures. It was approved on behalf of the Council of Standards Australia on 3 August 2015. This Standard was published on 18 August 2015.

---

The following are represented on Committee BD-004:

- Australian Building Codes Board
  - Australian Institute of Building Surveyors
  - Building Designers Association of Australia
  - Cement Concrete and Aggregates Australia—Cement
  - Concrete Masonry Association of Australia
  - Consult Australia
  - Engineers Australia
  - Galvanizers Association of Australia
  - Housing Industry Association
  - Masonry Contractors Association of NSW
  - Master Builders Australia
  - Think Brick Australia
  - University of Adelaide
  - University of Newcastle
- 

This Standard was issued in draft form for comment as DR AS 4773.2:2015.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

#### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

Australian Standard<sup>®</sup>

## **Masonry in small buildings**

### **Part 2: Construction**

Originated as part of AS CA32—1963.  
Previous edition AS 4773.2—2010.  
Second edition AS 4773.2:2015.

#### **COPYRIGHT**

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

ISBN 978 1 76035 211 0

## PREFACE

This Standard was prepared by the Standards Australia Committee BD-097, Masonry Construction—Small Buildings, to supersede AS 4773.2—2010.

The objective of this Standard is to provide minimum requirements for use by builders for the construction of masonry in small buildings, such as houses and garages.

This Standard is intended as a companion document to AS 4773.1, *Masonry in small buildings, Part 1: Design*.

The objective of this revision is to provide clarifications and minor corrections.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	5
1.2 GENERAL LIMITATIONS.....	5
1.3 NORMATIVE REFERENCES .....	8
1.4 DEFINITIONS.....	9
SECTION 2 MASONRY UNITS	
2.1 MATERIALS.....	11
2.2 SIZES .....	11
2.3 COMPRESSIVE STRENGTH.....	13
2.4 DURABILITY .....	13
2.5 EXPANSION OR CONTRACTION.....	14
SECTION 3 MORTAR	
3.1 MORTAR TYPES .....	15
3.2 MORTAR COMPONENTS .....	17
SECTION 4 GROUT	
4.1 PURPOSE.....	19
4.2 COMPOSITION .....	19
4.3 PLACEMENT .....	19
SECTION 5 BUILT-IN COMPONENTS	
5.1 GENERAL.....	20
5.2 DURABILITY .....	20
5.3 WALL TIES .....	22
5.4 LINTELS .....	22
5.5 REINFORCEMENT .....	22
5.6 FLASHINGS AND DAMP-PROOF COURSES.....	22
SECTION 6 SUBFLOOR CONSTRUCTION	
6.1 GENERAL.....	24
6.2 VENTILATION.....	24
6.3 SUBFLOOR BRACING .....	27
6.4 SUBFLOOR PIERS .....	27
SECTION 7 CONTROL JOINTS	
7.1 GENERAL.....	32
7.2 ARTICULATION JOINTS .....	32
7.3 CONTRACTION JOINTS .....	34
7.4 EXPANSION JOINTS .....	35
7.5 DETAILS.....	36
SECTION 8 LINTELS AND ARCHES	
8.1 GENERAL.....	41
8.2 STEEL LINTELS .....	41
8.3 REINFORCED MASONRY LINTELS .....	44
8.4 ARCHES FOR UNREINFORCED MASONRY WALLS .....	46

SECTION 9 MASONRY VENEER WALLS	
9.1	GENERAL..... 48
9.2	CAVITY..... 48
9.3	LEAF THICKNESS..... 48
9.4	SUPPORTING FRAME ..... 48
9.5	ALLOWANCE FOR TIMBER SHRINKAGE..... 48
9.6	DAMP-PROOF COURSES, FLASHINGS AND WEEPHOLES..... 49
9.7	WALL TIES ..... 55
9.8	ROOF ANCHORAGE ..... 56
SECTION 10 CAVITY MASONRY WALLS	
10.1	GENERAL..... 60
10.2	CAVITY..... 60
10.3	LEAF THICKNESS..... 60
10.4	BONDING..... 60
10.5	DAMP-PROOF COURSES, SLIP JOINTS, FLASHINGS AND WEEPHOLES..... 60
10.6	WALL TIES ..... 70
10.7	LATERAL SUPPORT ..... 73
10.8	ROOF ANCHORAGE ..... 74
10.9	CHASES, HOLES AND RECESSES ..... 74
10.10	PARAPETS ..... 74
SECTION 11 UNREINFORCED SINGLE-LEAF WALLS	
11.1	GENERAL..... 76
11.2	LEAF THICKNESS..... 76
11.3	BONDING..... 76
11.4	DAMP-PROOF COURSES AND SLIP JOINTS ..... 76
11.5	LATERAL SUPPORTS ..... 77
11.6	ROOF ANCHORAGE ..... 78
11.7	WEATHERPROOFING ..... 79
11.8	CHASES, HOLES AND RECESSES ..... 79
SECTION 12 REINFORCED MASONRY WALLS	
12.1	GENERAL..... 80
12.2	ROOF TIE DOWNS ..... 82
12.3	GROUT ..... 82
12.4	WEATHERPROOFING ..... 82
APPENDICES	
A	INFORMATION ON DRAWINGS AND SPECIFICATION ..... 84
B	CLEANING MASONRY..... 86
BIBLIOGRAPHY..... 90	

STANDARDS AUSTRALIA  

---

**Australian Standard**  
**Masonry in small buildings**  

---

**Part 2: Construction**  

---

SECTION 1 SCOPE AND GENERAL

### 1.1 SCOPE

This Standard specifies requirements for construction practices for masonry in buildings of Class 1 and Class 10a, as defined in the National Construction Code (NCC), designed in accordance with AS 4773.1 and to be constructed from clay, concrete, or calcium silicate masonry units and as follows:

- (a) Leaf thicknesses are 90 mm or greater.
- (b) The tops of all walls are laterally supported by a roof or floor structure acting as a diaphragm with the exception of parapets, chimneys and cantilevers in accordance with Clause 14.9 of AS 4773.1:2015 and fin walls in accordance with Table 9.1 of AS 4773.1:2015.
- (c) Walls are supported on concrete slabs, footings or suspended slab complying with NCC.
- (d) The geometric limitations specified in Clause 1.2.2.

The scope of this Standard does not cover the following:

- (i) Acoustics and energy efficiency.
- (ii) Construction or detailing of attachments such as basketball hoops, satellite dishes, shade structures and similar structures.
- (iii) Masonry constructed from autoclaved aerated concrete (AAC) units.
- (iv) Structures required to be designed for earthquake actions in accordance with AS 1170.4.
- (v) External walls constructed from horizontally cored units.

NOTES:

- 1 For acoustic and energy efficiency requirements, see the NCC.
- 2 For applications outside the scope of this Standard, the masonry should be constructed in accordance with AS 3700.
- 3 Guidance on the cleaning of masonry is given in Appendix A.

### 1.2 GENERAL LIMITATIONS

#### 1.2.1 Loading

Wind category and loads derived from AS 4055 are required for the use of some of the Tables in this Standard.

NOTES:

- 1 For wind loads on structures outside the scope of Clause 1.2.2, AS/NZS 1170.2 should be used in conjunction with AS 3700.
- 2 The loads specified in AS 4055 include the appropriate combinations of permanent and wind actions.