

Edition 3.0 2015-06

INTERNATIONAL STANDARD

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



Edition 3.0 2015-06

INTERNATIONAL STANDARD

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.035.01

ISBN 978-2-8322-2748-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWO	DRD.		5			
IN	TRODU	JCTI	ON	7			
1	Scop	Scope					
2	Norr	Normative references					
3	Tern	ms and definitions					
4	General notes on methods of test						
	4.1		paration and conditioning				
	4.2		quence of tests				
	4.3		st report				
5			of test for reactive compounds and their components				
-	5.1		sh point				
	5.2		nsity				
	5.3		cosity				
	5.4		cosity after storing at elevated temperature				
	5.5		ntent of volatile organic components				
	5.6		thermal increase of viscosity (processing time)				
	5.7		elf life				
	5.8		our				
			tening temperature				
	5.9 5.10		content				
			er content				
	5.11						
	5.12		orine content				
	5.12		Total chlorine content of unsaturated polyesters and epoxide resins				
	5.12.2		Inorganic chlorine content of epoxide resins and glycidyl esters	14			
	5.12	.3	Easily saponifiable chlorine content of epoxide resins and related materials	14			
	5.13	Ter	ndency of cristallisation				
	5.14		oxide equivalent of epoxide resins				
	5.15	-	ntent of isocyanate				
			ter content (Karl Fischer method)				
			droxyl value				
			Polyester resins				
	5.17		Resins other than polyester				
			d value of polyester resins				
			• •				
	5.19		ount of double bonds of unsaturated polyester and acrylate resins				
	5.20 5.21		d and acid-anhydride content of acid-anhydride hardenersine value				
	5.21		life				
	5.22		General				
	5.22		Resinous compounds for cable accessories				
			time				
	5.23.1		Unsaturated polyester based compounds				
			Phenolic resin based compounds				
	5.23		Other compounds				
	5.24		othermic temperature rise				
	5.24		Unsaturated polyester based compounds				
	5.24	.2	Resinous compounds for cable accessories	16			

	5.24.	3	Other compounds	17
	5.25		al volume shrinkage of epoxide and unsaturated polyester based	17
	5.26	Curi	ng in presence of water	17
	5.26.	1	General	17
	5.26.	2	Apparatus and materials	17
	5.26.	3	Pouring device	18
	5.26.	4	Procedure	18
	5.26.	5	Test report	18
	5.27	Dete	ermination of the degree of curing	18
	5.28	Curi	ng in thick layer and emissions during curing	18
	5.28.	1	General	18
	5.28.	2	Equipment	
	5.28.	3	Test specimen	19
	5.28.		Procedure	
3	Meth	ods	of test for cured reactive compounds	20
	6.1	Gen	eral	20
	6.2	Test	t specimens	20
	6.2.1		General	20
	6.2.2		Preparation of the reactive compound	
	6.2.3	i	Preparation of test specimens	
	6.2.4		Type and number of test specimens	
	6.3		sity	
	6.4	Med	hanical properties	
	6.4.1		Tensile properties	
	6.4.2		Compressive properties	
	6.4.3		Flexural properties	
	6.4.4		Impact strength	
	6.4.5		Hardness	
	6.5		rmal properties	
	6.5.1 6.5.2		Bond strength at elevated temperature	
	6.5.2		Linear thermal expansion	
	6.5.4		Thermal conductivity	
	6.5.5		Flammability	
	6.5.6		Thermal shock	
	6.5.7		Dry heat resistance of resins for cable accessories – Method of test	
	6.5.8		Wet heat resistance of resins for cable accessories — Method of test	
	6.5.9		Loss of mass	
	6.5.1		Temperature index	
	6.6		mical properties	
	6.6.1		Water absorption	
	6.6.2		Effect of liquid chemicals	
	6.6.3		Resistance to mould growth	
	6.6.4		Water vapour permeability	
	6.7		ctrical properties	
	6.7.1		Effect of water immersion on volume resistivity	
	6.7.2		Dielectric dissipation factor (tan δ) and relative permittivity (ε_{r})	
	6.7.3		Breakdown voltage and electric strength	

6.7.4	Proof tracking index (PTI)	31		
6.7.5	Electrolytic corrosion	31		
Annex A (info	rmative) Health and safety	36		
Bibliography		37		
Figure 1 – Te	st apparatus for curing in presence of water test	32		
Figure 2 – Te	st set-up for volume resistivity	33		
Figure 3 – Example of electrode arrangement for flexible cured compound				
Figure 4 – Ex	ample of electrode arrangement for rigid cured compound	35		
Table 1 – Coi	ndition of the top side	19		
Table 2 – Cor	ndition of the bottom side	19		
Table 3 – Cor	ndition of the interior	20		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

Part 2: Methods of test

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60455-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

This third edition cancels and replaces the second edition published in 1998. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of test methods related to IEC 60455-3-8;
- b) Additional and updated test methods for resins.

The text of this standard is based on the following documents:

FDIS	Report on voting	
15/751/FDIS	15/757/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60455 series, published under the general title Resin based reactive compounds used for electrical insulation, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This part of IEC 60455 is one of a series which deals with solvent-free resin based reactive compounds and their components used for electrical insulation.

The series consists of three parts:

- Part 1: Definitions and general requirements (IEC 60455-1);
- Part 2: Methods of test (IEC 60455-2);
- Part 3: Specifications for individual materials (IEC 60455-3).

RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

Part 2: Methods of test

1 Scope

This part of IEC 60455 specifies methods of test to be used for testing resin based reactive compounds, their components and cured compounds used for electrical insulation.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at http://www.electropedia.org)

IEC 60068-2-10:2005, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth

IEC 60093:1980, Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials

IEC 60112:2003, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60216 (all parts), Electrical insulating materials – Thermal endurance properties

IEC 60243-1:1998, Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies

IEC 60250:1969, Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths

IEC 60296:2012, Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60426:2007, Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods

IEC 60455-1:1998, Resin based reactive compounds used for electrical insulation – Part 1: Definitions and general requirements

IEC 60455-3 (all parts), Resin based reactive compounds used for electrical insulation – Part 3: Specifications for individual materials

IEC 60455-3-8:2013, Resin based reactive compounds used for electrical insulation – Part 3: Specifications for individual materials – Sheet 8: Resins for cable accessories