

*A Member of the International Code Family™*



# INTERNATIONAL FUEL GAS CODE®

# 2003

2003 International Fuel Gas Code®

First Printing: January 2003  
Second Printing: April 2003  
Third Printing: December 2003  
Fourth Printing: March 2004  
Fifth Printing: July 2004

ISBN # 1-892395-66-5 (soft)  
ISBN # 1-892395-82-7 (e-document)  
ISBN # 1-892395-65-7 (loose leaf)

COPYRIGHT © 2003  
by  
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2003 International Fuel Gas Code® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795 (Phone 800-214-4321).

Trademarks: “International Code Council,” the “International Code Council” logo and the “International Fuel Gas Code” are trademarks of the International Code Council, Inc.

Material designated IFGS  
by  
AMERICAN GAS ASSOCIATION  
400 N. Capitol Street, N.W. • Washington, DC 20001  
(202) 824-7000

Copyright © American Gas Association, 2002. All rights reserved.

PRINTED IN THE U.S.A.

# PREFACE

## Introduction

Internationally, code officials recognize the need for a modern, up-to-date fuel gas code addressing the design and installation of fuel gas systems and gas-fired appliances through requirements emphasizing performance. The *International Fuel Gas Code*®, in this 2003 edition, is designed to meet these needs through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive fuel gas code establishes minimum regulations for fuel gas systems and gas-fired appliances using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new fuel gas system and appliance designs. This 2003 edition is fully compatible with all the *International Codes* (“I-Codes”) published by the International Code Council (ICC), including the *International Building Code*, *ICC Electrical Code*, *International Energy Conservation Code*, *International Existing Building Code*, *International Fire Code*, *International Mechanical Code*, *ICC Performance Code*, *International Plumbing Code*, *International Private Sewage Disposal Code*, *International Property Maintenance Code*, *International Residential Code*, *International Urban-Wildland Interface Code* and *International Zoning Code*.

The *International Fuel Gas Code* provisions provide many benefits, among which is the model code development process that offers an international forum for fuel gas technology professionals to discuss performance and prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

## Development

The first edition of the *International Fuel Gas Code* (1997) was the culmination of an effort initiated in 1996 by a development committee appointed by ICC and consisting of representatives of the three statutory members of the International Code Council: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO) and Southern Building Code Congress International (SBCCI) and the gas industry. The intent was to draft a comprehensive set of regulations for fuel gas systems and gas-fired appliances consistent with and inclusive of the scope of the existing mechanical, plumbing and gas codes. Technical content of the latest model codes promulgated by BOCA, ICBO, SBCCI and ICC and the *National Fuel Gas Code* (ANSI Z223.1) was utilized as the basis for the development. This 2003 edition presents the code as originally issued, with code changes approved through the ICC Code Development Process through 2002 and standard revisions correlated with ANSI Z223.1-2002. A new edition such as this is promulgated every three years.

With the development and publication of the family of *International Codes* in 2000, the continued development and maintenance of the model codes individually promulgated by BOCA (“BOCA National Codes”), ICBO (“Uniform Codes”) and SBCCI (“Standard Codes”) was discontinued. This 2003 *International Fuel Gas Code*, as well as its predecessor — the 2000 edition, is intended to be the successor fuel gas code to those codes previously developed by BOCA, ICBO and SBCCI.

The development of a single set of comprehensive and coordinated family of *International Codes* was a significant milestone in the development of regulations for the built environment. The timing of this publication mirrors a milestone in the change in structure of the model codes, namely, the pending Consolidation of BOCA, ICBO and SBCCI into the ICC. The activities and services previously provided by the individual model code organizations will be the responsibility of the Consolidated ICC.

This code is founded on principles intended to establish provisions consistent with the scope of a fuel gas code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Format

The *International Fuel Gas Code* is segregated by section numbers into two categories — “code” and “standard” — all coordinated and incorporated into a single document. The sections that are “code” are designated by the acronym “IFGC” next to the main section number (e.g., Section 101). The sections that are “standard” are designated by the acronym “IFGS” next to the main section number (e.g., Section 304).

## Adoption

The *International Fuel Gas Code* is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction’s laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the

## PREFACE

code and in the sample ordinance. The sample adoption ordinance on page v addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

## Maintenance

The *International Fuel Gas Code* is kept up to date through the review of proposed changes submitted by code enforcing officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate. The code development process of the *International Fuel Gas Code* is slightly different than the process for the other *International Codes*.

Proposed changes to text designated “IFGC” are subject to the ICC Code Development Process. For more information regarding the code development process, contact the Code and Standard Development Department of the International Code Council.

Proposed changes to text designated as “IFGS” are subject to the standards development process which maintains the *National Fuel Gas Code* (ANSI Z223.1). For more information regarding the standard development process, contact the American Gas Association (AGA) at 400 N. Capitol Street, N.W., Washington, DC 20001.

While the development procedure of the *International Fuel Gas Code* assures the highest degree of care, ICC and the founding members of ICC — BOCA, ICBO, SBCCI — and AGA, their members and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with the provisions because ICC, its founding members and AGA do not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

## Letter Designations in Front of Section Numbers

In each ICC Code Development Cycle, proposed changes to sections marked “IFGC” are considered at the Code Development Hearing by the International Fuel Gas Code Development Committee, whose action constitutes a recommendation to the voting membership for final action on the proposed changes. Proposed changes to a code section whose number begins with a letter in brackets are considered by a different code development committee. For instance, proposed changes to code sections which have the letter [B] in front (e.g., [B] 302), are considered by the International Building Code Development Committee at the Code Development Hearing. Where this designation is applicable to the entire content of a main section of the code, the designation appears at the main section number and title and is not repeated at every subsection in that section.

The content of sections in this code which begin with a letter designation is maintained by another code development committee in accordance with the following: [B] = International Building Code Development Committee and [M] = International Mechanical Code Development Committee.

## Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2000 edition. Deletion indicators (➔) are provided in the margin where a paragraph or item has been deleted.

# ORDINANCE

The *International Codes* are designed and promulgated to be adopted by reference by ordinance. Jurisdictions wishing to adopt the 2003 *International Fuel Gas Code* as an enforceable regulation governing fuel gas systems and gas-fired appliances should ensure that certain factual information is included in the adopting ordinance at the time adoption is being considered by the appropriate governmental body. The following sample adoption ordinance addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

## SAMPLE ORDINANCE FOR ADOPTION OF THE *INTERNATIONAL FUEL GAS CODE* ORDINANCE NO. \_\_\_\_\_

An ordinance of the [JURISDICTION] adopting the 2003 edition of the *International Fuel Gas Code*, regulating and governing fuel gas systems and gas-fired appliances in the [JURISDICTION]; providing for the issuance of permits and collection of fees therefor; repealing Ordinance No. \_\_\_\_\_ of the [JURISDICTION] and all other ordinances and parts of the ordinances in conflict therewith.

The [GOVERNING BODY] of the [JURISDICTION] does ordain as follows:

**Section 1.** That a certain document, three (3) copies of which are on file in the office of the [TITLE OF JURISDICTION'S KEEPER OF RECORDS] of [NAME OF JURISDICTION], being marked and designated as the *International Fuel Gas Code*, 2003 edition, including Appendix Chapters [FILL IN THE APPENDIX CHAPTERS BEING ADOPTED] (see *International Fuel Gas Code* Section 101.3, 2003 edition), as published by the International Code Council, be and is hereby adopted as the Fuel Gas Code of the [JURISDICTION], in the State of [STATE NAME] for regulating and governing fuel gas systems and gas-fired appliances as herein provided; providing for the issuance of permits and collection of fees therefor; and each and all of the regulations, provisions, penalties, conditions and terms of said Fuel Gas Code on file in the office of the [JURISDICTION] are hereby referred to, adopted, and made a part hereof, as if fully set out in this ordinance, with the additions, insertions, deletions and changes, if any, prescribed in Section 2 of this ordinance.

**Section 2.** The following sections are hereby revised:

Section 101.1. Insert: [NAME OF JURISDICTION]

Section 106.5.2. Insert: [APPROPRIATE SCHEDULE]

Section 106.5.3. Insert: [PERCENTAGES IN TWO LOCATIONS]

Section 108.4. Insert: [SPECIFY OFFENSE] [AMOUNT] [NUMBER OF DAYS]

Section 108.5. Insert: [AMOUNTS IN TWO LOCATIONS]

**Section 3.** That Ordinance No. \_\_\_\_\_ of [JURISDICTION] entitled [FILL IN HERE THE COMPLETE TITLE OF THE ORDINANCE OR ORDINANCES IN EFFECT AT THE PRESENT TIME SO THAT THEY WILL BE REPEALED BY DEFINITE MENTION] and all other ordinances or parts of ordinances in conflict herewith are hereby repealed.

**Section 4.** That if any section, subsection, sentence, clause or phrase of this ordinance is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this ordinance. The [GOVERNING BODY] hereby declares that it would have passed this ordinance, and each section, subsection, clause or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses and phrases be declared unconstitutional.

**Section 5.** That nothing in this ordinance or in the Fuel Gas Code hereby adopted shall be construed to affect any suit or proceeding impending in any court, or any rights acquired, or liability incurred, or any cause or causes of action acquired or existing, under any act or ordinance hereby repealed as cited in Section 2 of this ordinance; nor shall any just or legal right or remedy of any character be lost, impaired or affected by this ordinance.

**Section 6.** That the [JURISDICTION'S KEEPER OF RECORDS] is hereby ordered and directed to cause this ordinance to be published. (An additional provision may be required to direct the number of times the ordinance is to be published and to specify that it is to be in a newspaper in general circulation. Posting may also be required.)

**Section 7.** That this ordinance and the rules, regulations, provisions, requirements, orders and matters established and adopted hereby shall take effect and be in full force and effect [TIME PERIOD] from and after the date of its final passage and adoption.



# TABLE OF CONTENTS

<p><b>CHAPTER 1 ADMINISTRATION ..... 1</b></p> <p>Section</p> <p>101 General (IFGC) ..... 1</p> <p>102 Applicability (IFGC) ..... 2</p> <p>103 Department of Inspection (IFGC)..... 2</p> <p>104 Duties and Powers of the Code Official (IFGC) ..... 2</p> <p>105 Approval (IFGC) ..... 3</p> <p>106 Permits (IFGC)..... 4</p> <p>107 Inspections and Testing (IFGC) ..... 5</p> <p>108 Violations (IFGC) ..... 6</p> <p>109 Means of Appeal (IFGC)..... 7</p> <p><b>CHAPTER 2 DEFINITIONS ..... 9</b></p> <p>Section</p> <p>201 General (IFGC) ..... 9</p> <p>202 General Definitions (IFGC)..... 9</p> <p><b>CHAPTER 3 GENERAL REGULATIONS ..... 19</b></p> <p>Section</p> <p>301 General (IFGC) ..... 19</p> <p>302 Structural Safety (IFGC) ..... 20</p> <p>303 Appliance Location (IFGC)..... 20</p> <p>304 Combustion, Ventilation, and Dilution Air (IFGS) ..... 21</p> <p>305 Installation (IFGC)..... 24</p> <p>306 Access and Service Space (IFGC) ..... 25</p> <p>307 Condensate Disposal (IFGC) ..... 26</p> <p>308 Clearance Reduction (IFGS)..... 26</p> <p>309 Electrical (IFGC) ..... 29</p> <p>310 Electrical Bonding (IFGS)..... 29</p> <p><b>CHAPTER 4 GAS PIPING INSTALLATIONS..... 31</b></p> <p>Section</p> <p>401 General (IFGC) ..... 31</p> <p>402 Pipe Sizing (IFGS)..... 31</p> <p>403 Piping Materials (IFGS) ..... 63</p> <p>404 Piping System Installation (IFGC)..... 65</p> <p>405 Pipe Bends and Changes in Direction (IFGS) ..... 66</p> <p>406 Inspection, Testing and Purging (IFGS)..... 66</p> <p>407 Piping Support (IFGC) ..... 68</p>	<p>408 Drips and Sloped Piping (IFGC)..... 68</p> <p>409 Shutoff Valves (IFGC)..... 68</p> <p>410 Flow Controls (IFGC) ..... 69</p> <p>411 Appliance Connections (IFGC)..... 69</p> <p>412 Liquefied Petroleum Gas Motor Vehicle Fuel-Dispensing Stations (IFGC) ..... 70</p> <p>413 Compressed Natural Gas Motor Vehicle Fuel-Dispensing Stations (IFGC) ..... 71</p> <p>414 Supplemental and Standby Gas Supply (IFGC)..... 72</p> <p>415 Piping Support Intervals (IFGS)..... 72</p> <p><b>CHAPTER 5 CHIMNEYS AND VENTS ..... 73</b></p> <p>Section</p> <p>501 General (IFGC) ..... 73</p> <p>502 Vents (IFGC) ..... 74</p> <p>503 Venting of Equipment (IFGS)..... 74</p> <p>504 Sizing of Category I Appliance Venting Systems (IFGS)..... 84</p> <p>505 Direct-Vent, Integral Vent, Mechanical Vent and Ventilation/Exhaust Hood Venting (IFGC)..... 99</p> <p>506 Factory-Built Chimneys (IFGC)..... 99</p> <p><b>CHAPTER 6 SPECIFIC APPLIANCES ..... 109</b></p> <p>Section</p> <p>601 General (IFGC) ..... 109</p> <p>602 Decorative Appliances for Installation in Fireplaces (IFGC)..... 109</p> <p>603 Log Lighters (IFGC) ..... 109</p> <p>604 Vented Gas Fireplaces (Decorative Appliances) (IFGC) ..... 109</p> <p>605 Vented Gas Fireplace Heaters (IFGC) ..... 109</p> <p>606 Incinerators and Crematories (IFGC)..... 109</p> <p>607 Commercial-Industrial Incinerators (IFGC) ... 109</p> <p>608 Vented Wall Furnaces (IFGC)..... 109</p> <p>609 Floor Furnaces (IFGC) ..... 110</p> <p>610 Duct Furnaces (IFGC)..... 110</p> <p>611 Nonrecirculating Direct-Fired Industrial Air Heaters (IFGC)..... 110</p> <p>612 Recirculating Direct-Fired Industrial Air Heaters (IFGC) ..... 111</p> <p>613 Clothes Dryers (IFGC) ..... 111</p> <p>614 Clothes Dryer Exhaust (IFGC)..... 111</p>
--	--

**TABLE OF CONTENTS**

615 Sauna Heaters (IFGC) . . . . . 112

616 Engine and Gas Turbine-Powered  
Equipment (IFGC) . . . . . 113

617 Pool and Spa Heaters (IFGC) . . . . . 113

618 Forced-Air Warm-Air Furnaces (IFGC) . . . . . 113

619 Conversion Burners (IFGC) . . . . . 113

620 Unit Heaters (IFGC) . . . . . 113

621 Unvented Room Heaters (IFGC) . . . . . 114

622 Vented Room Heaters (IFGC) . . . . . 114

623 Cooking Appliances (IFGC) . . . . . 114

624 Water Heaters (IFGC) . . . . . 115

625 Refrigerators (IFGC) . . . . . 115

626 Gas-Fired Toilets (IFGC) . . . . . 115

627 Air-Conditioning Equipment (IFGC) . . . . . 115

628 Illuminating Appliances (IFGC) . . . . . 116

629 Small Ceramic Kilns (IFGC) . . . . . 116

630 Infrared Radiant Heaters (IFGC) . . . . . 116

631 Boilers (IFGC) . . . . . 116

632 Equipment Installed in Existing  
Unlisted Boilers (IFGC) . . . . . 116

633 Fuel Cell Power Plants (IFGC) . . . . . 116

634 Chimney Damper Opening  
Area (IFGS) . . . . . 116

**CHAPTER 7 GASEOUS HYDROGEN  
SYSTEMS . . . . . 119**

Section

701 General (IFGC) . . . . . 119

702 General Definitions (IFGC) . . . . . 119

703 General Requirements (IFGC) . . . . . 119

704 Piping, Use and Handling (IFGC) . . . . . 120

705 Testing of Hydrogen Piping Systems (IFGC) . . 121

706 Location of Gaseous Hydrogen Systems  
(IFGC) . . . . . 122

707 Operation and Maintenance of Gaseous Hydrogen  
Systems (IFGC) . . . . . 122

708 Design of Liquefied Hydrogen Systems  
Associated With Hydrogen Vaporization  
Operations (IFGC) . . . . . 123

**CHAPTER 8 REFERENCED STANDARDS . . . . . 125**

**APPENDIX A SIZING AND CAPACITIES OF  
GAS PIPING (IFGS) . . . . . 129**

**APPENDIX B SIZING OF VENTING SYSTEMS  
SERVING APPLIANCES  
EQUIPPED WITH DRAFT  
HOODS, CATEGORY I  
APPLIANCES, AND  
APPLIANCES LISTED  
FOR USE WITH TYPE B  
VENTS (IFGS) . . . . . 139**

**APPENDIX C EXIT TERMINALS OF  
MECHANICAL DRAFT AND  
DIRECT-VENT VENTING  
SYSTEMS (IFGS) . . . . . 149**

**APPENDIX D RECOMMENDED PROCEDURE  
FOR SAFETY INSPECTION OF  
AN EXISTING APPLIANCE  
INSTALLATION (IFGS) . . . . . 151**

**INDEX . . . . . 153**



# CHAPTER 1

## ADMINISTRATION

### SECTION 101 (IFGC) GENERAL

**101.1 Title.** These regulations shall be known as the *Fuel Gas Code* of [NAME OF JURISDICTION], hereinafter referred to as “this code.”

**101.2 Scope.** This code shall apply to the installation of fuel-gas piping systems, fuel-gas utilization equipment and related accessories in accordance with Sections 101.2.1 through 101.2.5.

#### Exceptions:

1. Detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories high with separate means of egress and their accessory structures shall comply with the *International Residential Code*.
2. As an alternative to the provisions of this code, fuel-gas piping systems, fuel-gas utilization equipment and related accessories in existing buildings that are undergoing repairs, alterations, changes in occupancy or construction of additions shall be permitted to comply with the provisions of the *International Existing Building Code*.

**101.2.1 Gaseous hydrogen systems.** Gaseous hydrogen systems shall be regulated by Chapter 7.

**101.2.2 Piping systems.** These regulations cover piping systems for natural gas with an operating pressure of 125 pounds per square inch gauge (psig) (862 kPa gauge) or less, and for LP-gas with an operating pressure of 20 psig (140 kPa gauge) or less, except as provided in Section 402.6.1. Coverage shall extend from the point of delivery to the outlet of the equipment shutoff valves. Piping systems requirements shall include design, materials, components, fabrication, assembly, installation, testing, inspection, operation and maintenance.

**101.2.3 Gas utilization equipment.** Requirements for gas utilization equipment and related accessories shall include installation, combustion and ventilation air and venting and connections to piping systems.

**101.2.4 Systems and equipment outside the scope.** This code shall not apply to the following:

1. Portable LP-gas equipment of all types that is not connected to a fixed fuel piping system.
2. Installation of farm equipment such as brooders, dehydrators, dryers and irrigation equipment.
3. Raw material (feedstock) applications except for piping to special atmosphere generators.
4. Oxygen-fuel gas cutting and welding systems.
5. Industrial gas applications using gases such as acetylene and acetylenic compounds, hydrogen, ammonia, carbon monoxide, oxygen and nitrogen.

6. Petroleum refineries, pipeline compressor or pumping stations, loading terminals, compounding plants, refinery tank farms and natural gas processing plants.
7. Integrated chemical plants or portions of such plants where flammable or combustible liquids or gases are produced by, or used in, chemical reactions.
8. LP-gas installations at utility gas plants.
9. Liquefied natural gas (LNG) installations.
10. Fuel gas piping in power and atomic energy plants.
11. Proprietary items of equipment, apparatus or instruments such as gas-generating sets, compressors and calorimeters.
12. LP-gas equipment for vaporization, gas mixing and gas manufacturing.
13. Temporary LP-gas piping for buildings under construction or renovation that is not to become part of the permanent piping system.
14. Installation of LP-gas systems for railroad switch heating.
15. Installation of hydrogen gas, LP-gas and compressed natural gas (CNG) systems on vehicles.
16. Except as provided in Section 401.1.1, gas piping, meters, gas pressure regulators and other appurtenances used by the serving gas supplier in the distribution of gas, other than undiluted LP-gas.
17. Building design and construction, except as specified herein.
18. Piping systems for mixtures of gas and air within the flammable range with an operating pressure greater than 10 psig (69 kPa gauge).
19. Portable fuel cell appliances that are neither connected to a fixed piping system nor interconnected to a power grid.

**101.2.5 Other fuels.** The requirements for the design, installation, maintenance, alteration and inspection of mechanical systems operating with fuels other than fuel gas shall be regulated by the *International Mechanical Code*.

**101.3 Appendices.** Provisions in the appendices shall not apply unless specifically adopted.

**101.4 Intent.** The purpose of this code is to provide minimum standards to safeguard life or limb, health, property and public welfare by regulating and controlling the design, construction, installation, quality of materials, location, operation and maintenance or use of fuel gas systems.

**101.5 Severability.** If a section, subsection, sentence, clause or phrase of this code is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.