SEC CODE AND COMMENTARY Volume 1

The complete IBC with commentary after each section



SBC NCODE AND COMMENTARY Volume 1



2012 International Building Code[®] Commentary

First Printing: September 2011

ISBN:978-1-60983-062-5 (soft-cover edition)

COPYRIGHT © 2011 by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2012 International Building Code[®] Commentary—Volume I is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Building Code" are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

PREFACE

The principal purpose of the Commentary is to provide a basic volume of knowledge and facts relating to building construction as it pertains to the regulations set forth in the 2012 *International Building Code*. The person who is serious about effectively designing, constructing and regulating buildings and structures will find the Commentary to be a reliable data source and reference to almost all components of the built environment.

As a follow-up to the *International Building Code*, we offer a companion document, the *International Building Code Commentary*—*Volume I*. Volume I covers Chapters 1 through 15 of the 2012 *International Building Code*. The basic appeal of the Commentary is thus: it provides in a small package and at reasonable cost thorough coverage of many issues likely to be dealt with when using the *International Building Code* — and then supplements that coverage with historical and technical background. Reference lists, information sources and bibliographies are also included.

Throughout all of this, effort has been made to keep the vast quantity of material accessible and its method of presentation useful. With a comprehensive yet concise summary of each section, the Commentary provides a convenient reference for regulations applicable to the construction of buildings and structures. In the chapters that follow, discussions focus on the full meaning and implications of the code text. Guidelines suggest the most effective method of application, and the consequences of not adhering to the code text. Illustrations are provided to aid understanding; they do not necessarily illustrate the only methods of achieving code compliance.

The format of the Commentary includes the full text of each section, table and figure in the code, followed immediately by the commentary applicable to that text. At the time of printing, the Commentary reflects the most up-to-date text of the 2012 *International Building Code*. As stated in the preface to the *International Building Code*, the content of sections in the code which begin with a letter designation (i.e., Section [F]307.1) are maintained by another code development committee. Each section's narrative includes a statement of its objective and intent, and usually includes a discussion about why the requirement commands the conditions set forth. Code text and commentary text are easily distinguished from each other. All code text is shown as it appears in the *International Building Code*, and all commentary is indented below the code text and begins with the symbol **\$**.

Readers should note that the Commentary is to be used in conjunction with the *International Building Code* and not as a substitute for the code. The Commentary is advisory only; the code official alone possesses the authority and responsibility for interpreting the code.

Comments and recommendations are encouraged, for through your input, we can improve future editions. Please direct your comments to the Codes and Standards Development Department at the Chicago District Office.

The International Code Council would like to extend its thanks to the following individuals for their contributions to the technical content of this commentary:

Chris Marion	Gregory Cahanin
Jeff Tubbs	David Cooper
Rebecca Quinn	Dave Collins
Joann Surmar	Vickie Lovell
James Milke	John Valiulis
Richard Walke	Marcelo Hirschler
Dave Adams	Edward Keith
Zeno Martin	Phillip Samblanet
Jason Thompson	

TABLE OF CONTENTS

CHAPTER 1	SCOPE AND ADMINISTRATION 1-1 – 1-26
PART 1—SCO	PE AND APPLICATION
PART 2—ADM	IINISTRATION AND ENFORCEMENT1-5 – 1-26
CHAPTER 2	DEFINITIONS
CHAPTER 3	USE AND OCCUPANCY CLASSIFICATION
CHAPTER 4	SPECIAL DETAILED REQUIREMENTS BASED ON USE AND OCCUPANCY 4-1 – 4-138
CHAPTER 5	GENERAL BUILDING HEIGHTS AND AREAS
CHAPTER 6	TYPES OF CONSTRUCTION 6-1 - 6-18
CHAPTER 7	FIRE AND SMOKE PROTECTION FEATURES
CHAPTER 8	INTERIOR FINISHES
CHAPTER 9	FIRE PROTECTION SYSTEMS 9-1 – 9-128
CHAPTER 10	MEANS OF EGRESS
CHAPTER 11	ACCESSIBILITY 11-1 – 11-66
CHAPTER 12	INTERIOR ENVIRONMENT
CHAPTER 13	ENERGY EFFICIENCY
CHAPTER 14	EXTERIOR WALLS
CHAPTER 15	ROOF ASSEMBLIES AND ROOFTOP STRUCTURES15-1 – 15-40
INDEX	INDEX-1 – INDEX-38

Chapter 1: Scope and Administration

General Comments

This chapter contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Section 101 addresses the scope of the code and references the other *International Codes*[®] that are mentioned elsewhere in the code. Section 102 establishes the applicability of the code and addresses existing structures.

Section 103 establishes the department of building safety and the appointment of department personnel. Section 104 outlines the duties and authority of the building official with regard to permits, inspections and right of entry. It also establishes the authority of the building official to approve alternative materials, used materials and modifications. Section 105 states when permits are required and establishes the procedures for the review of applications and the issuance of permits. Section 106 provides requirements for posting live loads greater than 50 pounds per square foot (2394 Pa) (psf). Section 107 describes the information that must be included on the construction documents submitted with the application. Section 108 authorizes the building official to issue permits for temporary structures and uses. Section 109 establishes requirements for a fee schedule. Section 110 includes inspection duties of the building official or an inspection agency that has been approved by the building official. Provisions for the issuance of certificates of occupancy are detailed in Section 111. Section 112 gives the building official the authority to approve utility connections. Section 113 establishes the board of appeals and the criteria for making applications for appeal. Administrative provisions for violations are addressed in Section 114, including provisions for unlawful acts, violation notices, prosecution and penalties. Section 115 describes procedures for stop work orders. Section 116 establishes the criteria for unsafe structures and equipment and the procedures to be followed by the building official for abatement and for notification to the responsible party.

Each state's building code enabling legislation, which is grounded within the police power of the state, is the source of all authority to enact building codes. In terms of how it is used, police power is the power of the state to legislate for the general welfare of its citizens. This power enables passage of such laws as building codes. If the state legislature has limited this power in any way,

2012 INTERNATIONAL BUILDING CODE® COMMENTARY

the municipality may not exceed these limitations. While the municipality may not further delegate its police power (e.g., by delegating the burden of determining code compliance to the building owner, contractor or architect), it may turn over the administration of the building code to a municipal official, such as a building official, provided that sufficient criteria are given to establish clearly the basis for decisions as to whether or not a proposed building conforms to the code.

Chapter 1 is largely concerned with maintaining "due process of law" in enforcing the building performance criteria contained in the body of the code. Only through careful observation of the administrative provisions can the building official reasonably hope to demonstrate that "equal protection under the law" has been provided. While it is generally assumed that the administration and enforcement section of a code is geared toward a building official, this is not entirely true. The provisions also establish the rights and privileges of the design professional, contractor and building owner. The position of the building official is merely to review the proposed and completed work and to determine if the construction conforms to the code requirements. The design professional is responsible for the design of a safe structure. The contractor is responsible for constructing the structure in compliance with the plans.

During the course of construction, the building official reviews the activity to ascertain that the spirit and intent of the law are being met and that the safety, health and welfare of the public will be protected. As a public servant, the building official enforces the code in an unbiased, proper manner. Every individual is guaranteed equal enforcement of the provisions of the code. Furthermore, design professionals, contractors and building owners have the right of due process for any requirement in the code.

Purpose

A building code, as with any other code, is intended to be adopted as a legally enforceable document to safeguard health, safety, property and public welfare. A building code cannot be effective without adequate provisions for its administration and enforcement. The official charged with the administration and enforcement of building regulations has a great responsibility, and with this responsibility goes authority. No matter how detailed the building code may be, the building official must, to some extent, exercise his or her own judgement in determining code compliance. The building official has the responsibility to establish that the homes in which the citizens of the community reside and the buildings in which they work are designed and constructed to be structurally stable with adequate means of egress, light and ventilation and to provide a minimum acceptable level of protection to life and property from fire.

Chapter 1 contains two parts. Part 1, Scope and

Application, contains all issues related to the scope and intent of the code, as well as the applicability of this code relative to other standards and laws that might also be applicable on a given building project, such as federal or state. Part 2, Administration and Enforcement, contains all issues related to the duties and powers of the building official, the issuance of permits and certificates of occupancy, and other related operational items.

SECTION 101 GENERAL

[A] 101.1 Title. These regulations shall be known as the *Building Code* of [NAME OF JURISDICTION], hereinafter referred to as "this code."

The purpose of this section is to identify the adopted regulations by inserting the name of the adopting jurisdiction into the code.

[A] 101.2 Scope. The provisions of this code shall apply to the construction, *alteration*, relocation, enlargement, replacement, *repair*, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures.

Exception: Detached one- and two-family *dwellings* and multiple single-family *dwellings* (*townhouses*) not more than three *stories* above *grade plane* in height with a separate *means of egress* and their accessory structures shall comply with the *International Residential Code*.

This section establishes when the regulations contained in the code must be followed, whether all or in part. Something must happen (construction of a new building, modification to an existing one or allowing an existing building or structure to become unsafe) for the code to be applicable. While such activity may not be as significant as a new building, a fence is considered a structure and, therefore, its erection is within the scope of the code. The building code is not a maintenance document requiring periodic inspections that will, in turn, result in an enforcement action, although periodic inspections are addressed by the International Fire Code[®] (IFC[®]).

The exception mandates that detached one- and two-family dwellings and townhouses that are not more than three stories above grade and have separate means of egress are to comply with the *International Residential Code*[®] (IRC[®]) and are not required to comply with this code. This applies to all such structures, whether or not there are lot lines separating them and also to their accessory structures, such as garages and pools. Such structures four stories or more in height are beyond the scope of the IRC and must comply with the provisions of the code and its referenced codes. [A] **101.2.1 Appendices.** Provisions in the appendices shall not apply unless specifically adopted.

The provisions contained in Appendices A through K are not considered part of the code and are, therefore, not enforceable unless they are specifically included in the ordinance or other adopting law or regulation of the jurisdiction. See Section 1 of the sample legislation on page xxi of the code for where the appendices to be adopted are to be specified in the adoption ordinance.

[A] 101.3 Intent. The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, *means of egress* facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

The intent of the code is to set forth regulations that establish the minimum acceptable level to safeguard public health, safety and welfare and to provide protection for fire fighters and emergency responders in building emergencies. The intent becomes important in the application of such sections as Sections 102, 104.11 and 114 as well as any enforcement-oriented interpretive action or judgement. Like any code, the written text is subject to interpretation. Interpretations should not be affected by economics or the potential impact on any party. The only considerations should be protection of public health, safety and welfare and emergency responder safety.

[A] 101.4 Referenced codes. The other codes listed in Sections 101.4.1 through 101.4.6 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

The International Code Council[®] (ICC[®]) promulgates a complete set of codes to regulate the built environment. These codes are coordinated with each other so as to avoid conflicting provisions. When the code is adopted by a jurisdiction, the codes that regulate a building's electrical, fuel gas, mechanical and plumbing systems are also included in the adoption and are considered a part of the code. The International Property Maintenance Code[®] (IPMC[®]) and the IFC are

SEC CODE AND COMMENTARY Volume 2

The complete IBC with commentary after each section



SBC NCODE AND COMMENTARY Volume 2



2012 International Building Code[®] Commentary

First Printing: September 2011

ISBN:978-1-60983-063-2 (soft-cover edition)

COPYRIGHT © 2011 by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2012 International Building Code[®] Commentary—Volume II is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Building Code" are trademarks of the International Code Council, Inc.

PREFACE

The principal purpose of the Commentary is to provide a basic volume of knowledge and facts relating to building construction as it pertains to the regulations set forth in the 2012 *International Building Code*. The person who is serious about effectively designing, constructing and regulating buildings and structures will find the Commentary to be a reliable data source and reference to almost all components of the built environment

As a follow-up to the International Building Code, we offer a companion document, the *International Building Code Commentary*—*Volume II*. Volume II covers Chapters 16 through 35 and the appendices of the 2012 *International Building Code*. The basic appeal of the Commentary is thus: it provides in a small package and at reasonable cost thorough coverage of many issues likely to be dealt with when using the *International Building Code* — and then supplements that coverage with historical and technical background. Reference lists, information sources and bibliographies are also included.

Throughout all of this, effort has been made to keep the vast quantity of material accessible and its method of presentation useful. With a comprehensive yet concise summary of each section, the Commentary provides a convenient reference for regulations applicable to the construction of buildings and structures. In the chapters that follow, discussions focus on the full meaning and implications of the code text. Guidelines suggest the most effective method of application, and the consequences of not adhering to the code text. Illustrations are provided to aid understanding; they do not necessarily illustrate the only methods of achieving code compliance.

The format of the Commentary includes the full text of each section, table and figure in the code, followed immediately by the commentary applicable to that text. At the time of printing, the Commentary reflects the most up-to-date text of the 2012 *International Building Code*. As stated in the preface to the *International Building Code*, the content of sections in the code which begin with a letter designation (i.e., Section [P]2903.1) are maintained by another code development committee. Each section's narrative includes a statement of its objective and intent, and usually includes a discussion about why the requirement commands the conditions set forth. Code text and commentary text are easily distinguished from each other. All code text is shown as it appears in the *International Building Code*, and all commentary is indented below the code text and begins with the symbol **\$**.

Readers should note that the Commentary is to be used in conjunction with the *International Building Code* and not as a substitute for the code. The Commentary is advisory only; the code official alone possesses the authority and responsibility for interpreting the code.

Comments and recommendations are encouraged, for through your input, we can improve future editions. Please direct your comments to the Codes and Standards Development Department at the Chicago District Office.

The International Code Council would like to extend its thanks to the following individuals for their contributions to the technical content of this commentary:

Chris Marion	Gregory Cahanin
Jeff Tubbs	David Cooper
Rebecca Quinn	Dave Collins
Joann Surmar	Vickie Lovell
James Milke	John Valiulis
Richard Walke	Marcelo Hirschler
Dave Adams	Edward Keith
Zeno Martin	Phillip Samblanet
Jason Thompson	

TABLE OF CONTENTS

CHAPTER 16	STRUCTURAL DESIGN 16-1 – 16-90
CHAPTER 17	SPECIAL INSPECTIONS AND TESTS 17-1 – 17-30
CHAPTER 18	SOILS AND FOUNDATIONS
CHAPTER 19	CONCRETE
CHAPTER 20	ALUMINUM
CHAPTER 21	MASONRY
CHAPTER 22	STEEL
CHAPTER 23	WOOD
CHAPTER 24	GLASS AND GLAZING
CHAPTER 25	GYPSUM BOARD AND PLASTER
CHAPTER 26	PLASTIC
CHAPTER 27	ELECTRICAL
CHAPTER 28	MECHANICAL SYSTEMS
CHAPTER 29	PLUMBING SYSTEMS
CHAPTER 30	ELEVATORS AND CONVEYING SYSTEMS
CHAPTER 31	SPECIAL CONSTRUCTION
CHAPTER 32	ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY
CHAPTER 33	SAFEGUARDS DURING CONSTRUCTION
CHAPTER 34	EXISTING STRUCTURES
CHAPTER 35	REFERENCED STANDARDS
APPENDIX A	EMPLOYEE QUALIFICATIONS A-1 – A-2
APPENDIX B	BOARD OF APPEALS
APPENDIX C	GROUP U — AGRICULTURAL BUILDINGS

APPENDIX D	FIRE DISTRICTS D-1 – D-8
APPENDIX E	SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS E-1 – E-12
APPENDIX F	RODENTPROOFING
APPENDIX G	FLOOD-RESISTANT CONSTRUCTION
APPENDIX H	SIGNS
APPENDIX I	PATIO COVERSI-1 – I-2
APPENDIX J	GRADING
APPENDIX K	ADMINISTRATIVE PROVISIONS
APPENDIX L	EARTHQUAKE RECORDING INSTRUMENTATION L-1 – L-2
APPENDIX M	TSUNAMI-GENERATED FLOOD HAZARD M-1 – M-4
INDEX	INDEX-1 – INDEX-38

Chapter 16: Structural Design

General Comments

This chapter contains the commentary for the following structural topics: definitions of structural terms, construction document requirements, load combinations, dead loads, live loads, snow loads, wind loads, soil lateral loads, rain loads, flood loads and earthquake loads. This chapter provides minimum design requirements so that all buildings and structures are proportioned to resist the loads and forces that are likely to be encountered. The loads specified herein have been established through research and service performance of buildings and structures. The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The earthquake loads, wind loads and snow loads in this chapter are based on the 2010 edition of ASCE 7. The earthquake criteria and ASCE 7 load requirements are based on the National Earthquake Hazards Reduction Program's (NEHRP) *Recommended Provisions for Seismic Regulations for New Buildings and other Structures* (FEMA 450). The NEHRP provisions were prepared by the Building Seismic Safety Council (BSSC) for the Federal Emergency Management Agency (FEMA).

Purpose

The purpose of this chapter is to prescribe minimum structural loading requirements for use in the design and construction of buildings and structures with the intent to minimize hazard to life and improve the occupancy capability of essential facilities after a design level event or occurrence.

SECTION 1601 GENERAL

1601.1 Scope. The provisions of this chapter shall govern the structural design of buildings, structures and portions thereof regulated by this code.

While a significant portion of Chapter 16 is dedicated to the determination of minimum design loads, it also includes other important criteria that impact the design of structures, such as the permitted design methodologies, as well as the combinations of design loads used to establish the required minimum strength of structural members. Unless stated otherwise, the criteria found in this chapter are applicable to all buildings and structures. See Chapter 34 for application of these requirements to alterations, additions or repairs to existing structures.

SECTION 1602 DEFINITIONS AND NOTATIONS

1602.1 Definitions. The following terms are defined in Chapter 2:

Definitions facilitate the understanding of code provisions and minimize potential confusion. To that end, this section lists definitions of terms associated with structural design. Note that these definitions are found in Chapter 2. The use and application of defined terms, as well as undefined terms, are set forth in Section 201.

ALLOWABLE STRESS DESIGN.

DEAD LOADS. DESIGN STRENGTH. **DIAPHRAGM.** Diaphragm, blocked. Diaphragm boundary. Diaphragm chord. Diaphragm flexible. Diaphragm, rigid. **DURATION OF LOAD. ESSENTIAL FACILITIES.** FABRIC PARTITION. FACTORED LOAD. HELIPAD. **ICE-SENSITIVE STRUCTURE.** IMPACT LOAD. LIMIT STATE. LIVE LOAD. LIVE LOAD (ROOF). LOAD AND RESISTANCE FACTOR DESIGN (LRFD). LOAD EFFECTS. LOAD FACTOR. LOADS. NOMINAL LOADS.

OTHER STRUCTURES.

PANEL (PART OF A STRUCTURE).

RESISTANCE FACTOR.

RISK CATEGORY.

STRENGTH, NOMINAL.

STRENGTH, REQUIRED.

STRENGTH DESIGN.

SUSCEPTIBLE BAY.

VEHICLE BARRIER.

NOTATIONS.

- D = Dead load.
- D_i = Weight of ice in accordance with Chapter 10 of ASCE 7.
- E = Combined effect of horizontal and vertical earthquake induced forces as defined in Section 12.4.2 of ASCE 7.
- F = Load due to fluids with well-defined pressures and maximum heights.
- F_a = Flood load in accordance with Chapter 5 of ASCE 7.
- H = Load due to lateral earth pressures, ground water pressure or pressure of bulk materials.
- L = Roof live load greater than 20 psf (0.96 kN/m²) and floor live load.
- L_r = Roof live load of 20 psf (0.96 kN/m²) or less.
- R =Rain load.
- S =Snow load.
- T = Self-straining load.
- V_{asd} = Nominal design wind speed (3-second gust), miles per hour (mph) (km/hr) where applicable.
- V_{ult} = Ultimate design wind speeds (3-second gust), miles per hour (mph) (km/hr) determined from Figures 1609A, 1609B, or 1609C or ASCE 7.
- W = Load due to wind pressure.
- W_i = Wind-on-ice in accordance with Chapter 10 of ASCE 7.
- These notations are used to refer to specific nominal loads that are determined in this chapter for use in the load combinations in Section 1605:
 - *D* is the nominal dead load determined in Section 1606. Also see the definition of "Dead load."
 - *D_i* is the weight of ice. See the ASCE 7 provisions referenced in Section 1614.
 - Earthquake load effect, *E*, in Section 12.4.2 of ASCE 7 includes the effects of the horizontal load, E_h , as well as a vertical component, *E*, E_h is the product of the redundancy factor, ρ , and Q_E , the effects of horizontal earthquake forces. E, accounts for vertical acceleration due to earthquake ground motion, taken as $0.2S_{DS}D$.

Note that its magnitude is not intended to represent a total vertical response, since that is not likely to coincide with the maximum horizontal response. It is essentially a portion of the dead load, D, that is added in "additive" load combinations or subtracted in "counteractive" load combinations. The term S_{DS} , design spectral response acceleration at short periods, is explained in the commentary to Section 1613.3.4.

For example, when this expression is used in the alternative allowable stress design load combinations of Section 1605.3.2 that include earthquake load effects the resulting combinations are as follows:

Equation 16-21

 $D + L + S + E/1.4 = (1 + 0.143S_{DS})D + L + S + \rho Q_{P}/1.4$

Equation 16-22

 $0.9D + E/1.4 = (0.9 - 0.143S_{DS})D + \rho Q_F/1.4$

Earthquake design criteria is provided in Section 1613, which, in turn, references the relevant ASCE 7 provisions for computation of the earthquake load effects. While these loads are necessary for establishing the required strength, the computed forces approximate the expected deformations under the design earthquake ground motions and are not applied to a structure in an actual earthquake.

- *F* refers to the nominal load due to fluids having "well defined pressures and maximum heights." Unlike most other nominal loads, there is no code section governing the determination of fluid loads. Also note that *F* includes a vertical component (fluid weight), as well as a horizontal component (lateral pressure).
- F_a is used to refer to the flood load that is determined under Chapter 5 of ASCE 7. Note that F_a is not explicitly included under other loads listed for the alternative ASD combination in Section 1605.3.2.
- *H* is used to refer to the nominal load resulting from lateral soil pressure, lateral pressure of ground water or the lateral pressure of bulk materials. Section 1610 specifies minimum requirements for lateral soil loads. Note that there are not specific provisions for the determination of load resulting from the lateral pressure of bulk materials.
- L in the nominal live load determined in accordance with Section 1607 (also see the definition of "Live load"). In addition to floor live loads, it includes roof live loads that exceed the limit on L_r. L_r represents nominal roof live loads up to 20 psf (0.96 N/m²).
- *R* is the nominal rain load determined in accordance with Section 1611.