

BS EN 62341-5-2:2013



BSI Standards Publication

Organic light emitting diode (OLED) displays

Part 5-2: Mechanical endurance testing methods

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 62341-5-2:2013. It is identical to IEC 62341-5-2:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/47, Semiconductors.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013.
Published by BSI Standards Limited 2013

ISBN 978 0 580 69852 1
ICS 31.260

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2013.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------

**Organic light emitting diode (OLED) displays -
Part 5-2: Mechanical endurance testing methods
(IEC 62341-5-2:2013)**

Afficheurs à diodes électroluminescentes
organiques (OLED) -
Partie 5-2: Méthodes d'essais
d'endurance mécanique
(CEI 62341-5-2:2013)

Anzeigen mit organischen Leuchtdioden
(OLED) -
Teil 5-2: Prüfverfahren für mechanische
Belastbarkeit
(IEC 62341-5-2:2013)

This European Standard was approved by CENELEC on 2013-08-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 110/472/FDIS, future edition 1 of IEC 62341-5-2, prepared by IEC TC 110 "Electronic display devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62341-5-2:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-05-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-08-13

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62341-5-2:2013 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-27	2008	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	2009
IEC 61747-5	1998	Liquid crystal and solid-state display devices - Part 5: Environmental, endurance and mechanical test methods	EN 61747-5	1998
IEC 61747-5-3 (mod)	2009	Liquid crystal display devices - Part 5-3: Environmental, endurance and mechanical test methods - Glass strength and reliability	EN 61747-5-3	2010
IEC 62341-1-2	2007	Organic light emitting diode displays - Part 1-2: Terminology and letter symbols	EN 62341-1-2	2009
IEC 62341-5	2009	Organic Light Emitting Diode (OLED) displays - Part 5: Environmental testing methods	EN 62341-5	2009
IEC 62341-6-1	2009	Organic light emitting diode (OLED) displays - Part 6-1: Measuring methods of optical and electro-optical parameters	EN 62341-6-1	2011
IEC 62341-6-2	2012	Organic light emitting diode (OLED) displays - Part 6-2: Measuring methods of visual quality and ambient performance	EN 62341-6-2	2012
ISO 2206	1987	Packaging - Complete, filled transport packages - Identification of parts when testing	EN 22206	1992
ISO 2248	1985	Packaging - Complete, filled transport packages - Vertical impact test by dropping	EN 22248	1992

CONTENTS

1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Abbreviations	7
5	Standard atmospheric conditions	7
6	Evaluations	7
6.1	Visual examination and verification of dimensions	7
6.2	Reporting	8
7	Mechanical endurance test methods	8
7.1	General	8
7.2	Vibration (sinusoidal).....	8
7.2.1	General	8
7.2.2	Purpose.....	8
7.2.3	Test apparatus	8
7.2.4	Test procedure	8
7.2.5	Evaluation	11
7.3	Shock.....	11
7.3.1	General	11
7.3.2	Purpose.....	11
7.3.3	Test apparatus	11
7.3.4	Test procedure	11
7.3.5	Evaluation	12
7.4	Quasistatic strength	12
7.4.1	General	12
7.4.2	Purpose.....	12
7.4.3	Specimen	13
7.4.4	Test apparatus	13
7.4.5	Test procedure	13
7.4.6	Evaluation	14
7.5	Four-point bending test	14
7.5.1	General	14
7.5.2	Purpose.....	14
7.5.3	Specimen	14
7.5.4	Test apparatus	15
7.5.5	Test procedure	15
7.5.6	Post-testing analysis	16
7.5.7	Evaluation	17
7.6	Transportation drop test	17
7.6.1	General	17
7.6.2	Purpose.....	17
7.6.3	Test sample.....	17
7.6.4	Test procedure	17
7.6.5	Evaluation	18
7.7	Peel strength test	18
7.7.1	Purpose.....	18

7.7.2	Test procedure	18
7.7.3	Evaluation	19
Annex A (informative)	Example of the raw test data reduction for four-point bending test	20
	Bibliography.....	28
Figure 1	– Configuration of OLED shock test set-up.....	11
Figure 2	– Schematic of quasistatic strength measurement apparatus example	13
Figure 3	– Schematics of test apparatus and pinned bearing edges	15
Figure 4	– Specimen configuration under four-point bending test	15
Figure 5	– Order of transportation package drop	18
Figure 6	– Example of peeling strength test	19
Figure A.1	– Specimen dimensions used for sample test.....	20
Figure A.3	– Finite element model of test specimen	22
Figure A.4	– Displacement contour map after moving down loading-bar by 2 mm.....	23
Figure A.5	– Contour map of maximum principal stress distribution.....	23
Figure A.6	– Maximum principal stress and maximum stress along the edge.....	24
Figure A.7	– Final relationship between panel strength and failure load	24
Figure A.8	– Extraction of conversion factor by linear fitting.....	25
Figure A.9	– Example of Weibull distribution of strength data and statistical outputs.....	27
Figure A.10	– Fitted failure probability distribution of strength data	27
Table 1	– Frequency range – Lower end	9
Table 2	– Frequency range – Upper end	9
Table 3	– Recommended frequency ranges	10
Table 4	– Recommended vibration amplitudes	10
Table 5	– Conditions for shock test	12
Table 6	– Examples of test parameter combinations	16
Table 7	– Example of package drop sequence	18
Table A.1	– Results of raw test data	21
Table A.2	– Example of conversion factor ($t = 0,4$ mm, test span = 20 mm/40 mm).....	25
Table A.3	– Failure load and converted strength data	26

ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS –

Part 5-2: Mechanical endurance testing methods

1 Scope

This part of IEC 62341 defines testing methods for evaluating mechanical endurance quality of Organic Light Emitting Diode (OLED) display panels and modules or their packaged form for transportation. It takes into account, wherever possible, the environmental testing methods outlined in specific parts of IEC 60068. The object of this standard is to establish uniform preferred test methods for judging the mechanical endurance properties of OLED display devices.

There are generally two categories of mechanical endurance tests: those relating to the product usage environment and those relating to the transportation environment in packaged form. Vibration, shock, quasistatic strength, four-point bending test and peel strength test are introduced here for usage environment, while transportation drop test is applicable to the transportation environment. Mechanical endurance tests may also be categorized into mobile application, notebook computer or monitor application and large size TV application. Special considerations or limitations of test methods according to the size or application of the specimen will be noted.

NOTE This standard is established separately from IEC 61747-5-3, because the technology of organic light emitting diodes is considerably different from that of liquid crystal devices in such matters as:

- used materials and structure;
- operation principles;
- measuring methods.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests–Test Fc: Vibration (sinusoidal)*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests–Test Ea and guidance: Shock*

IEC 61747-5:1998, *Liquid crystal and solid-state display devices – Part 5: Environmental, endurance and mechanical test methods*

IEC 61747-5-3:2009, *Liquid crystal display devices – Part 5-3: Environmental, endurance and mechanical test methods – Glass strength and reliability*

IEC 62341-1-2:2007, *Organic light emitting diode displays – Part 1-2: Terminology and letter symbols*

IEC 62341-5:2009, *Organic light emitting diode (OLED) displays – Part 5: Environmental testing methods*

IEC 62341-6-1:2009, *Organic light emitting diode (OLED) displays – Part 6-1: Measuring methods of optical and electro-optical parameters*