

# IEEE Standard Requirements for Power-Line Carrier Line Traps (30 kHz to 500 kHz)

IEEE Power and Energy Society

Sponsored by the  
Power System Communications and Cybersecurity

# IEEE Standard Requirements for Power-Line Carrier Line Traps (30 kHz to 500 kHz)

Sponsor

**Power System Communications and Cybersecurity**  
of the  
**IEEE Power and Energy Society**

Approved 14 February 2017

**IEEE-SA Standards Board**

**Abstract:** Line traps inserted into a power line to provide a high impedance at power-line-carrier frequencies (30 kHz to 500 kHz) are covered in this standard. The purpose is to isolate the carrier signal from system impedance changes due to faults or switching behind the point of insertion, and to guide the signal in the proper direction. The standard covers line traps in which the main coil is designed as a single-phase, air-cooled inductor of the dry type.

**Keywords:** IEEE C93.3™, line trap, PLC, power line carrier, wave trap

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 1 August 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-3971-8      STD22546  
Print: ISBN 978-1-5044-3972-5      STDPD22546

*IEEE prohibits discrimination, harassment, and bullying.*

*For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

## Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

### Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

## Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

## Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

## Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854 USA

## Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so

## Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

## Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association

## Participants

At the time this IEEE standard was completed, the Power Line Carrier Line Traps Working Group had the following membership and corresponding members (CM):

**Bruce A. Pickett**, *Chair*  
**Roger E. Ray**, *Vice Chair*

Tony Bell	Andre Lanza	James O'Brien
Jeffrey Brown	Alex Lee	Craig Palmer
Jim Ebrecht	Don Lukach	Ross Presta (CM)
Ray Fella	Mark Majka	Zoltan Roman (CM)
Jerry Finley	Steve May	Miriam Sanders
Dominick Fontana	John Meinardi (CM)	Donald Sevcik
Rafael Garcia	John Miller	Mark Simon (CM)
Addis Kifle		Ian Taulla

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Roy Alexander	Werner Hoelzl	Michael Roberts
Saleman Alibhay	Richard Jackson	Charles Rogers
Yanhia Attianese	Kamran Khan	Zoltan Roman
Peter Balma	James Kinney	Daniel Sabin
Tony Bell	Joseph L. Koepfinger	Miriam Sanders
Martin Best	Bruce Kraemer	Bartien Sayogo
William Bloethe	Jim Kulchisky	Donald Sevcik
Gustavo Brunello	Chung-Yiu Lam	Devki Sharma
Paul Cardinal	Benjamin Lanz	Andre Silva
Suresh Channarasappa	Yuan Liao	Mark Simon
Arvind Chaudhary	Don Lukach	Veselin Skendzic
Stephen Conrad	Mark Majka	Jeremy Smith
Randall Cunico	Reginaldo Maniego	Jerry Smith
Alla Deronja	John Miller	K. Stump
Gary Donner	Daleep Mohla	David Tepen
Michael Edds	Adi Mulawarman	Iandale Tualla
Jerry Finley	Arthur Neubauer	Demetrios Tziouvaras
Kenneth Fodero	Michael Newman	Joe Uchiyama
Dominick Fontana	Gary Nissen	James Van De Ligt
Rafael Garcia	James O'Brien	Roger Verdolin
Frank Gerleve	Lorraine Padden	John Vergis
David Gilmer	Craig Palmer	John Wang
Jalal Gohari	Bansi Patel	Diane Watkins
James Graham	Bruce Pickett	Kenneth White
Stephen Grier	Reynaldo Ramos	Jackie Wilson
Randall Groves	Roger E. Ray	Philip Winston

When the IEEE-SA Standards Board approved this standard on 14 February 2017, it had the following membership:

**Jean-Philippe Faure**, *Chair*  
**Vacant Position**, *Vice Chair*  
**John D. Kulick**, *Past Chair*  
**Konstantinos Karachalios**, *Secretary*

Chuck Adams  
Masayuki Ariyoshi  
Ted Burse  
Stephen Dukes  
Doug Edwards  
J. Travis Griffith  
Gary Hoffman

Michael Janezic  
Joseph L. Koepfinger\*  
Thomas Koshy  
Kevin Lu  
Daleep Mohla  
Damir Novosel  
Ronald C. Petersen  
Annette D. Reilly

Robby Robson  
Dorothy Stanley  
Adrian Stephens  
Mehmet Ulema  
Phil Wennblom  
Howard Wolfman  
Yu Yuan

\*Member Emeritus



## Introduction

This introduction is not part of IEEE Std C93.3™-2017, IEEE Standard Requirements for Power-Line Carrier Line Traps (30 kHz to 500 kHz).

This document was developed by the Power Line Carrier Subcommittee of the Power System Communications and Cybersecurity Committee, responsible for Power Line Carrier Equipment and Coupling Capacitor Voltage Transformers. During its development the standard received the benefits of a consensus of input from a balanced group representing the user, producer, government, and general-interest viewpoints. These inputs were harmonized and integrated into the standard in its present approved form.

The Power Line Carrier Subcommittee was established to coordinate, review, and update the existing documents into an effective group of standards, including this standard for line traps. A separate standard will be developed to cover each type of equipment described in the Subcommittee's scope.

This standard includes technical definitions, performance ratings, testing methods, and manufacturing requirements for line traps.

Essentially the changes reflected in this revision are new definitions, addition of information on emergency overload current capability of line traps with regards to Facility Rating standards, and the IEEE mandated change from US to metric units of measure.

This Standard was previously maintained by NEMA and was last released as ANSI C93.3-1995. It has been given over to IEEE to revise and maintain.

## Contents

1. Overview.....	10
1.1 Scope.....	10
1.2 Purpose.....	10
2. Normative references .....	10
3. Definitions, acronyms, and abbreviations .....	11
3.1 Definitions.....	11
3.2 Acronyms and abbreviations .....	12
4. Service conditions .....	13
4.1 Usual service conditions.....	13
4.2 Unusual service conditions.....	13
5. Ratings .....	14
5.1 General ratings .....	14
5.2 Rating for tuned type line traps.....	17
6. Testing.....	18
6.1 General .....	18
6.2 Design test procedures.....	20
6.3 Production test procedures .....	27
7. Manufacturing/design requirements.....	27
7.1 Mounting .....	27
7.2 Terminals.....	28
7.3 Tuning and protective device location and mounting .....	28
7.4 Bird barriers.....	28
7.5 Nameplate markings for the main coil .....	28
7.6 Nameplate markings for the tuning device .....	29
Annex A (informative) Guide for emergency overload current capability of line traps .....	30
Annex B (informative) Loss measurement at power frequency.....	38
Annex C (informative) Terminal orientation and construction .....	39
Annex D (informative) Typical fixed wideband bandwidth ranges.....	42
Annex E (informative) Bibliography.....	44

# IEEE Standard Requirements for Power-Line Carrier Line Traps (30 kHz to 500 kHz)

## 1. Overview

### 1.1 Scope

This standard applies to a line trap inserted into a power line to provide a high impedance at power line carrier frequencies (30 kHz to 500 kHz). The purpose is to isolate the carrier signal from system impedance changes due to faults or switching behind the point of insertion, and to guide the signal in the proper direction. The standard covers line traps in which the main coil is designed as a single-phase, air-cooled inductor of the dry type.

### 1.2 Purpose

This standard is vital to the application of power line carrier systems on all power lines 69 kV and above. Power-line carrier systems are used for protection systems and other communications. The line trap is part of the system that allows the carrier signal to be coupled to the power line with optimal performance.

Performance requirements will be established so that their interaction with the power system is known and performance can be predicted.

## 2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ANSI C84.1, American National Standard for Electric Power Systems and Equipment—Voltage Ratings (60 Hz).<sup>1</sup>

ANSI/NEMA CC 1, Electric Power Connection for Substations.<sup>2</sup>

ANSI/NEMA CC 1, Annex A, Methods of Measurement of Radio Influence Voltage (RIV) of High-Voltage Apparatus (replaced NEMA 107-1987/1993).

<sup>1</sup>ANSI publications are available from the Sales Department, American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).

<sup>2</sup>NEMA publications are available from Global Engineering Documents, 15 Inverness Way East, Englewood, CO 80112, USA (<http://global.ihs.com/>).