

ETSI TS 133 107 V13.2.0 (2016-04)



**Universal Mobile Telecommunications System (UMTS);
LTE;**

3G security;

**Lawful interception architecture and functions
(3GPP TS 33.107 version 13.2.0 Release 13)**



Reference

RTS/TSGS-0333107vd20

Keywords

LTE,SECURITY,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	12
Introduction	12
1 Scope	13
2 References	13
3 Definitions, symbols and abbreviations	16
3.1 Definitions.....	16
3.2 Abbreviations	16
4 Functional architecture	18
5 Activation, deactivation and interrogation	23
5.0 General	23
5.1 Activation.....	24
5.1.0 General.....	24
5.1.1 X1_1-interface	24
5.1.2 X1_2-interface (IRI)	25
5.1.3 X1_3-interface (CC)	26
5.2 Deactivation	27
5.2.0 General.....	27
5.2.1 X1_1-interface	27
5.2.2 X1_2-interface (IRI)	28
5.2.3 X1_3-interface (CC)	28
5.3 Interrogation	29
5.3.0 General.....	29
5.3.1 Interrogation of the 3G ICEs.....	29
5.3.2 Interrogation of Delivery Functions.....	29
6 Invocation of Lawful Interception for Circuit Switched Services.....	30
6.0 General	30
6.1 Provision of Intercept CC - Circuit Switched.....	31
6.2 Provision of CC - Short Message Service	32
6.3 Provision of Intercept Related Information	32
6.3.0 General.....	32
6.3.1 X2-interface	33
6.3.2 Structure of the events	33
6.3.3 Call Related events	36
6.3.3.1 Call establishment	36
6.3.3.2 Answer	36
6.3.3.3 Supplementary Services	37
6.3.3.4 Handover.....	37
6.3.3.5 Release	37
6.3.4 Non Call Related events	38
6.3.4.1 SMS.....	38
6.3.4.2 Location update	38
6.3.4.3 Subscriber Controlled Input (SCI)	38
6.3.5 HLR Related events	38
6.3.5.1 Serving system	38
6.3.5.2 HLR subscriber record change	39
6.3.5.3 Cancel location.....	39
6.3.5.4 Register location	40
6.4 Intercept cases for circuit switched supplementary services	41

6.4.1	Interception of Multiparty call	41
6.4.2	Interception for Call Forwarding / Call Deflection / ECT	41
7	Invocation of Lawful Interception for GSN Packet Data services	42
7.0	General	42
7.1	Provision of Intercept Product - Short Message Service	43
7.2	Provision of Intercepted Content of Communications – Packet data GSN services.....	44
7.2.0	General.....	44
7.2.1	X3-interface	44
7.3	Provision of Intercept Related Information	45
7.3.0	General.....	45
7.3.1	X2-interface	45
7.3.2	Structure of the events	46
7.4	Packet Data related events.....	49
7.4.1	Mobile Station Attach.....	49
7.4.2	Mobile Station Detach	49
7.4.3	Packet Data PDP context activation	50
7.4.4	Start of interception with PDP context active	50
7.4.5	Packet Data PDP context deactivation.....	51
7.4.6	RA update	51
7.4.7	SMS	52
7.4.8	Packet Data PDP context modification.....	52
7.4.9	Serving System	52
7.4.10	Start of interception with mobile station attached.....	53
7.4.11	Packet Data Header Information.....	53
7.4.11.0	Introduction.....	53
7.4.11.1	Packet Data Header Report	53
7.4.11.2	Packet Data Summary Report	53
7.4.12	HLR subscriber record change.....	55
7.4.13	Cancel location	55
7.4.14	Register location	55
7.4.15	Location information request.....	56
7.5	Void.....	56
7.6	Interception of the Multimedia Messaging Service (MMS)	56
7A	Invocation of Lawful Interception for Packet Data Multi-media Service	56
7A.1	Provision of content of communications	56
7A.1.A	Decryption for IMS Media Plane Security	56
7A.2	Provision of IRI	57
7A.2.1	Provision of IRI with SIP messaging.....	57
7A.2.2	Provision of IRI with XCAP messages.....	58
7A.2.3	Provision of IRI with Diameter messages related to HSS	58
7A.2.3.0	General	58
7A.2.3.1	Serving system	60
7A.2.3.2	HSS subscriber record change.....	60
7A.2.3.3	Registration Termination	61
7A.3	Multi-media events.....	62
7A.3.0	General.....	62
7A.3.1	Mid IMS Session Interception	64
7A.3.1.0	General	64
7A.3.1.1	SDES Media Security	65
7A.4	Multi-media Call State Control Service Scenarios	65
7A.5	Push to talk over Cellular (PoC).....	65
7A.6	SMS over IMS.....	65
7A.7	LI for KMS based IMS Media Security	65
7A.7.1	LI Architecture and functions	65
7A.7.2	Signalling over the Xk interfaces and LI events	66
7A.7.3	Cooperating KMSs	67
7A.7.4	Security	67
7A.7.5	Start of interception for an already established IMS media secured session	68
7A.8	IMS IMEI Interception	68
8	Security.....	69

8.0	General	69
8.1	Administration security	69
8.2	IRI security	69
8.2.1	Normal operation	69
8.2.2	Communication failure	69
8.3	CC security	70
8.4	Security aspects of Lawful Interception billing	70
8.5	Other security issues	70
8.5.1	Log files	70
8.5.2	Data consistency	70
9	Invocation of Lawful Interception for 3GPP WLAN Interworking Services	70
9.0	General	70
9.1	Provision of Intercept Product - Short Message Service	71
9.2	Provision of Intercepted Content of Communications - 3GPP WLAN Interworking services	71
9.2.0	General	71
9.2.1	X3-interface	72
9.3	Provision of Intercept Related Information	72
9.3.0	General	72
9.3.1	X2-interface	73
9.3.2	3GPP WLAN Interworking LI Events and Event Information	73
9.4	Structure of I-WLAN Events	78
9.4.1	I-WLAN Access Initiation	78
9.4.2	WLAN Access Termination	79
9.4.3	I-WLAN Tunnel Establishment	79
9.4.4	I-WLAN Tunnel Disconnect	80
9.4.5	Start of Intercept with I-WLAN Communication Active	81
9.4.6	Packet Data Header Information	82
9.4.6.0	Introduction	82
9.4.6.1	Packet Data Header Report	82
9.4.6.2	Packet Data Summary Report	83
10	Interception of Multimedia Broadcast/MultiCast Service (MBMS)	85
10.0	General	85
10.1	Provision of Content of Communications	85
10.2	Provision of Intercept Related Information	85
10.2.0	General	85
10.2.1	X2-interface	86
10.2.2	MBMS LI Events and Event Information	86
10.3	Structure of MBMS Events	88
10.3.1	Service Joining	88
10.3.2	Service Leaving	88
10.3.3	Start of Intercept with Service Active	89
10.3.4	Subscription Activation	89
10.3.5	Subscription Modification	89
10.3.6	Subscription Termination	90
11	IMS Conference Services	91
11.1	Background for IMS Conference Services	91
11.1A	Start of Intercept for IMS Conference Services	91
11.2	Provision of Intercepted Content of Communication – IMS Conference Services	91
11.2.0	General	91
11.2.1	X3-interface	92
11.3	Provision of Intercept Related Information for IMS Conference Service	93
11.3.0	General	93
11.3.1	X2-interface	93
11.3.2	IMS Conference Events and Event Information	93
11.3.3	Structure of Conference Events	96
11.3.3.1	Start of Conference	96
11.3.3.2	Party Join	96
11.3.3.3	Party Leave	97
11.3.3.3A	Conference Bearer Modification	97
11.3.3.4	Start of Intercept on an Active Conference	98

11.3.3.5	Conference End	98
11.3.3.6	Creation of Conference	99
11.3.3.7	Update of Conference	99
12	Lawful Interception for Evolved Packet System.....	101
12.1	LI functional architecture for EPS.....	101
12.2	Functional requirements for LI in case of E-UTRAN access and GTP based S5/S8.....	103
12.2.0	General.....	103
12.2.1	Provision of Intercept Related Information	103
12.2.1.0	General	103
12.2.1.1	X2-interface	104
12.2.1.2	Structure of the events.....	104
12.2.2	X3-interface	108
12.2.3	EPS related events	109
12.2.3.1	Attach	109
12.2.3.2	Detach	109
12.2.3.3	Bearer activation	110
12.2.3.4	Bearer deactivation.....	110
12.2.3.5	Bearer modification.....	111
12.2.3.6	Start of interception with active bearer	112
12.2.3.7	Tracking Area/EPS Location Update	112
12.2.3.8	Serving Evolved Packet System.....	112
12.2.3.9	UE requested PDN connectivity	113
12.2.3.10	UE requested PDN disconnection	113
12.2.3.11	UE requested Bearer Resource Modification.....	113
12.2.3.12	Void.....	114
12.2.3.13	Start of interception with E-UTRAN attached UE.....	114
12.2.3.14	Packet Data Header Information	114
12.2.3.14.0	Introduction	114
12.2.3.14.1	Packet Data Header Report.....	115
12.2.3.14.2	Packet Data Summary Report.....	115
12.2.3.15	HSS subscriber record change.....	117
12.2.3.16	Cancel location.....	117
12.2.3.17	Register location	117
12.2.3.18	Location information request	118
12.3	Functional requirements for LI in case of E-UTRAN access and PMIP based S5/S8 interfaces	118
12.3.0	General.....	118
12.3.1	Provision of Intercept Related Information	118
12.3.1.0	General	118
12.3.1.1	X2 interface	118
12.3.1.2	Structure of the events.....	119
12.3.2	X3-interface	121
12.3.3	LI events for E-UTRAN access with PMIP-based S5 or S8.....	121
12.3.3.1	Initial E-UTRAN Attach and UE PDN requested connectivity with PMIP-based S5 or S8	121
12.3.3.2	Detach and PDN disconnection for PMIP-based S5/S8.....	122
12.3.3.3	Start of interception with active tunnel for PMIP based S5/S8	122
12.3.3.4	Dedicated Bearer Procedures for E-UTRAN Access with PMIP-based S5/S8	122
12.3.3.5	PDN-GW initiated PDN-disconnection Procedure	122
12.3.3.6	PMIP Session modification	123
12.3.3.7	Packet Data Header Information	123
12.3.3.7.0	Introduction	123
12.3.3.7.1	Packet Data Header Report.....	123
12.3.3.7.2	Packet Data Summary Report.....	124
12.4	Functional requirements for LI in case of trusted non-3GPP IP access	125
12.4.0	General.....	125
12.4.1	Provision of Intercept Related Information	126
12.4.1.0	General	126
12.4.1.1	X2-interface	126
12.4.1.2	Structure of the events.....	126
12.4.2	X3-interface	130
12.4.3	LI events for trusted Non-3GPP IP access.....	130
12.4.3.1	Initial Attach and PDN connection activation with PMIPv6 on S2a.....	130

12.4.3.2	Initial Attach and PDN connection activation procedures with MIPv4 FACoA on S2a.....	131
12.4.3.3	Initial Attach and PDN connection activation procedures with DSMIPv6 over S2c	131
12.4.3.4	Detach and PDN disconnection with PMIPv6 on S2a	132
12.4.3.5	Detach and PDN disconnection with MIPv4 FACoA	132
12.4.3.6	Detach and PDN disconnection with DSMIPv6 on S2c	132
12.4.3.7	PDN-GW reallocation upon initial attach on s2c	133
12.4.3.8	PDN GW initiated Resource Allocation Deactivation with S2a PMIP	133
12.4.3.9	PDN GW initiated Resource Allocation Deactivation with S2a MIP v4.....	133
12.4.3.10	Serving Evolved Packet System.....	134
12.4.3.11	Start of interception with active tunnel or bearer	134
12.4.3.12	PMIP session modification.....	134
12.4.3.13	DSMIP session modification.....	135
12.4.3.14	Bearer activation	135
12.4.3.15	Bearer deactivation.....	135
12.4.3.16	Bearer modification.....	135
12.4.3.17	Packet Data Header Information	136
12.4.3.17.0	Introduction	136
12.4.3.17.1	Packet Data Header Report.....	136
12.4.3.17.2	Packet Data Summary Report.....	136
12.4.3.18	HSS subscriber record change.....	138
12.4.3.19	Registration Termination	138
12.4.3.20	Location Information request.....	139
12.5	Functional requirements for LI in case of untrusted non-3GPP IP access.....	139
12.5.0	Introduction.....	139
12.5.1	Provision of Intercept Related Information	140
12.5.1.0	General	140
12.5.1.1	X2-interface	140
12.5.1.2	Structure of the events.....	141
12.5.2	X3-interface	144
12.5.3	LI events for untrusted Non-3GPP IP access.....	144
12.5.3.1	Initial Attach and PDN connection activation with PMIPv6 on S2b	144
12.5.3.2	Initial attach and PDN connection activation for S2c in untrusted non-3GPP IP access.....	145
12.5.3.3	UE/ePDG-initiated Detach Procedure and UE Requested PDN disconnection with PMIP	145
12.5.3.4	Detach and PDN Disconnection for S2c in Un-trusted Non-3GPP IP access	146
12.5.3.5	Serving Evolved Packet System.....	146
12.5.3.6	Start of interception with active tunnel/bearer	146
12.5.3.7	PDN-GW reallocation upon initial attach on s2c	147
12.5.3.8	PDN GW initiated Resource Allocation Deactivation with S2b PMIP	147
12.5.3.9	PMIP session modification.....	147
12.5.3.10	DSMIP session modification.....	148
12.5.3.11	Packet Data Header Information	148
12.5.3.11.0	General	148
12.5.3.11.1	Packet Data Header Report.....	148
12.5.3.11.2	Packet Data Summary Report.....	149
12.5.3.12	Bearer activation	150
12.5.3.13	Bearer deactivation.....	150
12.5.3.14	Bearer modification	150
12.5.3.15	HSS subscriber record change.....	151
12.5.3.16	Registration Termination	151
12.5.3.17	Location Information request.....	152
12.6	Functional requirements for LI in case of Handovers between E-UTRAN and CDMA2000 Accesses.....	152
12.7	Functional requirements for LI in case of interworking between SGSN and EPS nodes over S4/S12 interfaces	153
12.8	Functional requirements for LI in case of interworking between SGSN and PDN-GW over Gn/Gp interfaces	153
13	Lawful Interception for 3GPP H(e)NBs.....	153
13.0	General	153
13.1	Provision of Intercepted Content of Communications for 3GPP H(e)NBs	153
13.2	Provision of Intercept Related Information for 3GPP H(e)NBs	154
13.2.1	X2-interface	154
13.3	3GPP H(e)NB LI Events and Event Information.....	154

13.4	UMTS Home Node B (HNB).....	155
13.4.0	General.....	155
13.4.1	Intercepted Content of Communications for 3GPP UMTS HNBs.....	156
13.4.2	Intercept Related Information.....	156
13.4.2.0	General	156
13.4.2.1	X2-interface	156
13.4.3	3GPP UMTS HNB LI Events and Event Information.....	157
13.4.4	Structure of HNB Events	157
13.4.4.1	Target UE Registration to HNB	157
13.4.4.2	Target UE De-Registration from HNB	158
13.4.4.3	Start of Intercept with HNB attached UE	159
13.4.4.4	Target UE HNB Handover.....	159
13.5	Home enhanced Node B (HeNB).....	160
14	Interception of Generic Bootstrapping Architecture (GBA) Secured Communications	160
14.1	Introduction	160
14.2	Provision of Content of Communications	161
14.3	Provision of Intercept Related Information	161
14.3.1	Provision of Intercept Related Information Data Flow.....	161
14.3.2	X2-interface	162
14.3.3	GBA LI Events and Event Information	162
14.4	Structure of GBA Events.....	164
14.4.1	Bootstrapping.....	164
14.4.2	Query from NAF.....	164
14.4.3	Start of Interception with GBA key	165
15	Invocation of Lawful Interception for IMS-based VoIP	165
15.1	Overview of VoIP Interception	165
15.2	Provision of Content of Communications	165
15.2.0	Overview	165
15.2.1	General Principles of CC Interception	166
15.2.1.1	Intercept Trigger	166
15.2.1.2	X3-Interface	166
15.2.2	VoIP CC Interception	167
15.2.3	Media Information Associated with the CC	168
15.2.4	CC Interception in HPLMN with IMS Roaming	168
15.3	Provision of Intercept Related Information for VoIP	169
15.4	Lawful interception in the VPLMN with IMS roaming	169
15.4.1	Local breakout with P-CSCF in the VPLMN	169
16	LI for Group Communications using GCSE	169
16.1	Background	169
16.2	GCSE AS in Operator Network	169
16.2.0	General.....	169
16.2.1	Provision of Content of Communications.....	170
16.2.1.0	General	170
16.2.1.1	X3-interface	170
16.2.2	Provision of Intercept Related Information	171
16.2.2.0	General	171
16.2.2.1	X2-interface	171
16.2.2.2	GCSE AS LI Events and Event Information.....	171
16.2.2.2.0	General	171
16.2.2.2.1	Activation of GCSE Communications Group	173
16.2.2.2.2	Deactivation of GCSE Communications Group.....	173
16.2.2.2.3	User Added.....	174
16.2.2.2.4	User Dropped	174
16.2.2.2.5	Start of Intercept with an Active GCSE Communications Group	174
16.2.2.2.6	End of Intercept with an Active GCSE Communications Group	175
16.2.2.2.7	Modification of Target Connection to GCS AS	176
16.3	GCS AS outside Intercepting CSP Network	176
17	Interception for Proximity Services	177
17.1	ProSe Direct Discovery	177

17.1.1	General.....	177
17.1.2	Provision of Inteception of Call Content	177
17.1.3	Provision of Intercept Related Information	177
17.1.3.1	General.....	177
17.1.3.2	X2-interface	178
17.1.3.3	ProSe LI Events and Event Information.....	178
17.1.3.3.1	ProSe LI Events.....	178
17.1.3.3.2	ProSe LI Event Information	178
17.1.3.3.3	Structure of ProSe Events.....	179
17.1.3.3.3.1	Discovery Request	179
17.1.3.3.3.2	Match Report	180
17.2	ProSe One To Many Communications.....	180
17.2.1	General.....	180
17.2.2	Provision of Intercept Product – One-To-Many Communications	181
17.2.2.1	General.....	181
17.2.2.2	X2-interface	181
17.2.2.3	ProSe LI One-To-Many Events and Event Information.....	182
17.2.2.3.1	Overview of ProSe LI One-To-Many Events	182
17.2.2.3.2	Structure of ProSe LI One-To-Many Event Information.....	182
17.2.2.3.3	ProSe LI One-To-Many Events	184
17.3	ProSe Remote UE Communications.....	185
17.3.1	General.....	185
18	Invocation of Lawful Interception for messaging services	186
18.1	Overview of messaging services interception	186

Annex A (informative): Information flows for Lawful Interception invocation of circuit switched services187

A.1	Mobile originated circuit switched calls.....	187
A.2	Mobile terminated circuit switched calls.....	188
A.3	Call hold / call waiting	189
A.4	Multiparty calls	191
A.5	Call forwarding / call deflection.....	194
A.5.0	General	194
A.5.1	Unconditional call forwarding.....	194
A.5.2	Call forwarding on not reachable (IMSI detached)	195
A.5.3	Call forwarding on busy (network determined).....	196
A.5.4	Call forwarding on not reachable (no response to paging/radio channel failure)	197
A.5.5	Call forwarding on no reply	197
A.5.6	Call forwarding on busy (user determined)/call deflection	198
A.5.7	Call waiting / call forwarding on no reply.....	199
A.6	Explicit call transfer	202

Annex B (informative): Information flows for Lawful Interception invocation of GSN Packet Data services.....204

B.0	General	204
B.1	Mobile Station Attach	204
B.2	Mobile Initiated Mobile Station Detach.....	205
B.3	Network initiated Mobile Station Detach.....	205
B.4	Intra 3G GSN Routing Area Update	206
B.5	Inter 3G GSN Routing Area Update	206
B.6	PDP Context Activation	207
B.7	Start of interception with PDP context active	207

B.8	MS initiated PDP Context Deactivation.....	208
B.9	Network initiated PDP Context Deactivation.....	208
B.10	SMS	209

**Annex C (informative): Information flows for the invocation of Lawful Interception for
Packet Data with multimedia.....** **211**

C.0	General	211
C.1	Multimedia registration	211
C.2	Multimedia Session Establishment and Answer	213
C.3	Multimedia Release.....	214
C.4	Multimedia with Supplementary Service – Call Forwarding.....	214
C.5	Multimedia with Supplementary Service – Explicit Call Transfer	214
C.6	Multimedia with Supplementary Service – Subscriber Controlled input.....	214

**Annex D (informative): Information flows for Lawful Interception invocation at the MGW
using H.248** **215**

D.0	General	215
D.1	Mobile to Mobile call, originating side is target	215

Annex E (Informative) IMS-based VoIP Lawful Interception Call Scenarios **217**

E.1	Overview	217
E.2	Background	217
E.3	Originating Call from the Target with CC Interception at the PDN-GW/GGSN.....	219
E.3.0	General	219
E.3.1	Originating Call from the Target with CC Interception at the MRF	220
E.4	Originating Call from the Target with CC Interception at the IMS-AGW.....	221
E.5	Terminating Call to the Target with CC Interception at the PDN-GW/GGSN	222
E.5.0	General	222
E.5.1	Terminating Call to the Target with CC Interception at the MRF	223
E.6	Terminating Call to the Target with CC Interception at the IMS-AGW	224
E.7	Intra-CSP Forwarded Call with CC Interception at the PDN-GW/GGSN.....	225
E.7.0	General	225
E.7.1	Intra-CSP Forwarded Call with CC Interception at the MRF	226
E.8	Intra-CSP Forwarded Call with CC Interception at the IMS-AGW.....	227
E.9	Inter-CSP Forwarded Call to a CS Domain	228
E.10	Inter-CSP Forwarded Call to an IMS Domain	229
E.11	Originating Call from the Target with IMS Roaming	230
E.12	Terminating Call to the Target with IMS Roaming	231
E.13	Intra-CSP Forwarded Call with IMS Roaming	232
E.14	Lawful interception in the VPLMN with IMS roaming	233
E.14.1	Local Breakout (LBO) with P-CSCF in VPLMN	233
E.14.1.1	General.....	233
E.14.1.2	Originating call from an Inbound Roaming Target with CC Interception at the PDN-GW/GGSN.....	234
E.14.1.3	Originating Call from an Inbound Roaming Target with CC Interception at the IMS-AGW	235
E.14.1.4	Terminating Call to an Inbound Roaming Target with the CC Interception at the PDN-GW/GGSN	236
E.14.1.5	Terminating Call to an Inbound Roaming Target with CC Interception at the IMS-AGW	236

Annex F (informative)	Examples of IMS-based VoIP Lawful Interception Call Flows.....	238
F.1	General Remarks	238
F.2	Call Originations from Target in Home CSP	238
F.2.0	Introduction	238
F.2.1	Target Originated Call - Target (Party_A) Calls Party_B	239
F.2.2	Target Originated Call – Target (Party_A) dials a Special Number.....	240
F.3	Call Terminations to Target – Home CSP.....	240
F.3.0	Introduction	240
F.4	Call Forwarding – Non Roaming	241
F.4.0	Introduction	241
F.4.1	Intra-CSP Call Forwarding Unconditional	242
F.4.2	Intra-CSP Call Forwarding No Answer.....	243
F.4.3	Inter-CSP Call Forwarding Unconditional	245
F.5	IMS Roaming	246
F.5.0	General	246
F.5.1	Roaming Target Originates a Call	246
F.5.1A	CC Unavailable in Home CSP due to Optimal Media Routing	247
F.5.2	Call Termination to a Roaming Target.....	248
F.6	Interception in Visited CSP	248
F.6.0	General	248
F.6.1	Interception in Visited CSP – Target Originated Call	249
F.6.2	Interception in Visited CSP – Target Terminating Calls.....	250
F.6.3	Incoming Call to Roaming Target is forwarded due to Call Forwarding No Answer.....	251
Annex G (Informative)	Examples of CC Interception for Transcoded Media.....	252
G.1	Introduction	252
G.2	CC Interception of transcoded media	252
G.3	CC Interception of transcoded media with e2ae encryption.....	253
G.4	CC Interception of transcoded media with e2e hop-by-hop encryption.....	254
G.5	CC Interception of transcoded media at the TrGW	255
Annex H (informative):	Change history	257
History		262

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

This Technical Specification has been produced by the 3GPP TSG SA to allow for the standardisation in the area of lawful interception of telecommunications. This document describes in general the architecture and functions for lawful interception. Laws of individual nations and regional institutions (e.g. European Union), and sometimes licensing and operating conditions define a need to intercept telecommunications traffic and related information in modern telecommunications systems. It has to be noted that lawful interception shall always be done in accordance with the applicable national or regional laws and technical regulations.

1 Scope

The present document describes the architecture and functional requirements within a Third Generation Mobile Communication System (3GMS) and the Evolved Packet System (EPS).

The specification shows the service requirements from a Law Enforcement point of view only. The aim of this document is to define a 3GMS and EPS interception system that supports a number of regional interception regulations, but these regulations are not repeated here as they vary. Regional interception requirements shall be met in using specific (regional) mediation functions allowing only required information to be transported.

The handover interfaces for Lawful Interception (LI) of Packet-Data Services, Circuit Switched Services, and Multimedia Services within the UMTS network and Evolved Packet System for Stage 3 are described in TS 33.108 [11].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	Void
[2]	ETSI ES 201 158 (V1.2.1 April 2002): "Lawful Interception; Requirements for network functions".
[3]	ETSI ES 201 671 (V3.1.1 May 2007): "Handover Interface for the lawful interception of telecommunications traffic".
[4]	Void
[5]	Void
[6]	Void
[7]	3GPP TS 33.106: "3G Security; Lawful Interception Requirements".
[8]	ANSI J-STD-025-A (April 2003): "Lawfully Authorised Electronic Surveillance".
[9]	Void
[10]	3GPP TS 23.060: "General Packet Radio Service (GPRS); Service description".
[11]	3GPP TS 33.108: "3G Security; Handover interface for Lawful Interception".
[12]	Void
[13]	3GPP TS 21.905: "Vocabulary for 3GPP Specifications".
[14]	3GPP TS 23.234: "3GPP system to Wireless Local Area Network (WLAN) Interworking; System Description".
[15]	3GPP TS 23.008: "Organization of subscriber data".