

ETSI EN 301 893 V1.8.1 (2015-03)



**Broadband Radio Access Networks (BRAN);
5 GHz high performance RLAN;
Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

Reference

REN/BRAN-0060011

Keywordsaccess, broadband, LAN, layer 1, radio,
regulation, testing***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	9
3.1 Definitions.....	9
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 Centre frequencies	13
4.2.1 General.....	13
4.2.2 Definition.....	13
4.2.3 Limits.....	14
4.2.4 Conformance.....	14
4.3 Nominal Channel Bandwidth and Occupied Channel Bandwidth.....	14
4.3.1 Definition.....	14
4.3.2 Limits.....	14
4.3.3 Conformance.....	14
4.4 RF output power, Transmit Power Control (TPC) and power density	14
4.4.1 Definitions	14
4.4.1.1 RF Output Power	14
4.4.1.2 Transmit Power Control (TPC).....	14
4.4.1.3 Power Density	14
4.4.2 Limits	15
4.4.2.1 General.....	15
4.4.2.2 Limits for RF output power and power density at the highest power level.....	15
4.4.2.3 Limit for RF output power at the lowest power level of the TPC range	15
4.4.3 Conformance.....	15
4.5 Transmitter unwanted emissions	16
4.5.1 Transmitter unwanted emissions outside the 5 GHz RLAN bands.....	16
4.5.1.1 Definition	16
4.5.1.2 Limits	16
4.5.1.3 Conformance.....	16
4.5.2 Transmitter unwanted emissions within the 5 GHz RLAN bands	16
4.5.2.1 Definition	16
4.5.2.2 Limits	17
4.5.2.3 Conformance	17
4.6 Receiver spurious emissions.....	17
4.6.1 Definition.....	17
4.6.2 Limits	17
4.6.3 Conformance.....	18
4.7 Dynamic Frequency Selection (DFS).....	18
4.7.1 Introduction.....	18
4.7.1.1 General	18
4.7.1.2 Applicable frequency range	18
4.7.1.3 DFS operational modes	18
4.7.1.4 DFS operation	18
4.7.2 DFS technical requirements specifications	19
4.7.2.1 Applicability.....	19

4.7.2.2	Channel Availability Check	20
4.7.2.2.1	Definition.....	20
4.7.2.2.2	Limit	20
4.7.2.2.3	Conformance	20
4.7.2.3	Off-Channel CAC (Off-Channel Channel Availability Check)	20
4.7.2.3.1	Definition.....	20
4.7.2.3.2	Limit	21
4.7.2.3.3	Conformance	21
4.7.2.4	In-Service Monitoring.....	21
4.7.2.4.1	Definition.....	21
4.7.2.4.2	Limit	21
4.7.2.4.3	Conformance	21
4.7.2.5	Channel Shutdown	21
4.7.2.5.1	Definition.....	21
4.7.2.5.2	Limit	21
4.7.2.5.3	Conformance	21
4.7.2.6	Non-Occupancy Period	22
4.7.2.6.1	Definition.....	22
4.7.2.6.2	Limit	22
4.7.2.6.3	Conformance	22
4.7.2.7	Uniform Spreading.....	22
4.7.2.7.1	Definition.....	22
4.7.2.7.2	Limit	22
4.8	Adaptivity (Channel Access Mechanism)	22
4.8.1	Applicability	22
4.8.2	Definition.....	23
4.8.3	Requirements and limits	23
4.8.3.1	Frame Based Equipment	23
4.8.3.2	Load Based Equipment	24
4.8.3.3	Short Control Signalling Transmissions.....	26
4.8.3.3.1	Definition.....	26
4.8.3.3.2	Limits	26
4.8.4	Conformance.....	26
4.9	User Access Restrictions	26
4.9.1	Definition.....	26
4.9.2	Requirement.....	26
4.10	Geo-location capability	27
4.10.1	Applicability	27
4.10.2	Definition.....	27
4.10.3	Requirements	27
5	Testing for compliance with technical requirements.....	27
5.1	Conditions for testing	27
5.1.1	Normal and extreme test conditions.....	27
5.1.2	Test sequences and traffic load	27
5.1.2.1	General test transmission sequences	27
5.1.2.2	Test transmission sequences for DFS tests.....	28
5.1.3	Test channels	28
5.1.4	Antennas	29
5.1.4.1	Integrated and dedicated antennas.....	29
5.1.4.2	Transmit operating modes	29
5.1.4.2.1	Operating mode 1 (single antenna).....	29
5.1.4.2.2	Operating mode 2 (multiple antennas, no beamforming)	29
5.1.4.2.3	Operating mode 3 (multiple antennas, with beamforming)	29
5.1.5	Presentation of equipment	29
5.1.5.1	Testing of host connected equipment and plug-in radio devices.....	29
5.1.5.1.1	The use of a host or test jig for testing plug-in radio devices	30
5.1.5.1.2	Testing of combinations	30
5.2	Interpretation of the measurement results	31
5.3	Essential radio test suites.....	31
5.3.1	Product information	31
5.3.2	Carrier frequencies.....	33

5.3.2.1	Test conditions	33
5.3.2.2	Test methods	33
5.3.2.2.1	Conducted measurement.....	33
5.3.2.2.2	Radiated measurement.....	33
5.3.3	Occupied Channel Bandwidth	34
5.3.3.1	Test conditions	34
5.3.3.2	Test method.....	34
5.3.3.2.1	Conducted measurement.....	34
5.3.3.2.2	Radiated measurement.....	35
5.3.4	RF output power, Transmit Power Control (TPC) and power density.....	35
5.3.4.1	Test conditions	35
5.3.4.2	Test method.....	35
5.3.4.2.1	Conducted measurement.....	35
5.3.4.2.2	Radiated measurement.....	45
5.3.5	Transmitter unwanted emissions outside the 5 GHz RLAN bands.....	45
5.3.5.1	Test conditions	45
5.3.5.2	Test method.....	46
5.3.5.2.1	Conducted measurement.....	46
5.3.5.2.2	Radiated measurement.....	48
5.3.6	Transmitter unwanted emissions within the 5 GHz RLAN bands	48
5.3.6.1	Test conditions	48
5.3.6.2	Test method.....	48
5.3.6.2.1	Conducted measurement.....	48
5.3.6.2.2	Radiated measurement.....	50
5.3.7	Receiver spurious emissions	50
5.3.7.1	Test conditions	50
5.3.7.2	Test method.....	50
5.3.7.2.1	Conducted measurement.....	50
5.3.7.2.2	Radiated measurement.....	52
5.3.8	Dynamic Frequency Selection (DFS)	52
5.3.8.1	Test conditions	52
5.3.8.1.1	General	52
5.3.8.1.2	Selection of radar test signals	52
5.3.8.1.3	Test set-ups.....	53
5.3.8.2	Test method.....	54
5.3.8.2.1	Conducted measurement.....	54
5.3.8.2.2	Radiated measurement.....	61
5.3.9	Adaptivity (channel access mechanism)	61
5.3.9.1	Test conditions	61
5.3.9.2	Test method.....	61
5.3.9.2.1	Conducted measurements	61
5.3.9.2.2	Generic test procedure for measuring channel/frequency usage	63
5.3.9.2.3	Radiated measurements	64

Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	65
-----------------------------	--	-----------

Annex B (normative):	Test sites and arrangements for radiated measurements.....	67
B.1	Introduction	67
B.2	Radiation test sites.....	67
B.2.1	Open Area Test Site (OATS)	67
B.2.2	Semi Anechoic Room.....	68
B.2.3	Fully Anechoic Room (FAR)	69
B.2.4	Measurement Distance	70
B.3	Antennas.....	71
B.3.1	Introduction	71
B.3.2	Measurement antenna.....	71
B.3.3	Substitution antenna	71
B.4	Test fixture	71

B.4.1	Introduction	71
B.4.2	Description of the test fixture	71
B.4.3	Using the test fixture for relative measurements	72
B.5	Guidance on the use of radiation test sites	72
B.5.1	Introduction	72
B.5.2	Power supplies for the battery powered UUT	72
B.5.3	Site preparation	73
B.6	Coupling of signals.....	73
B.6.1	General	73
B.6.2	Data Signals.....	73
B.7	Interference Signal used for Adaptivity Tests	73
Annex C (normative):	Procedures for radiated measurements	75
C.1	Introduction	75
C.2	Radiated measurements in an OATS or SAR.....	75
C.3	Radiated measurements in a FAR	75
C.4	Substitution measurement	76
C.5	Guidance for testing technical requirements	76
C.5.1	Essential radio test suites and corresponding test sites.....	76
C.5.2	Guidance for testing Adaptivity (Channel Access Mechanism).....	76
C.5.2.1	Introduction.....	76
C.5.2.2	Measurement Set-up	77
C.5.2.3	Calibration of the measurement Set-up.....	77
C.5.2.4	Test method	77
Annex D (normative):	DFS parameters	78
Annex E (informative):	Guidance for testing IEEE 802.11™ Devices	81
E.1	Introduction	81
E.2	Possible Modulations	81
E.2.1	Most commonly used modulation types and channel widths	81
E.2.2	Guidance for Testing	81
E.2.2.1	Objective.....	81
E.2.2.2	Modulation Used for Conformance Testing	81
E.3	Possible Operating Modes.....	82
E.3.1	Most commonly used operating modes of Smart Antenna Systems.....	82
E.3.2	Guidance for Testing	82
Annex F (informative):	Application form for testing.....	83
F.1	Introduction	83
F.2	Information as required by ETSI EN 301 893 (V1.8.1), clause 5.3.1	83
F.3	Additional information provided by the manufacturer.....	90
F.3.1	Modulation	90
F.3.2	Duty Cycle.....	90
F.3.3	About the UUT	90
F.3.4	List of ancillary and/or support equipment provided by the manufacturer.....	91
Annex G (informative):	Bibliography.....	92
History	93	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN).

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.3] as amended by Directive 98/48/EC [i.1].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [1].

The requirements relevant to Directive 1999/5/EC [1] are summarized in annex A.

National transposition dates	
Date of adoption of this EN:	20 March 2015
Date of latest announcement of this EN (doa):	30 June 2015
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2015
Date of withdrawal of any conflicting National Standard (dow):	31 December 2016

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [1]. The modular structure is shown in ETSI EG 201 399 [i.2].

1 Scope

The present document applies to 5 GHz high performance wireless access systems (WAS) including RLAN equipment which is used in wireless local area networks. Such networks provide high speed data communications in between devices connected to the wireless infrastructure. The present document also applies to ad-hoc networking where these devices communicate directly with each other, without the use of a wireless infrastructure.

The present document also describes spectrum access requirements to facilitate spectrum sharing with other equipment.

5 GHz high performance wireless access systems (WAS) including RLAN equipment are further referred to as RLAN devices in the present document.

The spectrum usage conditions for this RLAN equipment are set in the ECC Decision (04)08 [5] and the Commission Decision 2005/513/EC [6] as amended by the Commission Decision 2007/90/EC [7].

The equipment is intended to operate in the frequency ranges 5 150 MHz to 5 350 MHz and 5 470 MHz to 5 725 MHz which have been allocated by WRC-03 to the *mobile service* on a primary basis for the implementation of WAS/RLANs covered by the present document.

The present document is intended to cover the provisions of article 3.2 of the R&TTE Directive [1], which states that: "...radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] ETSI TR 100 028-1 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [3] ETSI TR 100 028-2 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [4] Void.
- [5] ECC/DEC/(04)08: ECC Decision of 9 July 2004 on the harmonised use of the 5 GHz frequency bands for the implementation of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs) (30/10/2009).
- [6] Commission Decision 2005/513/EC of 11 July 2005 on the harmonised use of radio spectrum in the 5 GHz frequency band for the implementation of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs).