ETSI ES 201 915-6 V1.5.1 (2006-12)

ETSI Standard

Open Service Access (OSA);
Application Programming Interface (API);
Part 6: Mobility SCF
(Parlay 3)



Reference
RES/TISPAN-01027-06-OSA

Keywords
API, OSA, IDL, UML

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2006.
© The Parlay Group 2006.
All rights reserved.

DECT™, **PLUGTESTS**™ and **UMTS**™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights 7
Foreword 7
1 Scope 8
2 References 8
3 Definitions and abbreviations 8
3.1 Definitions 8
3.2 Abbreviations 8
4 Mobility SCF 9
4.1 General requirements on support of methods 9
5 Sequence Diagrams 9
5.1 User Location Sequence Diagrams 9
5.1.1 User Location Interrogation - Triggered Request 9
5.1.2 User Location Interrogation - Periodic Request 11
5.1.3 User Location Interrogation - Parameter Error 12
5.1.4 User Location Interrogation - Network Error 12
5.1.5 User Location Interrogation - Interactive Request 13
5.2 User Location Camel Sequence Diagrams 14
5.2.1 User Location Camel Interrogation - Triggered Request 14
5.2.2 User Location Camel Interrogation - Periodic Request 15
5.2.3 User Location Camel Interrogation - Parameter Error 15
5.2.4 User Location Camel Interrogation - Network Error 16
5.2.5 User Location Camel Interrogation - Interactive Request 17
5.3 User Location Emergency Sequence Diagrams 18
5.3.1 Subscription and Network Induced Location Reports 18
5.3.2 Network Induced Location Reports 19
5.3.3 Interactive Request Parameter Error 19
5.3.4 Interactive Request Network Error 20
5.3.5 Interactive Location Request 20
5.4 User Status Sequence Diagrams 21
5.4.1 Triggered Reporting 21
5.4.2 Interactive Request Parameter Error 22
5.4.3 Interactive Request Network Error 22
5.4.4 Interactive Request 23
6 Class Diagrams 24
6.1 User Location Class Diagrams 24
6.2 User Location Camel Class Diagrams 25
6.3 User Location Emergency Class Diagrams 26
6.4 User Status Class Diagrams 27
7 The Service Interface Specifications 27
7.1 Interface Specification Format 27
7.1.1 Interface Class 27
7.1.2 Method descriptions 28
7.1.3 Parameter descriptions 28
7.1.4 State Model 28
7.2 Base Interface 28
7.2.1 Interface Class IpInterface 28
7.3 Service Interfaces 28
7.3.1 Overview 28
7.4 Generic Service Interface 28
7.4.1 Interface Class IpService 28
8 Mobility Interface Classes 29

8.1 User Location Interface Classes 29
8.1.1 Interface Class IpUserLocation 30
8.1.2 Interface Class IpAppUserLocation 33
8.1.3 Interface Class IpTriggeredUserLocation 35
8.1.4 Interface Class IpAppTriggeredUserLocation 37
8.2 User Location Camel Interface Classes 38
8.2.1 Interface Class IpUserLocationCamel 38
8.2.2 Interface Class IpAppUserLocationCamel 41
8.3 User Location Emergency Interface Classes 44
8.3.1 Interface Class IpUserLocationEmergency 44
8.3.2 Interface Class IpAppUserLocationEmergency 46
8.4 User Status Interface Classes 47
8.4.1 Interface Class IpAppUserStatus 47
8.4.2 Interface Class IpUserStatus 48

9 State Transition Diagrams 50
9.1 User Location 50
9.2 User Location Camel 50
9.2.1 State Transition Diagrams for IpUserLocationCamel 50
9.2.1.1 Active State 51
9.3 User Location Emergency 51
9.4 User Status 52
9.4.1 State Transition Diagrams for IpUserStatus 52
9.4.1.1 Active State 52

10 Service Properties 52
10.1 Mobility Properties 52
10.1.1 Emergency Application Subtypes 52
10.1.2 Value Added Application Subtypes 53
10.1.3 PLMN Operator Application Subtypes 53
10.1.4 Lawful Intercept Application Subtypes 53
10.1.5 Altitude Obtainable 53
10.1.6 Location Methods 53
10.1.7 Priorities 54
10.1.8 Max Interactive Requests 54
10.1.9 Max Triggered Users 54
10.1.10 Max Periodic Users 54
10.1.11 Min Periodic Interval Duration 54
10.1.12 Initial Report 54
10.2 User Location Service Properties 54
10.3 User Location Camel Service Properties 55
10.4 User Location Emergency Service Properties 56
10.5 User Status Service Properties 56

11 Data Definitions 56
11.1 Common Mobility Data Definitions 56
11.1.1 TpGeographicalPosition 56
11.1.2 TpLocationPriority 58
11.1.3 TpLocationRequest 58
11.1.4 TpLocationResponseIndicator 58
11.1.5 TpLocationResponseTime 58
11.1.6 TpLocationType 58
11.1.7 TpLocationUncertaintyShape 59
11.1.8 TpMobilityDiagnostic 59
11.1.9 TpMobilityError 59
11.1.10 TpMobilityStopAssignmentData 60
11.1.11 TpMobilityStopScope 60
11.1.12 TpTerminalType 60
11.2 User Location Data Definitions 60
11.2.1 IpUserLocation 60
11.2.2 IpUserLocationRef 60
11.2.3 IpAppUserLocation 60
11.2.4 IpAppUserLocationRef 60

11.2.5 IpTriggeredUserLocation....60
11.2.6 IpTriggeredUserLocationRef....61
11.2.7 IpAppTriggeredUserLocation....61
11.2.8 IpAppTriggeredUserLocationRef....61
11.2.9 TpUlExtendedData....61
11.2.10 TpUlExtendedDataSet....61
11.2.11 TpUserLocationExtended....61
11.2.12 TpUserLocationExtendedSet....61
11.2.13 TpLocationTrigger....62
11.2.14 TpLocationTriggerSet....62
11.2.15 TpLocationTriggerCriteria....62
11.2.16 TpUserLocation....62
11.2.17 TpUserLocationSet....62
11.3 User Location Camel Data Definitions....62
11.3.1 IpUserLocationCamel....62
11.3.2 IpUserLocationCamelRef....62
11.3.3 IpAppUserLocationCamel....63
11.3.4 IpAppUserLocationCamelRef....63
11.3.5 TpLocationCellIDOrLAI....63
11.3.6 TpLocationTriggerCamel....63
11.3.7 TpUserLocationCamel....63
11.3.8 TpUserLocationCamelSet....64
11.4 User Location Emergency Data Definitions....64
11.4.1 IpUserLocationEmergency....64
11.4.2 IpUserLocationEmergencyRef....64
11.4.3 IpAppUserLocationEmergency....64
11.4.4 IpAppUserLocationEmergencyRef....64
11.4.5 TpIMEI....64
11.4.6 TpNaESRD....64
11.4.7 TpNaESRK....65
11.4.8 TpUserLocationEmergencyRequest....65
11.4.9 TpUserLocationEmergency....65
11.4.10 TpUserLocationEmergencyTrigger....66
11.5 User Status Data Definitions....66
11.5.1 IpUserStatus....66
11.5.2 IpUserStatusRef....66
11.5.3 IpAppUserStatus....66
11.5.4 IpAppUserStatusRef....66
11.5.5 TpUserStatus....66
11.5.6 TpUserStatusSet....66
11.5.7 TpUserStatusIndicator....66
11.6 Units and Validations of Parameters....67

12 Exception Classes....68

Annex A (normative): OMG IDL Description of Mobility SCF....69

Annex B (informative): Contents of 3GPP OSA R4 Mobility....70

Annex C (informative): Record of changes....71

C.1 Interfaces....71
C.1.1 New....71
C.1.2 Deprecated....71
C.1.3 Removed....71

C.2 Methods....71
C.2.1 New....71
C.2.2 Deprecated....72
C.2.3 Modified....72
C.2.4 Removed....72

C.3 Data Definitions....72

C.3.1 New 72
C.3.2 Modified 72
C.3.3 Removed 73
C.4 Service Properties 73
C.4.1 New 73
C.4.2 Deprecated 73
C.4.3 Modified 73
C.4.4 Removed 73
C.5 Exceptions 74
C.5.1 New 74
C.5.2 Modified 74
C.5.3 Removed 74
C.6 Others 74
History 75