



**LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA)
and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification;
Part 3: Test suites
(3GPP TS 36.523-3 version 12.6.0 Release 12)**



Reference

RTS/TSGR-0536523-3vc60

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	11
Introduction	11
1 Scope	12
2 References	12
3 Definitions and abbreviations.....	15
3.1 Definitions	15
3.2 Abbreviations	15
4 E-UTRAN/SAE system architecture and test models	15
4.1 Test system architecture	15
4.1.1 General system architecture	15
4.1.2 Component architecture	16
4.2 E-UTRAN test models	18
4.2.1 Layer 2 test models	18
4.2.1.1 MAC test model	18
4.2.1.2 RLC test model	20
4.2.1.3 PDCP test model	21
4.2.1.3.1 PDCP ROHC test model	21
4.2.1.3.2 PDCP test model (Non ROHC)	22
4.2.2 RRC test model	23
4.2.3 DRB test model.....	24
4.2.4 IP Test Model	24
4.2.4.1 IP user data.....	25
4.2.4.2 Configuration of Sockets.....	26
4.2.4.2.1 Socket Establishment.....	26
4.2.4.2.2 Socket Release.....	27
4.2.4.3 Handling of IP data	27
4.2.4.4 Routing of IP Data	28
4.2.4.5 Multiple PDNs	28
4.2.4.6 IP Addresses Guidelines	29
4.2.4.6.1 Common Structure of IP Addresses	29
4.2.4.6.2 Common Requirements regarding IP Addresses	30
4.2.4.6.3 Network Entities and their IP addresses	30
4.2.4.7 User Plane Signalling for Address Allocation.....	31
4.2.4.7.1 DHCP	31
4.2.4.7.2 DHCPv6	34
4.2.4.7.3 ICMPv6	34
4.2.4.7.4 DNS	35
4.2.4A LTE-Carrier Aggregation test Models	38
4.2.4A.1 CA-MAC test model	38
4.2.4A.2 CA-RRC test model	40
4.2.4B Dual Connectivity test models	41
4.2.4B.1 DC MAC test model.....	41
4.2.4B.2 DC PDCP test model.....	42
4.2.4B.3 DC RRC test model.....	43
4.2.5 IP model extension for IMS	44
4.2.5.1 IPsec	45
4.2.5.1.1 Security Association	45
4.2.5.1.2 SAD and SPD	46
4.2.5.2 Signalling Compression (SigComp)	47
4.2.5.3 SIP TTCN-3 Codec	47

4.2.6	Support of DSMIPv6	47
4.2.7	MBMS test model	48
4.2.8	OCNG test model	48
4.2.9	Device-to-Device Proximity Services test model	50
4.2.9.1	ProSe Function test model	51
4.2.9.2	Direct Discovery test model	51
4.2.9.3	Direct Communication test model	52
4.3	SAE Test Model	53
4.3.1	NAS Test Model	53
4.4	Inter RAT Test Model	54
4.4.1	E-UTRAN-UTRAN Inter RAT Test Model	54
4.4.1.1	User data over UTRAN	54
4.4.1.1.1	Raw user data over UTRAN	55
4.4.1.1.2	IP data over UTRAN	55
4.4.1.1.3	Routing IP data	56
4.4.2	E-UTRAN-GERAN Inter RAT Test Model	57
4.4.2.1	User data over GERAN	57
4.4.2.1.1	Raw user data over GERAN	58
4.4.2.1.2	IP data over GERAN	58
4.4.2.1.3	Routing IP data	59
4.4.3	E-UTRAN-CDMA2000 Inter RAT Test Model	60
4.4.3.1	E-UTRAN-CDMA2000 HRPD Inter RAT Test Model	60
4.4.3.2	E-UTRAN-CDMA2000 1xRTT Inter RAT test model	62
4.4.4	E-UTRAN FDD-TDD Inter RAT Test Model	65
4.4.5	E-UTRAN-UTRAN-GERAN Inter RAT Test Model	66
4.4.6	3GPP-WLAN Inter working Test Model	67
4.4.6.1	E-UTRAN-WLAN Inter working Test Model	67
4.4.6.2	UTRAN-WLAN Inter working Test Model	69
4.5	Generic WLAN Test Model	70
4.5.1	WLAN Access Point	70
4.5.2	ePDG/AAA-Server Emulation	70
5	Upper Tester Interface	73
5.1	Definitions	73
5.2	Upper Tester ASPs	73
6	ASP specifications	79
6.1	General Requirements and Assumptions	79
6.1.1	IP ASP requirements	79
6.1.2	Enhancement of IP ASP for handling IMS signalling	79
6.2	E-UTRAN ASP Definitions	80
6.2.1	Configuration Primitives	80
6.2.2	Signalling Primitives	80
6.2.3	Co-ordination Messages between NAS Emulation PTC and EUTRA PTC	81
6.3	UTRAN ASP Definitions	82
6.3.1	Void	83
6.3.2	ASPs for Data Transmission and Reception	83
6.4	GERAN ASP Definitions	84
6.4.1	ASPs for Control Primitive Transmission	84
6.4.2	ASPs for Data Transmission and Reception	86
7	Test Methods and Design Considerations	89
7.1	Channel Mapping	89
7.1.1	PDCCH Candidate Selection	89
7.1.1.1	FDD candidates selection	90
7.1.1.2	TDD candidates selection	94
7.1.1.2.1	TDD candidates selection in special subframes	97
7.1.2	ePDCCH Candidate Selection	97
7.1.2.1	FDD candidates selection	97
7.1.2.2	TDD candidates selection	98
7.2	Uplink Grant	98
7.2.1	Exception TC list	101
7.3	Downlink Resource Allocation	101

7.3.1	PDCCH DCI default formats	102
7.3.1.1	Default DCI Format to be used in test cases configuring MIMO	102
7.3.2	Radio parameters configured	102
7.3.2.1	HARQ Retransmission when MIMO is configured	103
7.3.3	General DL scheduling scheme	103
7.3.3.1	Additional rules for BCCH scheduling scheme	103
7.3.3.1.1	BCCH with DCI combination 1	104
7.3.3.1.2	BCCH with DCI combination 2	104
7.3.3.2	Additional rules for PCCH specific scheduling scheme	104
7.3.3.2.1	PCCH with DCI combination 1	104
7.3.3.2.2	PCCH with DCI combination 2	104
7.3.3.3	Additional rules for RAR specific scheduling scheme	105
7.3.3.3.1	RAR with DCI combination 1	105
7.3.3.3.2	RAR with DCI combination 2	105
7.3.3.4	Additional rules for UE-dedicated scheduling scheme in normal mode	105
7.3.3.5	DL Resource allocation bitmaps	107
7.3.3.5.1	DCI combination 1	107
7.3.3.5.2	DCI combination 2	109
7.3.3.6	UE-dedicated scheduling scheme in explicit mode	112
7.3.3.6.1	DL Scheduling in Transport Block Size Selection Test Cases	113
7.3.3.7	Resource allocation sheets	113
7.4	Cell Configurations	114
7.4.1	Cell Configuration Types	114
7.4.2	Cell Power Change	115
7.4.3	E-UTRAN cell identity	115
7.4.3.1	Timing parameters of cells	115
7.4.4	Cell configurations for NAS test cases	117
7.4.5	Configuration of Multi-Cell Environment	117
7.5	TDD Considerations	118
7.5.1	FDD vs. TDD implementation	118
7.5.2	Guideline for FDD vs. TDD verification	118
7.6	Special RLC Modes	118
7.6.1	Suppression of RLC Acknowledgements	118
7.6.2	Modification of VT(S)	119
7.7	System information	119
7.7.1	System information broadcasting	119
7.7.2	Scheduling information	120
7.7.3	System information modification	123
7.7.3.1	Non-PWS System Information modification	123
7.7.3.1.1	UE in Idle_mode	123
7.7.3.1.2	UE in connected mode	123
7.7.3.2	PWS System Information modification	124
7.8	Timers and Timing Restrictions	124
7.8.1	Auxiliary timers	124
7.8.2	RRC timers reconfiguration	124
7.8.3	MAC TA timer reconfiguration	124
7.8.4	Non-protocol timers	125
7.9	Error Indication	125
7.10	Race Conditions	125
7.11	Radio Link Failure	125
7.12	Test method for RRC signalling latency	126
7.12.1	Procedure delays in PUCCH synchronized state	126
7.12.2	Procedure delays when RACH procedure required	127
7.13	RLC test method for scheduled data	128
7.14	IP packets for Loopback Mode	129
7.14.1	IP packets used for Loopback Mode A	129
7.14.2	IP packets used for Loopback Mode B	129
7.15	Connected Mode DRX	129
7.16	Handover Sequences	131
7.16.1	Sequence of inter-cell handover	131
7.16.1a	Sequence of inter-cell CA handover (more than one CC before and after handover)	132
7.16.2	Sequence of intra-cell handover	133

7.16.3	UL Grants used in RA procedure during handover	133
7.17	Simulation of PDCP MAC-I Failure in UE.....	134
7.17.1	Integrity and ciphering not yet activated.....	134
7.17.2	Integrity and/or ciphering already activated	134
7.18	RRC Connection Release Sequence	134
7.19	DL CCCH Message and Contention Resolution MAC Control Element transmission in one MAC PDU or in separate MAC PDUs.....	135
7.20	RRC Connection Reconfiguration Sequence (Measurement Control)	135
7.21	GERAN special issues.....	136
7.21.1	Timeslot assigned for GERAN CS traffic.....	136
7.21.2	Subchannel used in GERAN L2 access message.....	136
7.21.3	Paging in GERAN	136
7.22	EUTRAN RSRQ Calculations	136
7.22.1	Assumptions	136
7.22.2	The Ideal Calculation.....	137
7.22.3	Additional RSRQ Calculations For Fixing Boundary Values	137
7.23	Test method for eICIC and feICIC.....	138
7.24	Carrier Aggregation Signalling Sequences.....	138
7.24.1	Initial configuration of Pcell	138
7.24.2	Initial configuration of SCell	138
7.24.3	Scell Addition and/or release	139
7.25	Test method for MBMS	139
7.25.1	Schedule transmission of MCCH messages.....	139
7.25.2	MCCH change notification	140
7.25.3	MTCH data scheduling	140
7.26	UE Category 0 FDD Half-Duplex Considerations (Type B Half Duplex)	140
7.27	Test method for Device-to-Device Proximity Services.....	141
7.27.1	Direct Discovery test method.....	141
7.27.2	Direct Communication test method	141
7.27.2.1	Synchronisation and SBCCH transmission	141
7.27.2.2	Sidelink data transmission/reception.....	142
8	External Function Definitions	142
9	IXIT Proforma.....	145
9.1	E-UTRAN PIXIT	145
9.2	MultiRAT PIXIT	149
10	Postambles.....	151
10.1	Postambles for E-UTRA to UTRA tests.....	152
10.1.1	UE postamble states and procedures for E-UTRA to UTRA.....	152
10.1.2	Switch/Power off procedure	153
10.1.2.1	Procedure	153
10.1.3	CC disconnect procedure	155
10.1.3.1	Procedure	155
10.1.4	PS Routing Area Update procedure	156
10.1.4.1	Procedure	156
10.1.5	CS fallback procedure.....	157
10.1.5.1	Procedure	157
10.2	Postambles for E-UTRAN to GERAN tests.....	159
10.2.1	UE postamble states and procedures for E-UTRA to GERAN test cases	159
10.2.2	Switch/Power off procedure	161
10.2.2.1	Procedure	161
10.2.3	PS Handover procedure	162
10.2.3.1	Procedure	162
10.2.4	CC disconnect procedure	163
10.2.4.1	Procedure	163
10.2.5	CS fallback procedure.....	163
10.2.5.1	Procedure	163
10.3	Postambles for E-UTRA test cases.....	164
10.3.1	UE postamble states and procedures for E-UTRA test cases.....	164
10.3.2	Switch/Power off procedure in State E1	165
10.3.2.1	Procedure	165

10.3.3	Switch/Power off procedure in State E2 and E3.....	166
10.3.3.1	Procedure for E2 and E3	166
10.3.3.2	Procedure for E2_T3440.....	167
10.3.4	Switch/Power off procedure in State E4.....	168
10.3.4.1	Procedure	168
10.3.5	Automatic selection mode procedure in State E5 (current cell, neighbour cell).....	168
10.3.5.1	Procedure	168
10.4	Postambles for E-UTRA to HRPD test cases.....	168
10.4.1	UE postamble procedures for E-UTRA to HRPD (No Pre-Registration).....	168
10.4.1.1	Registration on HRPD Cell.....	168
10.4.1.2	Detach on HRPD Cell.....	170
11	Guidelines on test execution.....	170
11.1	EUTRA single technology	170
11.1.1	Replacement of test case execution	171
11.2	EUTRA - UTRA - GERAN	172
11.2.1	UTRA configured – GERAN not configured	172
11.2.1.1	EUTRA band overlapping UTRA band.....	172
11.2.1.2	EUTRA band not overlapping UTRA band.....	173
11.2.2	GERAN configured - UTRA not configured.....	174
11.2.3	Neither UTRA nor GERAN configured.....	174
11.2.4	Both UTRA and GERAN configured.....	175
11.2.4.1	EUTRA band overlapping UTRA band.....	175
11.2.4.2	EUTRA band not overlapping UTRA band.....	176
11.2.5	Replacement of test case execution	176
11.3	EUTRA inter-band	176
11.3.1	Primary operating band.....	176
11.3.2	Secondary operating band for inter-band cells.....	176
11.3.3	Replacement of test case execution	177
11.4	EUTRA CA.....	177
11.4.1	CA contiguous Intra-band operation.....	177
11.4.2	CA Inter-band operation.....	177
11.4.3	CA non-contiguous Intra-band operation	179
11.5	EUTRA MFBI.....	179
11.6	EUTRA DC.....	180
Annex A (normative): Test Suites.....		182
A.1	Baseline of specifications.....	182
A.2	E-UTRA Test Suites.....	182
Annex B (informative): Style Guides.....		200
B.1	Introduction	200
B.2	General Requirements for TTCN-3 Implementations	200
B.3	Naming Conventions.....	201
B.3.1	Prefixes and Restrictions for TTCN-3 Objects.....	201
B.3.2	Void.....	202
B.3.3	Void.....	202
B.3.4	Identifiers consisting of more than one Name	202
B.4	Implementation Issues.....	202
B.4.1	Control part	202
B.4.2	Top Level Test Case Definitions	202
B.4.3	Inter Component Communication	203
B.4.4	Encoding Information.....	203
B.4.5	Verdict Assignment.....	203
B.4.5.1	PASS verdict assignment.....	204
B.4.5.2	FAIL or INCONC verdict assignment.....	204
B.4.5.3	Verdict assignment in default behaviour	205
B.4.6	Default Behaviour	205
B.4.7	Templates for Sending and Receiving.....	206

B.4.8	Logging	206
B.4.8.1	Prose Step Numbers.....	206
B.4.9	Top level comments	207
B.4.10	Mapping of DRBs	207
B.5	Modularisation	207
Annex C (informative): Design Principles.....		209
C.1	ASP Design	209
C.2	SS State Model.....	210
Annex D (informative): TTCN-3 Definitions		213
D.1	EUTRA_ASP_TypeDefs.....	213
D.1.1	ASN1_Container	213
D.1.2	System_Configuration.....	221
D.1.3	Cell_Configuration.....	223
D.1.3.1	Cell_Configuration_Common.....	223
D.1.3.2	Downlink_Physical_Layer_Configuration	229
D.1.3.2.1	Antenna_Configuration.....	229
D.1.3.2.2	Physical_Channels	230
D.1.3.2.3	Physical_Signals	233
D.1.3.3	Uplink_Physical_Layer_Configuration	234
D.1.3.4	Common_MAC_Configuration	235
D.1.3.5	Random_Access_Procedure	241
D.1.3.6	System_Information_Control	247
D.1.3.7	Paging_Control	250
D.1.3.8	UE_Specific_Channel_Configuration	250
D.1.3.8.1	UE_Specific_Channel_Configuration_DL	250
D.1.3.8.2	UE_Specific_Channel_Configuration_UL	251
D.1.3.9	Carrier_Aggregation	254
D.1.3.10	OCNG_Config.....	256
D.1.4	Cell_Power_Attenuation	257
D.1.5	Radio_Bearer_Configuration	257
D.1.5.1	PDCP_Configuration.....	257
D.1.5.2	RLC_Configuration	259
D.1.5.3	MAC_Configuration.....	261
D.1.6	AS_Security	265
D.1.7	Semi_Persistent_Scheduling	266
D.1.8	Paging_Trigger.....	268
D.1.9	L1_MAC_Indication_Control	268
D.1.10	Rlc_Indication_Control.....	269
D.1.11	PDCP_Count.....	270
D.1.12	PDCP_Handover.....	271
D.1.13	L1_MAC_Test_Mode.....	272
D.1.14	PDCCH_Order	272
D.1.15	System_Indications	273
D.1.16	System_Interface.....	275
D.1.17	MBMS_Configuration.....	276
D.2	EUTRA_ASP_DrbDefs.....	279
D.2.1	PDU_TypeDefs	279
D.2.1.1	MAC_PDU	279
D.2.1.2	RLC_PDU.....	282
D.2.1.2.1	Common.....	282
D.2.1.2.2	TM_Data.....	283
D.2.1.2.3	UM_Data.....	284
D.2.1.2.4	AM_Data.....	285
D.2.1.2.5	AM_Status	286
D.2.1.3	PDCP	288
D.2.2	DRB_Primitive_Definitions	291
D.2.2.1	DRB_Common	292

D.2.2.2	Downlink	293
D.2.2.3	Uplink	294
D.2.3	MBMS_MRB_Primitive_Definitions	294
D.2.4	System_Interface	295
D.3	EUTRA_ASP_SrbDefs	296
D.3.1	SRB_DATA_ASPs	296
D.3.2	Port_Definitions	298
D.4	IP_ASP_TypeDefs	298
D.4.1	IP_Common	298
D.4.2	IP_Config	300
D.4.3	IPsec_Config	301
D.4.4	IP_SocketHandling	303
D.4.4.1	Socket_Common	303
D.4.4.2	Socket_Datagram	304
D.4.4.3	TCP_Socket	305
D.4.4.4	UDP_Socket	310
D.4.4.5	ICMP_Socket	312
D.4.4.6	Socket_Primitives	314
D.4.5	System_Interface	315
D.5	NasEmu_AspTypes	317
D.5.1	System_Interface	318
D.6	EUTRA_CommonDefs	319
D.6.1	Common_Types	319
D.6.2	Common_Constants	319
D.6.3	RRC_Nested_Types	320
D.6.4	ASP_CommonPart	320
D.6.4.1	ASP_CommonPart_Definitions	321
D.6.4.1.1	Routing_Info	321
D.6.4.1.2	Timing_Info	321
D.6.4.2	REQ_ASP_CommonPart	323
D.6.4.3	CNF_ASP_CommonPart	323
D.6.4.4	IND_ASP_CommonPart	324
D.6.5	CA_CommonDefs	324
D.6.6	MBMS_CommonDefs	326
D.7	CDMA2000_ASP_TypeDefs	326
D.7.1	CDMA2000_Common	326
D.7.1.1	CDMA2000_SystemConstants	327
D.7.1.2	CDMA2000_Routing	327
D.7.1.3	CDMA2000_TimingInfo	327
D.7.1.4	CDMA2000_ReqAspCommonPart	329
D.7.1.5	CDMA2000_IndAspCommonPart	329
D.7.1.6	CDMA2000_CnfAspCommonPart	330
D.7.2	CDMA2000_PowerLevel	330
D.7.3	CDMA2000_Data	331
D.7.4	CDMA2000_CellConfiguration	333
D.7.5	CDMA2000_HRPD	335
D.7.5.1	CDMA2000_PDN_Defs	335
D.7.5.2	CDMA2000_SubProtocols	336
D.7.5.3	HRPD_Indications	338
D.7.5.4	HRPD_Commands	341
D.7.6	CDMA2000_RTT1X	344
D.7.6.1	RTT1X_Indications	344
D.7.6.2	RTT1X_Commands	347
D.7.7	System_Interface	349
D.8	CDMA2000_CommonDefs	352
D.9	EUTRA_ASP_CDMA2000TunnellingDefs	355
D.10	EUTRA_ASP_VirtualNoiseDefs	356

D.11	UTRAN_ASP_VirtualNoiseDefs.....	358
D.12	WLAN_ASP_TypeDefs.....	359
D.13	SideLinkUE_ASP_TypeDefs.....	370
D.13.1	SideLinkUE_Data	370
D.13.2	SideLinkUE_Configuration.....	372
D.13.2.1	SL_Routing_Timing	372
D.13.2.2	SL_SystemRequestAsp.....	373
D.13.2.2.1	SL_RequestAspCommon_Part.....	373
D.13.2.2.2	Discovery_Specific	376
D.13.2.2.3	Communication_Specific.....	378
D.13.2.2.4	SL_Security.....	384
D.13.2.3	SL_SystemConfirmAsp	385
D.13.2.4	SL_SystemIndicationAsp	385
D.13.2.5	SL_System_Interface.....	387
D.14	CommonDefs	388
D.15	References to TTCN-3	390
Annex E (informative):	Upper Tester Scenarios	391
E.1	No confirmation	391
E.2	Immediate confirmation	391
E.3	Late response.....	393
E.4	Multiple responses.....	394
Annex F (informative):	Change history	397
History		486

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 3 of a multi-part conformance test specification for the 3GPP evolved User Equipment (UE). The specification contains a TTCN-3 design frame work and the detailed test specifications in TTCN-3 for evolved UE at the UE-E-UTRAN radio interface.

- 3GPP TS 36.523-1 [1]: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- 3GPP TS 36.523-2 [2]: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- **3GPP TS 36.523-3: "Test Suites"** (the present document).

1 Scope

The present document specifies the protocol and signalling conformance testing in TTCN-3 for the 3GPP UE at the UE-E-UTRAN radio interface.

The following TTCN test specification and design considerations can be found in the present document:

- the test system architecture;
- the overall test suite structure;
- the test models and ASP definitions;
- the test methods and usage of communication ports definitions;
- the test configurations;
- the design principles and assumptions;
- TTCN styles and conventions;
- the partial PIXIT proforma;
- the test suites.

The Abstract Test Suites designed in the document are based on the test cases specified in prose (3GPP TS 36.523-1 [1]). The applicability of the individual test cases is specified in the test ICS proforma specification (3GPP TS 36.523-2 [1]).

The present document is valid for TTCN development for LTE and LTE-A UE conformance test according to 3GPP Releases starting from Release 8 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

- [1] 3GPP TS 36.523-1: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- [2] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- [3] 3GPP TS 36.508: "Common test environments for User Equipment (UE) conformance testing".
- [4] 3GPP TS 36.509: "Terminal logical test interface; Special conformance testing functions".
- [5] 3GPP TS 34.123-1: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- [6] 3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".