

ETSI TS 123 140 V6.16.0 (2009-04)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Universal Mobile Telecommunications System (UMTS);
Multimedia Messaging Service (MMS);
Functional description;
Stage 2
(3GPP TS 23.140 version 6.16.0 Release 6)**



Reference

RTS/TSGC-0023140v6g0

Keywords

GSM, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

| | |
|--|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 9 |
| 1 Scope | 10 |
| 2 References | 10 |
| 3 Definitions and Abbreviations..... | 14 |
| 3.1 Definitions | 14 |
| 3.2 Abbreviations | 15 |
| 4 General Architecture | 16 |
| 4.1 Overview | 16 |
| 4.2 Involved MMS Elements..... | 17 |
| 4.3 Addressing..... | 18 |
| 4.4 Message Size Measurement | 18 |
| 4.4.1 Size of Subject information element..... | 19 |
| 4.4.2 Size of an MM element..... | 19 |
| 5 Functional Description of Involved MMS Elements..... | 19 |
| 5.1 MMS User Agent | 19 |
| 5.1.1 MMS User Agent operations | 19 |
| 5.1.1.1 MMS Retrieval Modes | 20 |
| 5.1.2 Minimum set of supported formats..... | 20 |
| 5.1.2.1 Interoperability with SMS | 20 |
| 5.1.2.2 Plain Text..... | 20 |
| 5.1.2.3 Speech..... | 20 |
| 5.1.2.4 Audio..... | 20 |
| 5.1.2.5 Synthetic audio..... | 20 |
| 5.1.2.6 Still Image..... | 20 |
| 5.1.2.7 Bitmap graphics | 20 |
| 5.1.2.8 Video..... | 20 |
| 5.1.2.9 Vector graphics | 20 |
| 5.1.2.10 File Format for dynamic media..... | 21 |
| 5.1.2.11 Media synchronization and presentation format | 21 |
| 5.1.2.12 DRM format..... | 21 |
| 5.2 MMS Relay/Server..... | 21 |
| 5.2.1 Persistent Network-based Storage (MMBoxes)..... | 22 |
| 5.3 External Servers | 22 |
| 5.4 Messaging Service Control Function (MSCF) | 22 |
| 5.5 MMS User Databases and HLR | 22 |
| 5.6 MMS VAS Applications | 23 |
| 6 MMSE Architecture and Interfaces..... | 23 |
| 6.1 MMS Reference Architecture..... | 23 |
| 6.2 Protocol Framework | 24 |
| 6.3 MM1: MMS Relay/Server – MMS User Agent | 24 |
| 6.4 MM2: MMS Relay – MMS Server | 25 |
| 6.5 MM3: MMS Relay/Server – External Servers | 25 |
| 6.6 MM4: Interworking of different MMSEs..... | 25 |
| 6.7 MM5: MMS Relay/Server – HLR..... | 25 |
| 6.8 MM6: MMS Relay/Server – MMS User Databases..... | 25 |
| 6.9 MM7: MMS Relay/Server – MMS VAS Applications | 25 |
| 6.10 MM8: MMS Relay/Server – Post-processing system | 26 |
| 6.11 MM9: MMS Relay/Server – Online charging system..... | 26 |
| 6.12 MM10: MMS Relay/Server – Messaging Service Control Function (MSCF)..... | 26 |
| 6.13 MM11: MMS Relay/Server – Transcoding Platform..... | 26 |

| | | |
|----------------|---|----|
| 7.1 | MMS services offered | 26 |
| 7.1.1 | Submission of a Multimedia Message in the originator MMSE | 26 |
| 7.1.2 | Reception of a Multimedia Message in the recipient MMSE | 28 |
| 7.1.2.1 | Multimedia Message Notification | 28 |
| 7.1.3 | Retrieval of a Multimedia Message in the recipient MMSE..... | 29 |
| 7.1.3.1 | Terminal Capability Negotiation..... | 30 |
| 7.1.4 | Forwarding of a Multimedia Message | 31 |
| 7.1.5 | Delivery Report | 32 |
| 7.1.6 | Read-Reply Report | 34 |
| 7.1.7 | Support for Streaming in MMS | 35 |
| 7.1.8 | Support for Prepaid Service in MMS..... | 36 |
| 7.1.9 | Address Hiding in MMS..... | 36 |
| 7.1.10 | Support for Reply-Charging in MMS | 37 |
| 7.1.11 | MM4 forward routing failure..... | 39 |
| 7.1.12 | Support for Persistent Network-based Storage | 39 |
| 7.1.12.1 | MM State and MM Flags | 40 |
| 7.1.12.2 | Requests to Store MMs within an MMBox..... | 40 |
| 7.1.12.3 | Requests to Retrieve MMBox Content | 40 |
| 7.1.12.4 | MM Deletions | 40 |
| 7.1.12.5 | MMBox Service Constraints | 41 |
| 7.1.13 | Support for Value Added Services (VAS) in MMS..... | 41 |
| 7.1.13.1 | Authentication..... | 41 |
| 7.1.13.2 | Authorisation..... | 41 |
| 7.1.13.3 | Confidentiality | 41 |
| 7.1.13.4 | Charging Information..... | 42 |
| 7.1.13.5 | Message Distribution Indicator | 42 |
| 7.1.13.6 | Identification of applications that reside on MMS VAS Applications..... | 42 |
| 7.1.14 | Handling of MMS-related information on the (U)SIM..... | 42 |
| 7.1.14.1 | Handling of MMS-related transfer to the USIM | 43 |
| 7.1.15 | Support for Digital Rights Management in MMS..... | 43 |
| 7.1.15.1 | DRM-protected content within an MM..... | 43 |
| 7.1.15.2 | DRM-related User Agent behaviour | 44 |
| 7.1.15.3 | DRM-related Relay/Server behaviour..... | 44 |
| 7.1.15.3.1 | Support for Forward Lock and Combined Delivery | 44 |
| 7.1.15.3.2 | Support for Separate Delivery | 44 |
| 7.1.16 | Support of Hyperlinks in MMS | 44 |
| 7.1.17 | Support of Messaging Service Control Function | 45 |
| 7.1.17.1 | Triggering of interactions with the MSCF..... | 45 |
| 7.1.17.2 | User Profile Trigger criteria | 45 |
| 7.1.17.3 | Address based Trigger criteria | 46 |
| 7.1.17.4 | Charging impact..... | 46 |
| 7.1.17.5 | Message handling..... | 47 |
| 7.1.17.5.1 | MM1 Submission | 47 |
| 7.1.17.5.1.1 | User Profile based trigger | 47 |
| 7.1.17.5.1.1.1 | Interrogation Request | 47 |
| 7.1.17.5.1.1.2 | Interrogation Response..... | 47 |
| 7.1.17.5.1.2 | Address specific trigger | 48 |
| 7.1.17.5.1.2.1 | Interrogation Request | 48 |
| 7.1.17.5.1.2.2 | Interrogation Response..... | 49 |
| 7.1.17.5.2 | MM1 Delivery | 50 |
| 7.1.17.5.2.1 | Interrogation Request..... | 50 |
| 7.1.17.5.2.2 | Interrogation Response | 50 |
| 7.1.17.5.3 | MM7 Submission | 51 |
| 7.1.17.5.3.1 | VASP Profile based trigger..... | 51 |
| 7.1.17.5.3.1.1 | Interrogation Request | 51 |
| 7.1.17.5.3.1.2 | Interrogation Response..... | 52 |
| 7.1.17.5.3.2 | Address specific trigger | 53 |
| 7.1.17.5.3.2.1 | Interrogation Request | 53 |
| 7.1.17.5.3.2.2 | Interrogation Response..... | 53 |
| 7.1.17.6 | Access control..... | 54 |
| 7.1.17.7 | Interrogation Request Timeout..... | 54 |
| 7.1.17.8 | Trigger Information Data in MM10 Interrogation Requests | 54 |

| | | |
|------------|--|----|
| 7.1.17.9 | MSCF Addressing and Routing..... | 55 |
| 7.1.18 | Support for transporting Application Data..... | 55 |
| 7.1.18.1 | Application Identifiers | 55 |
| 7.1.18.2 | Applications sending and receiving abstract messages | 55 |
| 7.1.18.2.1 | Sending abstract messages..... | 55 |
| 7.1.18.2.2 | Receiving abstract messages | 56 |
| 7.1.18.2.3 | End User Confirmation..... | 56 |
| 7.1.19 | Cancelling of a Multimedia Message | 57 |
| 7.1.20 | Deletion of Multimedia Messages on an MMS Relay/Server..... | 57 |
| 7.2 | MMSE Addressing responsibilities | 57 |
| 7.2.1 | Address Formats on MM1 | 58 |
| 7.2.2 | Address Formats on MM4 | 58 |
| 7.2.3 | Address Formats on MM7 | 59 |
| 8 | MMS Application Protocol Framework and Technical Realisation of MMS Service Features | 59 |
| 8.1 | Technical realisation of MMS on reference point MM1 | 63 |
| 8.1.1 | Authentication Mechanisms for MM1 | 63 |
| 8.1.2 | Detection of Duplicate MMs | 63 |
| 8.1.3 | Submission of Multimedia Message..... | 63 |
| 8.1.3.1 | Normal operation | 63 |
| 8.1.3.2 | Abnormal Operation..... | 63 |
| 8.1.3.3 | Features | 64 |
| 8.1.3.4 | Information Elements..... | 66 |
| 8.1.4 | Multimedia Message Notification..... | 67 |
| 8.1.4.1 | Normal Operation | 67 |
| 8.1.4.2 | Abnormal Operation..... | 67 |
| 8.1.4.3 | Features | 67 |
| 8.1.4.4 | Information Elements..... | 69 |
| 8.1.5 | Retrieval of Multimedia Message..... | 70 |
| 8.1.5.1 | Normal Operation | 70 |
| 8.1.5.2 | Abnormal Operation..... | 70 |
| 8.1.5.3 | Features | 70 |
| 8.1.5.4 | Information Elements..... | 72 |
| 8.1.6 | Forwarding of Multimedia Message..... | 74 |
| 8.1.6.1 | Normal operation | 74 |
| 8.1.6.2 | Abnormal Operation..... | 74 |
| 8.1.6.3 | Features | 75 |
| 8.1.6.4 | Information Elements..... | 76 |
| 8.1.7 | Delivery Report | 77 |
| 8.1.7.1 | Normal Operation | 77 |
| 8.1.7.2 | Abnormal Operation..... | 77 |
| 8.1.7.3 | Features | 77 |
| 8.1.7.4 | Information Elements..... | 78 |
| 8.1.8 | Read-Reply Report | 78 |
| 8.1.8.1 | Normal Operation | 78 |
| 8.1.8.2 | Abnormal Operation..... | 78 |
| 8.1.8.3 | Features | 78 |
| 8.1.8.4 | Information Elements..... | 79 |
| 8.1.9 | Storing and Updating Multimedia Messages in an MMBox..... | 80 |
| 8.1.9.1 | Normal operation | 80 |
| 8.1.9.2 | Abnormal Operation..... | 80 |
| 8.1.9.3 | Features | 81 |
| 8.1.9.4 | Information Elements..... | 81 |
| 8.1.10 | View the MMBox | 82 |
| 8.1.10.1 | Normal Operations | 82 |
| 8.1.10.2 | Abnormal Operations | 82 |
| 8.1.10.3 | Features | 82 |
| 8.1.10.4 | Information Elements..... | 84 |
| 8.1.11 | Uploading and Persistently Storing Multimedia Messages..... | 85 |
| 8.1.11.1 | Normal operation | 85 |
| 8.1.11.2 | Abnormal Operation..... | 85 |
| 8.1.11.3 | Features | 85 |

| | | |
|----------|--|-----|
| 8.1.11.4 | Information Elements | 86 |
| 8.1.12 | Deletion of Stored Multimedia Messages | 87 |
| 8.1.12.1 | Normal Operations | 87 |
| 8.1.12.2 | Abnormal Operations | 87 |
| 8.1.12.3 | Features | 87 |
| 8.1.12.4 | Information Elements | 88 |
| 8.1.13 | Cancelling a Multimedia Message | 88 |
| 8.1.13.1 | Normal operation | 88 |
| 8.1.13.2 | Abnormal Operation | 89 |
| 8.1.13.3 | Features | 89 |
| 8.1.13.4 | Information Elements | 89 |
| 8.1.14 | Deletion of Multimedia Messages on an MMS Relay/Server | 89 |
| 8.1.14.1 | Normal operation | 90 |
| 8.1.14.2 | Abnormal Operation | 90 |
| 8.1.14.3 | Features | 90 |
| 8.1.14.4 | Information Elements | 90 |
| 8.2 | Technical realisation of MMS on reference point MM2 | 91 |
| 8.3 | Technical realisation of MMS on reference point MM3 | 91 |
| 8.3.1 | Sending of MMs | 91 |
| 8.3.2 | Receiving of messages | 91 |
| 8.3.3 | Discovery of new messages on External Servers | 91 |
| 8.4 | Technical realisation of MMS on reference point MM4 | 92 |
| 8.4.1 | Routing Forward of a Multimedia Message | 92 |
| 8.4.1.1 | Normal operation | 92 |
| 8.4.1.2 | Abnormal Operation | 92 |
| 8.4.1.3 | Features | 92 |
| 8.4.1.4 | Information Elements | 96 |
| 8.4.2 | Routing Forward of a Delivery Report | 97 |
| 8.4.2.1 | Normal Operation | 97 |
| 8.4.2.2 | Abnormal Operation | 98 |
| 8.4.2.3 | Features | 98 |
| 8.4.2.4 | Information Elements | 100 |
| 8.4.3 | Routing Forward of a Read-Reply Report | 101 |
| 8.4.3.1 | Normal Operation | 101 |
| 8.4.3.2 | Abnormal Operation | 101 |
| 8.4.3.3 | Features | 101 |
| 8.4.3.4 | Information Elements | 103 |
| 8.4.4 | Message format on MM4 | 103 |
| 8.4.4.1 | Message header fields | 104 |
| 8.4.4.2 | MM4_Forward.REQ Header Mappings | 104 |
| 8.4.4.3 | MM4_Forward.RES Header Mappings | 105 |
| 8.4.4.4 | MM4_Delivery_report.REQ Header Mappings | 106 |
| 8.4.4.5 | MM4_Delivery_report.RES Header Mappings | 106 |
| 8.4.4.6 | MM4_Read_reply_report.REQ Header Mappings | 107 |
| 8.4.4.7 | MM4_Read_reply_report.RES Header Mappings | 107 |
| 8.4.4.8 | Header Field Value Range | 108 |
| 8.4.4.9 | Message Encoding on MM4 | 111 |
| 8.4.4.11 | MM-Status-Extension | 112 |
| 8.4.5 | Message Transfer Protocol on MM4 | 112 |
| 8.4.5.1 | Addressing | 112 |
| 8.4.5.2 | Message Transfer | 115 |
| 8.4.5.3 | Other Definitions | 115 |
| 8.4.5.2 | SMTP Service Extensions | 115 |
| 8.4.6 | Version Handling on MM4 | 115 |
| 8.5 | Technical realisation of MMS on reference point MM5 | 116 |
| 8.6 | Technical realisation of MMS on reference point MM6 | 116 |
| 8.7 | Technical realisation of MMS on reference point MM7 | 116 |
| 8.7.1 | Submitting a VAS MM | 117 |
| 8.7.1.1 | Normal Operation | 117 |
| 8.7.1.2 | Abnormal Operation | 117 |
| 8.7.1.3 | Features | 117 |
| 8.7.1.4 | Information Elements | 120 |

| | | |
|-----------|--|-----|
| 8.7.2 | Delivery Request | 121 |
| 8.7.2.1 | Normal Operation | 121 |
| 8.7.2.2 | Abnormal Operation..... | 122 |
| 8.7.2.3 | Features | 122 |
| 8.7.2.4 | Information Elements..... | 124 |
| 8.7.3 | Cancel and replace of MM..... | 125 |
| 8.7.3.1 | Normal Operation | 125 |
| 8.7.3.2 | Abnormal Operation..... | 126 |
| 8.7.3.3 | Features | 126 |
| 8.7.3.4 | Information Elements..... | 127 |
| 8.7.4 | Delivery reporting to VASP..... | 128 |
| 8.7.4.1 | Normal Operation | 129 |
| 8.7.4.2 | Abnormal Operation..... | 129 |
| 8.7.4.3 | Features | 129 |
| 8.7.4.4 | Information Elements..... | 130 |
| 8.7.5 | Read-Reply Report for VASP..... | 130 |
| 8.7.5.1 | Normal Operation | 131 |
| 8.7.5.2 | Abnormal Operation..... | 131 |
| 8.7.5.3 | Features | 131 |
| 8.7.5.4 | Information Elements..... | 132 |
| 8.7.5A | Extended Cancel and Extended Replace of MM | 132 |
| 8.7.5A.1 | Normal Operation | 133 |
| 8.7.5A.2 | Abnormal Operation..... | 134 |
| 8.7.5A.3 | Features | 134 |
| 8.7.5A.4 | Information Elements..... | 135 |
| 8.7.6 | Generic Error Handling | 136 |
| 8.7.6.1 | Normal Operation | 136 |
| 8.7.6.2 | Features | 136 |
| 8.7.6.3 | Information Elements..... | 137 |
| 8.7.7 | Administrating the Distribution List..... | 137 |
| 8.7.8 | Implementation of the MM7 Abstract Messages | 137 |
| 8.7.8.1 | SOAP Message Format and Encoding Principles | 137 |
| 8.7.8.1.1 | Binding to HTTP | 138 |
| 8.7.8.1.2 | SOAPAction Header Field | 139 |
| 8.7.8.1.3 | DRM-related media types in SOAP messages | 139 |
| 8.7.8.2 | MM7 Addressing Considerations..... | 139 |
| 8.7.8.3 | Status Reporting..... | 139 |
| 8.7.8.3.1 | Request and Error Status Codes | 140 |
| 8.7.8.4 | Delivery Conditions..... | 142 |
| 8.7.9 | Mapping of Information Elements to SOAP Elements..... | 142 |
| 8.7.9.1 | MM7_submit.REQ mapping..... | 143 |
| 8.7.9.2 | MM7_submit.RES mapping | 144 |
| 8.7.9.3 | MM7_deliver.REQ Mapping | 147 |
| 8.7.9.3 | MM7_deliver.RES | 148 |
| 8.7.9.4 | MM7_cancel.REQ mapping | 149 |
| 8.7.9.5 | MM7_cancel.RES mapping..... | 150 |
| 8.7.9.7 | MM7_replace.REQ mapping | 151 |
| 8.7.9.8 | MM7_replace.RES mapping..... | 151 |
| 8.7.9.9 | MM7_delivery_report.REQ mapping..... | 152 |
| 8.7.9.10 | MM7_delivery_report.RES mapping | 152 |
| 8.7.9.11 | MM7_read_reply.REQ mapping | 153 |
| 8.7.9.12 | MM7_read_reply.RES mapping | 153 |
| 8.7.9.13 | MM7_RS_error.RES mapping | 153 |
| 8.7.9.14 | MM7_VASP_error.RES mapping..... | 154 |
| 8.7.9.15 | MM7_extended_cancel.REQ mapping..... | 154 |
| 8.7.9.16 | MM7_extended_cancel.RES mapping..... | 154 |
| 8.7.9.17 | MM7_extended_replace.REQ mapping..... | 156 |
| 8.7.9.18 | MM7_extended_replace.RES mapping | 156 |
| 8.8 | Technical realisation of MMS on reference point MM8 | 156 |
| 8.9 | Technical realisation of MMS on reference point MM9 | 157 |
| 8.10 | Technical realisation of MMS on reference point MM10 | 157 |
| 8.10.1 | Interrogation of the Messaging Service Control Function (MSCF) | 158 |

| | | |
|---|--|------------|
| 8.10.2 | Normal Operation | 158 |
| 8.10.3 | Abnormal Operation | 158 |
| 8.10.4 | Features..... | 158 |
| 8.10.5 | Information Elements | 159 |
| 8.11 | Technical realisation of MMS on reference point MM11 | 160 |
| Annex A (informative): Examples of MMS architectural implementations | | 161 |
| A.1 | Introduction | 161 |
| A.2 | Example of combined MMS-Relay/Server | 161 |
| A.3 | Example of non-combined MMS-Relay and MMS-Server..... | 162 |
| A.4 | Example of MMS interaction with T.30 Facsimile Services..... | 162 |
| A.5 | Example of MMS interaction with 2G/3G Voice Mailboxes..... | 163 |
| A.6 | Example of interaction with Internet E-Mail Messaging | 164 |
| A.7 | Example of interaction with Short Message Service, SMS..... | 165 |
| A.8 | Example of Integration with Unified Messaging System (UMS) | 166 |
| Annex B (informative): MMS Stage 3 Implementation | | 168 |
| Annex C (informative): Charging Data Records..... | | 169 |
| Annex D (informative): MM3 principles..... | | 171 |
| D.1 | Sending of MMs..... | 171 |
| D.2 | Receiving of messages | 171 |
| Annex D1 (informative): Mapping of IE to MM3 protocols..... | | 172 |
| D1.1 | Transforming MM..... | 172 |
| D1.2 | Delivery Reports..... | 176 |
| Annex E (informative): Use cases for Reply-Charging | | 178 |
| Annex F (normative): Configuration of MMS-capable UEs..... | | 179 |
| F.1 | MMS Connectivity Information | 179 |
| F.2 | User Preferences..... | 180 |
| Annex G (normative): DNS-ENUM recipient MSISDN address resolution. | | 181 |
| Annex H (normative): Recipient MSISDN address resolution based on IMSI..... | | 183 |
| Annex I (normative): MM1 <-> MM4 header mapping..... | | 185 |
| Annex J (informative): Support for Streaming in MMS | | 194 |
| Annex K (informative): MM1 <-> MM7 header mapping..... | | 196 |
| Annex L (normative): MM7 XML Schema | | 203 |
| Annex L1 (informative): Schema Version Handling..... | | 212 |
| Annex M (informative): Recipient MMS Relay/Server Delivery Report generation and presentation to the originator MMS User Agent. | | 214 |
| Annex N (normative): Information Element mapping for the support of MSCF | | 215 |
| Annex O (informative): Change history | | 220 |
| History | | 225 |