

ETSI ES 202 786 V1.4.1 (2017-05)



**Methods for Testing and Specification (MTS);  
The Testing and Test Control Notation version 3;  
TTCN-3 Language Extensions:  
Support of interfaces with continuous signals**

---

Reference

RES/MTS-202786 ed141ContSign

---

Keywords

interface, testing, TTCN-3

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

|  |    |
|--|----|
| Intellectual Property Rights .....                               | 5  |
| Foreword.....  | 5  |
| Modal verbs terminology.....                                     | 5  |
| 1 Scope .....  | 6  |
| 2 References .....   | 6  |
| 2.1 Normative references .....                                   | 6  |
| 2.2 Informative references.....                                  | 7  |
| 3 Definitions and abbreviations.....                             | 7  |
| 3.1 Definitions.....   | 7  |
| 3.2 Abbreviations .....  | 7  |
| 4 Package conformance and compatibility.....                     | 7  |
| 5 Package concepts for the core language.....                    | 8  |
| 5.0 General .....  | 8  |
| 5.1 Time and Sampling .....                                      | 9  |
| 5.1.0 General.....   | 9  |
| 5.1.1 The now operator.....                                      | 9  |
| 5.1.2 Define the default step size for sampling.....             | 10 |
| 5.2 Data streams .....   | 10 |
| 5.2.0 General.....   | 10 |
| 5.2.1 Data Streams: static perspective .....                     | 11 |
| 5.2.2 Data Streams: dynamic perspective .....                    | 12 |
| 5.2.2.0 General .....  | 12 |
| 5.2.2.1 Defining stream port types .....                         | 12 |
| 5.2.2.2 Declaration and instantiation of stream ports.....       | 13 |
| 5.2.2.3 The Connect and Map operations.....                      | 14 |
| 5.2.3 Data stream access operations .....                        | 15 |
| 5.2.3.0 General .....  | 15 |
| 5.2.3.1 The value operation.....                                 | 15 |
| 5.2.3.2 The timestamp operation.....                             | 16 |
| 5.2.3.3 The delta operation.....                                 | 16 |
| 5.2.4 Data stream navigation operations.....                     | 17 |
| 5.2.4.0 General .....  | 17 |
| 5.2.4.1 The prev operation .....                                 | 17 |
| 5.2.4.2 The at operation .....                                   | 18 |
| 5.2.5 Data stream extraction and application operations .....    | 19 |
| 5.2.5.0 General .....  | 19 |
| 5.2.5.1 The history operation .....                              | 19 |
| 5.2.5.2 The values operation .....                               | 20 |
| 5.2.5.3 The apply operation.....                                 | 20 |
| 5.2.6 Port control operations.....                               | 21 |
| 5.2.7 Stream ports in static configurations.....                 | 22 |
| 5.3 The assert statement .....                                   | 22 |
| 5.4 Control structures for continuous and hybrid behaviour ..... | 23 |
| 5.4.0 General.....   | 23 |
| 5.4.1 Modes .....  | 23 |
| 5.4.1.0 General .....  | 23 |
| 5.4.1.1 Definition of the until block .....                      | 25 |
| 5.4.1.1.0 General .....  | 25 |
| 5.4.1.1.1 Definition of transition guards and events.....        | 25 |
| 5.4.1.1.2 Definition of follow up modes.....                     | 26 |
| 5.4.1.1.3 The repeat statement.....                              | 27 |
| 5.4.1.1.4 The continue statement.....                            | 27 |
| 5.4.1.2 Definition of invariant blocks .....                     | 27 |
| 5.4.1.3 Definition of the onentry block .....                    | 28 |

|                               |  |           |
|-------------------------------|--|-----------|
| 5.4.1.4                       | Definition of the onexit block .....   | 29        |
| 5.4.1.5                       | Local predicate symbols in the context of modes .....                                  | 30        |
| 5.4.1.6                       | The duration operator.....   | 30        |
| 5.4.2                         | Atomic modes: the cont statement.....  | 31        |
| 5.4.3                         | Parallel mode composition: the par statement .....                                     | 32        |
| 5.4.4                         | Sequential mode composition: the seq statement.....                                    | 33        |
| 5.4.5                         | Parameterizable modes .....  | 34        |
| 5.4.5.0                       | General .....  | 34        |
| 5.4.5.1                       | Parameterizable mode definitions .....   | 34        |
| 5.4.5.2                       | Mode types (optional) .....  | 35        |
| 5.5                           | The wait statement.....  | 35        |
| 6                             | TRI extensions for the package .....   | 36        |
| 6.0                           | General .....  | 36        |
| 6.1                           | Extensions to clause 5.5 of ETSI ES 201 873-5: Communication interface operations..... | 36        |
| 6.2                           | Extensions to clause 5.6 of ETSI ES 201 873-5: Platform interface operations.....      | 37        |
| 6.3                           | Extensions to clause 6.3.2 of ETSI ES 201 873-5: Structured type mapping.....          | 40        |
| 6.3.1                         | TriConfigurationIdType.....  | 40        |
| 6.3.1.0                       | General .....  | 40        |
| 6.3.1.1                       | Methods.....   | 40        |
| 6.4                           | Extensions to clause 6.5.2.1 of ETSI ES 201 873-5: TriCommunicationSA .....            | 40        |
| 6.5                           | Extensions to clause 6.5.3.1 of ETSI ES 201 873-5: TriPlatformPA .....                 | 40        |
| 6.6                           | Extensions to clause 6.5.3.2 of ETSI ES 201 873-5: TriPlatformTE .....                 | 41        |
| 6.7                           | Extensions to clause 7.2.1 of ETSI ES 201 873-5: Abstract type mapping.....            | 41        |
| 6.8                           | Extensions to clause 7.2.4 of ETSI ES 201 873-5: TRI operation mapping.....            | 42        |
| 6.9                           | Extensions to clause 8.5.2 of ETSI ES 201 873-5: Abstract data types .....             | 42        |
| 6.9.1                         | TriConfigurationId.....  | 42        |
| 6.9.1.0                       | General .....  | 42        |
| 6.9.1.1                       | Methods.....   | 42        |
| 6.10                          | Extensions to clause 8.6.1 of ETSI ES 201 873-5: TriCommunicationSA .....              | 43        |
| 6.11                          | Extensions to clause 8.6.3 of ETSI ES 201 873-5: TriPlatformPA .....                   | 43        |
| 6.12                          | Extensions to clause 8.6.4 of ETSI ES 201 873-5: TriPlatformTE .....                   | 43        |
| 6.13                          | Extensions to clause 9.4.2 of ETSI ES 201 873-5: Structured type mapping.....          | 44        |
| 6.13.1                        | TriConfigurationIdType.....  | 44        |
| 6.13.1.0                      | General .....  | 44        |
| 6.13.1.1                      | Members .....  | 44        |
| 6.14                          | Extensions to clause 9.5.2.1 of ETSI ES 201 873-5: ITriCommunicationSA .....           | 44        |
| 6.15                          | Extensions to clause 9.5.2.3 of ETSI ES 201 873-5: ITriPlatformPA.....                 | 45        |
| 6.16                          | Extensions to clause 9.5.2.4 of ETSI ES 201 873-5: ITriPlatformTE.....                 | 45        |
| 7                             | TCI extensions for the package .....   | 45        |
| 7.1                           | Extensions to clause 7.3.3.2 of ETSI ES 201 873-6: TCI-CH provided .....               | 45        |
| 7.2                           | Extensions to clause 7.3.3.1 of ETSI ES 201 873-6: TCI-CH required .....               | 46        |
| 7.3                           | Extensions to clause 8.5.3.1 of ETSI ES 201 873-6: TCI-CH provided .....               | 47        |
| 7.4                           | Extensions to clause 8.5.3.2 of ETSI ES 201 873-6: TCI-CH required .....               | 47        |
| 7.5                           | Extensions to clause 9.4.3.1 of ETSI ES 201 873-6: TCI-CH provided .....               | 47        |
| 7.6                           | Extensions to clause 9.4.3.2 of ETSI ES 201 873-6: TCI-CH required .....               | 47        |
| 7.7                           | Extensions to clause 10.6.3.1 of ETSI ES 201 873-6: TciChRequired .....                | 47        |
| 7.8                           | Extensions to clause 10.6.3.2 of ETSI ES 201 873-6: TciChProvided.....                 | 48        |
| 7.9                           | Extensions to clause 12.5.3.1 of ETSI ES 201 873-6: TCI-CH provided.....               | 48        |
| 7.10                          | Extensions to clause 12.5.3.2 of ETSI ES 201 873-6: TCI-CH required .....              | 48        |
| <b>Annex A (normative):</b>   | <b>BNF and static semantics .....</b>  | <b>49</b> |
| A.1                           | New TTCN-3 terminals.....  | 49        |
| A.2                           | Changed BNF Rules.....   | 49        |
| A.3                           | New BNF Rules .....  | 50        |
| <b>Annex B (informative):</b> | <b>Bibliography .....</b>  | <b>52</b> |
| History .....                 |  | 53        |

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

**The use of underline (additional text) and strike through (deleted text) highlights the differences between base document and extended documents.**

The present document relates to the multi-part standard ETSI ES 201 873 covering the Testing and Test Control Notation version 3, as identified below:

- Part 1: "TTCN-3 Core Language";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification".

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# 1 Scope

The present document defines the "Continuous Signal support" package of TTCN-3. TTCN-3 can be used for the specification of all types of reactive system tests over a variety of communication ports. Typical areas of application are protocol testing (including mobile and Internet protocols), service testing (including supplementary services), module testing, testing of APIs, etc. TTCN-3 is not restricted to conformance testing and can be used for many other kinds of testing including interoperability, robustness, regression, system and integration testing. The specification of test suites for physical layer protocols is outside the scope of the present document.

TTCN-3 packages are intended to define additional TTCN-3 concepts, which are not mandatory as concepts in the TTCN-3 core language, but which are optional as part of a package which is suited for dedicated applications and/or usages of TTCN-3.

This package defines concepts for testing systems using continuous signals as opposed to discrete messages and the characterization of the progression of such signals by use of **streams**. For both the production as well as the evaluation of continuous signals the concept of **mode** is introduced. Also, the signals can be processed as **history**-traces. Finally, basic mathematical functions that are useful for analyzing such traces are defined for TTCN-3. It is thus especially useful for testing systems which communicate with the physical world via sensors and actuators.

While the design of TTCN-3 package has taken into account the consistency of a combined usage of the core language with a number of packages, the concrete usages of and guidelines for this package in combination with other packages is outside the scope of the present document.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-1 (V4.9.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".
- [2] ETSI ES 201 873-4 (V4.6.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 4: TTCN-3 Operational Semantics".
- [3] ETSI ES 201 873-5 (V4.8.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 5: TTCN-3 Runtime Interface (TRI)".
- [4] ETSI ES 201 873-6 (V4.9.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)".
- [5] ISO/IEC 9646-1: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework; Part 1: General concepts".
- [6] ETSI ES 202 785 (V1.3.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".
- [7] ETSI ES 202 781 (V1.3.1): "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".