

# BSI Standards Publication

# Adjustable speed electrical power drive systems

Part 9-1: Ecodesign for power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)



BRITISH STANDARD

### National foreword

This British Standard is the UK implementation of EN 61800-9-1:2017. It is identical to IEC 61800-9-1:2017. It supersedes BS EN 50598-1:2014, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 88323 1

ICS 29.160.30; 29.200; 29.130.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2017.

Amendments/corrigenda issued since publication

Date Text affected

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 61800-9-1

June 2017

ICS 29.130.01; 29.160.30; 29.200

Supersedes EN 50598-1:2014

### **English Version**

Adjustable speed electrical power drive systems Part 9-1: Ecodesign for power drive systems, motor starters,
power electronics and their driven applications - General
requirements for setting energy efficiency standards for power
driven equipment using the extended product approach (EPA)
and semi analytic model (SAM)
(IEC 61800-9-1:2017)

Entraînements électriques de puissance à vitesse variable - Partie 9-1: Écoconception des entraînements électriques de puissance, des démarreurs de moteurs, de l'électronique de puissance et de leurs applications entraînées - Exigences générales pour définir les normes d'efficacité énergétique d'un équipement entraîné via l'approche produit étendu (EPA) et le modèle semi-analytique (SAM) (IEC 61800-9-1:2017)

Drehzahlveränderbare elektrische Antriebe Teil 9-1: Energieeffizienz für Antriebssysteme, Motorstarter,
Leistungselektronik und deren angetriebene Einrichtungen Allgemeine Anforderungen für die Erstellung von Normen
zur Energieeffizienz von Ausrüstungen mit Elektroantrieb
nach dem erweiterten Produktansatz (EPA) und semianalytischen Modellen (SAM)
(IEC 61800-9-1:2017)

This European Standard was approved by CENELEC on 2017-04-07. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

### **European foreword**

The text of document 22G/348/FDIS, future edition 1 of IEC 61800-9-1, prepared by SC 22G "Adjustable speed electric drive systems incorporating semiconductor power converters", of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61800-9-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-04-07 the document have to be withdrawn

This document supersedes EN 50598-1:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 61800-9-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-1	NOTE	Harmonized as EN 60034-1.
IEC 60034-2-2	NOTE	Harmonized as EN 60034-2-2.
IEC 60034-30-1	NOTE	Harmonized as EN 60034-30-1.
IEC 60947-4-1	NOTE	Harmonized as EN 60947-4-1.
IEC 60947-4-2	NOTE	Harmonized as EN 60947-4-2.

EN 61800-9-1:2017

## Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="https://www.cenelec.eu">www.cenelec.eu</a>.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-161	-	International Electrotechnical Vocabulary (IEV) - Chapter 161: Electromagnetic compatibility	-	-
IEC 60034-2-1	2014	Rotating electrical machines - Part 2-1: Standard methods for determining losses and efficiency from tests (excluding machines for traction vehicles)	EN 60034-2-1	2014
IEC/TS 60034-2-3	-	Rotating electrical machines - Part 2-3: Specific test methods for determining losses and efficiency of converter-fed AC induction motors	-	-
IEC 61800-9-2	2017	Adjustable speed electrical power drive systems - Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications - Energy efficiency indicators for power drive systems and motor starters	EN 61800-9-2	2017

## CONTENTS

FUREWURD.		4
INTRODUCTI	ON	6
1 Scope		8
2 Normativ	e references	8
3 Terms, de	efinitions and symbols	9
3.1 Ter	ms and definitions	9
	nbols	
	nents for the development of energy efficiency standards for extended	
products		12
	neral	
	sponsibility of the extended product standard or technical committee	
	ments to achieve the extended product approach	
•	nents for the semi analytic model (SAM) of the extended product	
•	nents for the semi analytic model (SAM) of the motor system	
	neral	
	erating points of the PDS	
	quirements if the motor system contains no CDM	
	the semi analytic models (SAMs) to the extended product approach	
	neral	
•	eed versus torque loss points of a motor system	18
	w to determine intermediate speed versus torque loss points of a motor tem	10
7.3.1	General	
7.3.1	Loss determination by maximum losses of neighboured loss points	
7.3.3	Loss determination by two-dimensional interpolation of losses of neighboured loss points	
	rmative) Example how to apply the SAM in the EPA for pump systems d speed versus torque loss points using the PDS	
Annex B (info	rmative) Calculation of the energy consumption based on the duty profile	24
Annex C (info	rmative) Basic torque and power vs. speed profiles, operating points	
over time		25
	neral	
C.2 Bas	sic torque and power vs. speed profiles	25
•	erating points over time	
	inition of the operating points over time	
C.4.1	General	26
C.4.2	Calculation of the energy consumption based on the operating points over time	
C.4.3	Example of loss calculation for different operating points over time	
Bibliography		31
Figure 1 – Illu	stration of core requirements of energy efficiency standardization	6
Figure 2 – Illu	stration of the extended product with embedded motor system	9
	akeholders and responsibilities for determination of the energy efficiency n extended product	13
	stration of the operating points (shaft speed, torque) for the	
	of relative losses of the power drive system (PDS)	17

Figure 5 – Speed versus torque relative power loss operating points to determine the motor starter or switchgear losses	17
Figure 6 – Responsibilities and workflow to derive the energy efficiency index (EEI) of an extended product	18
Figure 7 – Four segments of deviating operating points of a PDS	19
Figure 8 – Two-dimensional interpolation for deviating operating points	20
Figure A.1 – Three points of relative losses and shaded area of interest for the pump manufactures while defining their EEI (energy efficiency index)	22
Figure A.2 – Example how the SAMs of the PDS and the pump system shall interact to the resulting efficiency index of a pump system	23
Figure C.1 – Typical basic torque and power vs. speed profiles	26
Figure C.2 – Example of operating points over time	27
Table 1 – Illustration how to combine essential elements of the efficiency contributions	15
Table C.1 – Operating points over time for the investigated examples	28
Table C.2 – Losses in the specified operating points for configuration 1	28
Table C.3 – Losses in the specified operating points for configuration 2	29

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS -

Part 9-1: Ecodesign for power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-9-1 has been prepared by subcommittee 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee 22: Power electronic systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/348/FDIS	22G/351/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

- 5 -

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61800 series, published under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### INTRODUCTION

IEC SC 22G includes the standardization task force for dealing with energy efficiency of motor systems. It has close collaboration with several other technical committees (for example, IEC TC 2, IEC SC 121A).

IEC SC 22G maintains responsibility for all relevant aspects in the field of energy efficiency and ecodesign requirements for power electronics, switchgear, control gear and power drive systems and their industrial applications.

The core requirements of energy efficiency standardization are illustrated in Figure 1. The work has been agreed to provide the reasonable target as a best compromise.




Figure 1 – Illustration of core requirements of energy efficiency standardization

IEC 61800 (all parts) does not deal with mechanical engineering components.

NOTE Geared motors (motors with directly adapted gearboxes) are treated like power drive systems (converter plus motor). See IEC 60034-30-1 for classification of the losses of a geared motor. The efficiency classes of gearboxes as individual components are under consideration.

IEC 61800-9-1 is a subpart of the IEC 61800 series, which has the following structure:

- Part 1: General requirements Rating specifications for low voltage adjustable speed d.c. power drive systems
- Part 2: General requirements Rating specifications for low voltage adjustable speed a.c. power drive systems
- Part 3: EMC requirements and specific test methods
- Part 4: General requirements Rating specifications for a.c. power drive systems above 1 000 V a.c. and not exceeding 35 kV
- Part 5: Safety requirements
- Part 6: Guide for determination of types of load duty and corresponding current ratings
- Part 7: Generic interface and use of profiles for power drive systems
- Part 8: Specification of voltage on the power interface
- Part 9: Ecodesign for power drive systems, motor starters, power electronics and their driven applications

**-7** -

Each part is further subdivided into several subparts, published either as International Standards or as Technical Specifications or Technical Reports, some of which have already been published. Other will be published with the part number followed by a dash and a second number identifying the subdivision (for example, IEC 61800-9-2).

This subpart of IEC 61800-9 is an International Standard for characterizing the energy efficiency of motor systems when supplied by a motor starter or by a variable voltage/frequency converter. The goal of this part of IEC 61800-9 is to establish a clear and simple system for the comparison of the energy performance of motor systems that can help manufacturers to improve their products, to give users the necessary transparency and information and to provide a robust reference base for regulators and minimum energy performance standards.

The IEC 61800-9 series (Ecodesign for power drive systems, motor starters, power electronics and their driven applications) will consist of the following subparts:

- Part 9-1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)
- Part 9-2: Energy efficiency indicators for power drive systems and motor starters

### ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS -

Part 9-1: Ecodesign of power drive systems, motor starters, power electronics and their driven applications – General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA) and semi analytic model (SAM)

### 1 Scope

This part of IEC 61800 specifies the general methodology to energy efficiency standardization for any extended product by using the guidance of the extended product approach (EPA).

It enables product committees for driven equipment connected to motor systems (so called extended products) to interface with the relative power losses of the connected motor system (e.g. power drive system) in order to calculate the system energy efficiency for the whole application.

This is based on specified calculation models for speed/load profiles, the duty profiles and relative power losses of appropriate torque versus speed operating points.

This document specifies the methodology of determination of losses of the extended product and its sub-parts.

This document is applicable to motor systems operated by a motor starter or by a converter (power drive systems).

This document does not specify requirements for environmental impact declarations.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary – Part 161: Electromagnetic compatibility

IEC 60034-2-1:2014, Rotating electrical machines – Part 2-1: Standard methods for determining losses and efficiency from tests (excluding machines for traction vehicles)

IEC TS 60034-2-3, Rotating electrical machines – Part 2-3: Specific test methods for determining losses and efficiency of converter-fed AC induction motors

IEC 61800-9-2:2016, Adjustable speed electrical power drive systems — Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications — Energy efficiency indicators for power drive systems and motor starters