

TECHNICAL SPECIFICATION



**Electronic displays –
Part 3-1: Evaluation of optical performances – Colour difference based viewing
direction dependence**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

TECHNICAL SPECIFICATION



**Electronic displays –
Part 3-1: Evaluation of optical performances – Colour difference based viewing
direction dependence**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120; 21.260

ISBN 978-2-8322-6515-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	7
3.1 General.....	7
3.2 Abbreviated terms.....	7
4 Standard measuring equipment and coordinate system	8
4.1 Light measuring device	8
4.2 Viewing direction coordinate system	8
5 Measuring conditions.....	9
5.1 Standard measuring environmental conditions	9
5.2 Power supply	9
5.3 Warm-up time	9
5.4 Standard measuring dark-room conditions	9
5.5 Standard set-up conditions	9
5.5.1 General	9
5.5.2 Adjustment of display	9
6 Measurement methods	10
6.1 Measurement procedures.....	10
6.2 Test signals (test charts).....	11
7 Calculation of chromaticity and colour difference	12
8 Reporting.....	15
Annex A (informative) Perception of colour difference.....	19
Annex B (informative) Other attenuation factors.....	20
B.1 General.....	20
B.2 Attenuation factors proposed	20
Annex C (informative) Other parameters	21
C.1 Measurement of half luminance angle	21
C.2 Measurement of gamma distortion from the viewing directions.....	21
Annex D (informative) Translation of RGB input signal to output colours.....	24
Annex E (informative) Simulation result of chromaticity error versus number of pixels in the measurement area	28
E.1 General.....	28
E.2 Simulation conditions	28
E.3 Simulation result.....	29
Bibliography.....	31
Figure 1 – Illustration of viewing directions θ and ϕ	8
Figure 2 – Measuring layout for horizontal viewing direction dependency.....	10
Figure 3 – Measuring layout for vertical viewing direction dependency.....	11
Figure C.1 – Test pattern for gamma measurement	22
Figure C.2 – Example of linear regression of $\log(\Delta L_j)$ versus $\log(\Delta V_j)$ in normal direction (0°).....	23
Figure E.1 – Relative spectral radiance (left: LCD, right: OLED)	28

Figure E.2 – Measuring area versus DUT pixels.....	29
Figure E.3 – Number of measuring pixels versus chromaticity error	30
Table 1 – Measurement directions for TV in living rooms	11
Table 2 – Measurement directions for mobile displays	11
Table 3 – Input signal of 4 % window for viewing direction measurements	12
Table 4 – Attenuation factors	14
Table 5 – Parametric factors	15
Table 6 – Example of reporting format	16
Table A.1 – Perception of colour difference.....	19
Table B.1 -- Attenuation factors.....	20
Table C.1 – Worked-out example for gamma distortion from viewing direction	23
Table D.1 – Test colours.....	24
Table D.2 – RGB translation values for 8-bit colour (BT.2020 colour reference)	25
Table D.3 – RGB translation values for 10-bit colour (BT.2020 colour reference)	26
Table D.4 – RGB translation values for 10 bit colour (BT.709 colour reference)	27
Table E.1– DUT’s primary chromaticity and chromaticity area gamut (% NTSC).....	28
Table E.2 – Number of sub-pixels in the measurement area.....	29
Table E.3 – Simulation result of chromaticity error (around 100 pixels)	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRONIC DISPLAYS –

Part 3-1: Evaluation of optical performances – Colour difference based viewing direction dependence

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS IEC 62977-3-1, which is a technical specification, has been prepared by IEC technical committee 110: Electronic displays.

The text of this technical specification is based on the following documents:

Draft TS	Report on voting
110/1003/DTS	110/1065/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62977 series, under the general title *Electronic displays*, can be found on the IEC website.

Future documents in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document aims to provide a measurement method that determines the display angular dependence after colour and white reference adaptation and provides an evaluation of differences in a uniform colour space.

This document facilitates the cross-industry measurement of the viewing direction dependence of colour displays. Several studies [6 to 9]¹ have indicated that the contrast ratio ($CR > 10:1$) is, from a visual quality point of view, not useful to determine the viewing direction range for matrix displays. When colour differences are included in a viewing direction metric, the correlation between the metric value and a visual assessment value is significantly increased [10]. A more recent study [11] revealed that a metric, combining viewing-direction related luminance degradation and colour deviation can accurately predict the relative change in the visual assessment value. This information is the basis for the determination of the viewing direction range, which has relevance from a visual quality point of view.

NOTE “Viewing direction range” is sometimes referred to as “viewing angle”. Although technically incorrect, for legacy reasons the terms is considered equivalent.

¹ Numbers in square brackets refer to the Bibliography.

ELECTRONIC DISPLAYS –

Part 3-1: Evaluation of optical performances – Colour difference based viewing direction dependence

1 Scope

This part of IEC 62977 specifies the evaluation method of the viewing direction characteristics of electronic display devices under dark-room conditions. More specifically, this document focuses on the evaluation of the viewing direction characteristics based on colour difference.

This document applies to colour matrix displays, which are based on transmissive or emissive technologies.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11664-1, *Colorimetry – Part 1: CIE standard colorimetric observers*

ISO 11664-4, *Colorimetry – Part 4: CIE 1976 L*a*b* Colour space*

ISO/CIE 11664-6:2014, *Colorimetry – Part 6: CIEDE2000 Colour-difference formula*

CIE 159, *A colour appearance model for colour management systems: CIECAM02*

CIE 168, *Criteria for the evaluation of extended-gamut colour encodings*

3 Terms, definitions and abbreviated terms

3.1 General

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.2 Abbreviated terms

APL	average pixel loading
CIE	Commission Internationale de L'Eclairage (International Commission on Illumination)
CIEDE2000	CIE 2000 delta-E colour difference system
CIELAB	CIE 1976 (L*a*b*) colour space
CR	contrast ratio