



PROCESS
INDUSTRY
PRACTICES

TECHNICAL REVISION
September 2022

Process Control

PIP PCTPA001
Testing of Process Analyzer System

PURPOSE AND USE OF PROCESS INDUSTRY PRACTICES

In an effort to minimize the cost of process industry facilities, this Practice has been prepared from the technical requirements in the existing standards of major industrial users, contractors, or standards organizations. By harmonizing these technical requirements into a single set of Practices, administrative, application, and engineering costs to both the purchaser and the manufacturer should be reduced. While this Practice is expected to incorporate the majority of requirements of most users, individual applications may involve requirements that will be appended to and take precedence over this Practice. Determinations concerning fitness for purpose and particular matters or application of the Practice to particular project or engineering situations should not be made solely on information contained in these materials. The use of trade names from time to time should not be viewed as an expression of preference but rather recognized as normal usage in the trade. Other brands having the same specifications are equally correct and may be substituted for those named. All Practices or guidelines are intended to be consistent with applicable laws and regulations including OSHA requirements. To the extent these Practices or guidelines should conflict with OSHA or other applicable laws or regulations, such laws or regulations must be followed. Consult an appropriate professional before applying or acting on any material contained in or suggested by the Practice.

This Practice is subject to revision at any time.

© Process Industry Practices (PIP), Construction Industry Institute, The University of Texas at Austin, 3925 West Braker Lane (R4500), Austin, Texas 78759. PIP Member Companies and Subscribers may copy this Practice for their internal use. Changes or modifications of any kind are not permitted within any PIP Practice without the express written authorization of PIP. Authorized Users may attach addenda or overlays to clearly indicate modifications or exceptions to specific sections of PIP Practices. Authorized Users may provide their clients, suppliers and contractors with copies of the Practice solely for Authorized Users' purposes. These purposes include but are not limited to the procurement process (e.g., as attachments to requests for quotation/ purchase orders or requests for proposals/contracts) and preparation and issue of design engineering deliverables for use on a specific project by Authorized User's client. PIP's copyright notices must be clearly indicated and unequivocally incorporated in documents where an Authorized User desires to provide any third party with copies of the Practice.

PUBLISHING HISTORY

January 2001 *Issued*
August 2006 *Complete Revision*
January 2016 *Complete Revision*

September 2022 *Technical Revision*

Not printed with State funds



PIP PCTPA001

Testing of Process Analyzer System

Table of Contents

1. Scope	2
2. References	2
Process Industry Practices	2
3. Definitions	2
4. Requirements	2
4.1 General	2
4.2 Original Equipment Manufacturer (OEM) Tests	3
4.3 Factory Acceptance Tests (FAT).....	5
4.4 Site Acceptance Tests (SAT)	8

1. Scope

This Practice provides requirements for inspection and acceptance testing of process analyzer systems and field enclosures. This Practice describes requirements inspection and acceptance tests for process analyzer systems performed as follows:

- a. On process analyzer(s) performed by the OEM
- b. On the fabricated process analyzer systems and shelter(s) performed by the Analyzer System Vendors (ASV)
- c. On the installed systems on site as a requirement for turnover to the owner

2. References

Applicable parts of the following Practices should be considered an integral part of this Practice. The edition in effect on the date of contract award should be used, except as otherwise noted. Short titles are used herein where appropriate.

Process Industry Practices (PIP)

- PIP PCEPA002 - *Process Analyzer Project Implementation Guidelines*
- PIP PCSPA002 - *Process Analyzer System Data Sheet Instructions*
- PIP PCSPA002-D - *Process Analyzer System Data Sheet* (included in PCSPA002)

3. Definitions

owner: Party who owns the facility wherein the process analyzer systems will be used

4. Requirements

4.1 General

- 4.1.1 Inspection and acceptance testing of process analyzer systems on a major capital project can require the participation of only one or several of the following resource groups:
 - a. Owner company personnel
 - b. Engineering & Construction contractor personnel
 - c. Analyzer System Vendors (ASV)
 - d. Analyzer Original Equipment Manufacturer (OEM)
- 4.1.2 Physical inspections shall be performed by both the ASV and the OEM.
- 4.1.3 Acceptance testing shall be performed at factory (FAT) and at site (SAT). Test procedures shall be approved by Owner prior to testing.
- 4.1.4 Before performing an acceptance test, statistical quality control (SQC) performance data shall be provided by the ASV and/or the OEM.