

# ETSI TS 136 355 V14.2.0 (2017-07)



**LTE;  
Evolved Universal Terrestrial Radio Access (E-UTRA);  
LTE Positioning Protocol (LPP)  
(3GPP TS 36.355 version 14.2.0 Release 14)**



---

Reference

RTS/TSGR-0236355ve20

---

Keywords

LTE

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope .....	10
2 References .....	10
3 Definitions and Abbreviations.....	11
3.1 Definitions .....	11
3.2 Abbreviations .....	12
4 Functionality of Protocol.....	13
4.1 General .....	13
4.1.1 LPP Configuration .....	13
4.1.2 LPP Sessions and Transactions.....	14
4.1.3 LPP Position Methods .....	14
4.1.4 LPP Messages .....	14
4.2 Common LPP Session Procedure .....	15
4.3 LPP Transport .....	16
4.3.1 Transport Layer Requirements .....	16
4.3.2 LPP Duplicate Detection .....	16
4.3.3 LPP Acknowledgement .....	16
4.3.3.1 General .....	16
4.3.3.2 Procedure related to Acknowledgement.....	16
4.3.4 LPP Retransmission.....	17
4.3.4.1 General .....	17
4.3.4.2 Procedure related to Retransmission .....	17
5 LPP Procedures .....	18
5.1 Procedures related to capability transfer .....	18
5.1.1 Capability Transfer procedure.....	18
5.1.2 Capability Indication procedure.....	19
5.1.3 Reception of LPP Request Capabilities .....	19
5.1.4 Transmission of LPP Provide Capabilities.....	20
5.2 Procedures related to Assistance Data Transfer.....	20
5.2.1 Assistance Data Transfer procedure.....	20
5.2.2 Assistance Data Delivery procedure .....	20
5.2.3 Transmission of LPP Request Assistance Data .....	21
5.2.4 Reception of LPP Provide Assistance Data .....	21
5.3 Procedures related to Location Information Transfer .....	21
5.3.1 Location Information Transfer procedure .....	21
5.3.2 Location Information Delivery procedure .....	22
5.3.3 Reception of Request Location Information .....	23
5.3.4 Transmission of Provide Location Information .....	23
5.4 Error Handling Procedures .....	23
5.4.1 General.....	23
5.4.2 Procedures related to Error Indication .....	23
5.4.3 LPP Error Detection.....	24
5.4.4 Reception of an LPP Error Message .....	24
5.5 Abort Procedure .....	24
5.5.1 General.....	24
5.5.2 Procedures related to Abort .....	24
5.5.3 Reception of an LPP Abort Message .....	25
6 Information Element Abstract Syntax Definition.....	25
6.1 General .....	25

6.2	LPP PDU Structure .....	26
–	<i>LPP-PDU-Definitions</i> .....	26
–	<i>LPP-Message</i> .....	26
–	<i>LPP-MessageBody</i> .....	27
–	<i>LPP-TransactionID</i> .....	27
6.3	Message Body IEs .....	28
–	<i>RequestCapabilities</i> .....	28
–	<i>ProvideCapabilities</i> .....	28
–	<i>RequestAssistanceData</i> .....	29
–	<i>ProvideAssistanceData</i> .....	29
–	<i>RequestLocationInformation</i> .....	30
–	<i>ProvideLocationInformation</i> .....	30
–	<i>Abort</i> .....	31
–	<i>Error</i> .....	31
6.4	Common IEs.....	31
6.4.1	Common Lower-Level IEs .....	32
–	<i>AccessTypes</i> .....	32
–	<i>ARFCN-ValueEUTRA</i> .....	32
–	<i>ARFCN-ValueUTRA</i> .....	32
–	<i>CarrierFreq-NB</i> .....	32
–	<i>CellGlobalIdEUTRA-AndUTRA</i> .....	33
–	<i>CellGlobalIdGERAN</i> .....	33
–	<i>ECGI</i> .....	34
–	<i>Ellipsoid-Point</i> .....	34
–	<i>Ellipsoid-PointWithUncertaintyCircle</i> .....	34
–	<i>EllipsoidPointWithUncertaintyEllipse</i> .....	35
–	<i>EllipsoidPointWithAltitude</i> .....	35
–	<i>EllipsoidPointWithAltitudeAndUncertaintyEllipsoid</i> .....	35
–	<i>EllipsoidArc</i> .....	35
–	<i>EPDU-Sequence</i> .....	36
–	<i>HorizontalVelocity</i> .....	36
–	<i>HorizontalWithVerticalVelocity</i> .....	37
–	<i>HorizontalVelocityWithUncertainty</i> .....	37
–	<i>HorizontalWithVerticalVelocityAndUncertainty</i> .....	37
–	<i>LocationCoordinateTypes</i> .....	37
–	<i>Polygon</i> .....	38
–	<i>PositioningModes</i> .....	38
–	<i>VelocityTypes</i> .....	38
6.4.2	Common Positioning .....	38
–	<i>CommonIEsRequestCapabilities</i> .....	38
–	<i>CommonIEsProvideCapabilities</i> .....	39
–	<i>CommonIEsRequestAssistanceData</i> .....	39
–	<i>CommonIEsProvideAssistanceData</i> .....	39
–	<i>CommonIEsRequestLocationInformation</i> .....	39
–	<i>CommonIEsProvideLocationInformation</i> .....	43
–	<i>CommonIEsAbort</i> .....	44
–	<i>CommonIEsError</i> .....	44
6.5	Positioning Method IEs .....	45
6.5.1	OTDOA Positioning .....	45
6.5.1.1	OTDOA Assistance Data .....	45
–	<i>OTDOA-ProvideAssistanceData</i> .....	45
6.5.1.2	OTDOA Assistance Data Elements .....	46
–	<i>OTDOA-ReferenceCellInfo</i> .....	46
–	<i>PRS-Info</i> .....	47
–	<i>OTDOA-NeighbourCellInfoList</i> .....	48
–	<i>OTDOA-ReferenceCellInfoNB</i> .....	52
–	<i>PRS-Info-NB</i> .....	53
–	<i>OTDOA-NeighbourCellInfoListNB</i> .....	56
6.5.1.3	OTDOA Assistance Data Request .....	59
–	<i>OTDOA-RequestAssistanceData</i> .....	59
6.5.1.4	OTDOA Location Information.....	59
–	<i>OTDOA-ProvideLocationInformation</i> .....	59

6.5.1.5	OTDOA Location Information Elements .....	59
–	<i>OTDOA-SignalMeasurementInformation</i> .....	59
–	<i>OTDOA-SignalMeasurementInformation-NB</i> .....	62
–	<i>OTDOA-MeasQuality</i> .....	64
–	<i>AdditionalPath</i> .....	65
6.5.1.6	OTDOA Location Information Request .....	65
–	<i>OTDOA-RequestLocationInformation</i> .....	65
6.5.1.7	OTDOA Capability Information .....	66
–	<i>OTDOA-ProvideCapabilities</i> .....	66
6.5.1.8	OTDOA Capability Information Request .....	68
–	<i>OTDOA-RequestCapabilities</i> .....	68
6.5.1.9	OTDOA Error Elements .....	68
–	<i>OTDOA-Error</i> .....	68
–	<i>OTDOA-LocationServerErrorCauses</i> .....	68
–	<i>OTDOA-TargetDeviceErrorCauses</i> .....	68
6.5.2	A-GNSS Positioning .....	69
6.5.2.1	GNSS Assistance Data .....	69
–	<i>A-GNSS-ProvideAssistanceData</i> .....	69
–	<i>GNSS-CommonAssistData</i> .....	69
–	<i>GNSS-GenericAssistData</i> .....	69
6.5.2.2	GNSS Assistance Data Elements .....	70
–	<i>GNSS-ReferenceTime</i> .....	70
–	<i>GNSS-SystemTime</i> .....	71
–	<i>GPS-TOW-Assist</i> .....	72
–	<i>NetworkTime</i> .....	72
–	<i>GNSS-ReferenceLocation</i> .....	74
–	<i>GNSS-IonosphericModel</i> .....	75
–	<i>KlobucharModelParameter</i> .....	75
–	<i>NeQuickModelParameter</i> .....	76
–	<i>GNSS-EarthOrientationParameters</i> .....	76
–	<i>GNSS-TimeModelList</i> .....	77
–	<i>GNSS-DifferentialCorrections</i> .....	78
–	<i>GNSS-NavigationModel</i> .....	80
–	<i>StandardClockModelList</i> .....	82
–	<i>NAV-ClockModel</i> .....	83
–	<i>CNAV-ClockModel</i> .....	84
–	<i>GLONASS-ClockModel</i> .....	85
–	<i>SBAS-ClockModel</i> .....	85
–	<i>BDS-ClockModel</i> .....	86
–	<i>NavModelKeplerianSet</i> .....	86
–	<i>NavModelNAV-KeplerianSet</i> .....	87
–	<i>NavModelCNAV-KeplerianSet</i> .....	89
–	<i>NavModel-GLONASS-ECEF</i> .....	90
–	<i>NavModel-SBAS-ECEF</i> .....	91
–	<i>NavModel-BDS-KeplerianSet</i> .....	92
–	<i>GNSS-RealTimeIntegrity</i> .....	93
–	<i>GNSS-DataBitAssistance</i> .....	94
–	<i>GNSS-AcquisitionAssistance</i> .....	95
–	<i>GNSS-Almanac</i> .....	98
–	<i>AlmanacKeplerianSet</i> .....	99
–	<i>AlmanacNAV-KeplerianSet</i> .....	100
–	<i>AlmanacReducedKeplerianSet</i> .....	101
–	<i>AlmanacMidiAlmanacSet</i> .....	102
–	<i>AlmanacGLONASS-AlmanacSet</i> .....	103
–	<i>AlmanacECEF-SBAS-AlmanacSet</i> .....	104
–	<i>AlmanacBDS-AlmanacSet</i> .....	105
–	<i>GNSS-UTC-Model</i> .....	106
–	<i>UTC-ModelSet1</i> .....	106
–	<i>UTC-ModelSet2</i> .....	107
–	<i>UTC-ModelSet3</i> .....	108
–	<i>UTC-ModelSet4</i> .....	108
–	<i>UTC-ModelSet5</i> .....	109

–	<i>GNSS-AuxiliaryInformation</i> .....	110
–	<i>BDS-DifferentialCorrections</i> .....	111
–	<i>BDS-GridModelParameter</i> .....	112
6.5.2.3	GNSS Assistance Data Request .....	112
–	<i>A-GNSS-RequestAssistanceData</i> .....	112
–	<i>GNSS-CommonAssistDataReq</i> .....	113
–	<i>GNSS-GenericAssistDataReq</i> .....	113
6.5.2.4	GNSS Assistance Data Request Elements .....	114
–	<i>GNSS-ReferenceTimeReq</i> .....	114
–	<i>GNSS-ReferenceLocationReq</i> .....	114
–	<i>GNSS-IonosphericModelReq</i> .....	115
–	<i>GNSS-EarthOrientationParametersReq</i> .....	115
–	<i>GNSS-TimeModelListReq</i> .....	115
–	<i>GNSS-DifferentialCorrectionsReq</i> .....	116
–	<i>GNSS-NavigationModelReq</i> .....	116
–	<i>GNSS-RealTimeIntegrityReq</i> .....	118
–	<i>GNSS-DataBitAssistanceReq</i> .....	118
–	<i>GNSS-AcquisitionAssistanceReq</i> .....	119
–	<i>GNSS-AlmanacReq</i> .....	119
–	<i>GNSS-UTC-ModelReq</i> .....	119
–	<i>GNSS-AuxiliaryInformationReq</i> .....	120
–	<i>BDS-DifferentialCorrectionsReq</i> .....	120
–	<i>BDS-GridModelReq</i> .....	120
6.5.2.5	GNSS Location Information .....	121
–	<i>A-GNSS-ProvideLocationInformation</i> .....	121
6.5.2.6	GNSS Location Information Elements .....	121
–	<i>GNSS-SignalMeasurementInformation</i> .....	121
–	<i>MeasurementReferenceTime</i> .....	121
–	<i>GNSS-MeasurementList</i> .....	123
–	<i>GNSS-LocationInformation</i> .....	126
6.5.2.7	GNSS Location Information Request .....	127
–	<i>A-GNSS-RequestLocationInformation</i> .....	127
6.5.2.8	GNSS Location Information Request Elements .....	127
–	<i>GNSS-PositioningInstructions</i> .....	127
6.5.2.9	GNSS Capability Information .....	128
–	<i>A-GNSS-ProvideCapabilities</i> .....	128
6.5.2.10	GNSS Capability Information Elements .....	129
–	<i>GNSS-CommonAssistanceDataSupport</i> .....	129
–	<i>GNSS-ReferenceTimeSupport</i> .....	130
–	<i>GNSS-ReferenceLocationSupport</i> .....	130
–	<i>GNSS-IonosphericModelSupport</i> .....	130
–	<i>GNSS-EarthOrientationParametersSupport</i> .....	131
–	<i>GNSS-GenericAssistanceDataSupport</i> .....	131
–	<i>GNSS-TimeModelListSupport</i> .....	132
–	<i>GNSS-DifferentialCorrectionSupport</i> .....	132
–	<i>GNSS-NavigationModelSupport</i> .....	132
–	<i>GNSS-RealTimeIntegritySupport</i> .....	133
–	<i>GNSS-DataBitAssistanceSupport</i> .....	133
–	<i>GNSS-AcquisitionAssistanceSupport</i> .....	133
–	<i>GNSS-AlmanacSupport</i> .....	134
–	<i>GNSS-UTC-ModelSupport</i> .....	134
–	<i>GNSS-AuxiliaryInformationSupport</i> .....	135
–	<i>BDS-DifferentialCorrectionsSupport</i> .....	135
–	<i>BDS-GridModelSupport</i> .....	135
6.5.2.11	GNSS Capability Information Request .....	135
–	<i>A-GNSS-RequestCapabilities</i> .....	135
6.5.2.12	GNSS Error Elements .....	136
–	<i>A-GNSS-Error</i> .....	136
–	<i>GNSS-LocationServerErrorCauses</i> .....	136
–	<i>GNSS-TargetDeviceErrorCauses</i> .....	136
6.5.2.13	Common GNSS Information Elements .....	137
–	<i>GNSS-ID</i> .....	137

–	<i>GNSS-ID-Bitmap</i> .....	137
–	<i>GNSS-SignalID</i> .....	137
–	<i>GNSS-SignalIDs</i> .....	138
–	<i>SBAS-ID</i> .....	139
–	<i>SBAS-IDs</i> .....	139
–	<i>SV-ID</i> .....	139
6.5.3	Enhanced Cell ID Positioning .....	140
6.5.3.1	E-CID Location Information .....	140
–	<i>ECID-ProvideLocationInformation</i> .....	140
6.5.3.2	E-CID Location Information Elements .....	140
–	<i>ECID-SignalMeasurementInformation</i> .....	140
6.5.3.3	E-CID Location Information Request .....	141
–	<i>ECID-RequestLocationInformation</i> .....	141
6.5.3.4	E-CID Capability Information .....	142
–	<i>ECID-ProvideCapabilities</i> .....	142
6.5.3.5	E-CID Capability Information Request .....	143
–	<i>ECID-RequestCapabilities</i> .....	143
6.5.3.6	E-CID Error Elements .....	143
–	<i>ECID-Error</i> .....	143
–	<i>ECID-LocationServerErrorCauses</i> .....	143
–	<i>ECID-TargetDeviceErrorCauses</i> .....	143
6.5.4	Terrestrial Beacon System Positioning .....	144
6.5.4.1	TBS Location Information .....	144
–	<i>TBS-ProvideLocationInformation</i> .....	144
6.5.4.2	TBS Location Information Elements .....	144
–	<i>TBS-MeasurementInformation</i> .....	144
–	<i>MBS-BeaconMeasList</i> .....	145
6.5.4.3	TBS Location Information Request .....	146
–	<i>TBS-RequestLocationInformation</i> .....	146
6.5.4.4	TBS Capability Information .....	146
–	<i>TBS-ProvideCapabilities</i> .....	146
–	<i>MBS-AssistanceDataSupportList</i> .....	147
6.5.4.5	TBS Capability Information Request .....	147
–	<i>TBS-RequestCapabilities</i> .....	147
6.5.4.6	TBS Error Elements .....	147
–	<i>TBS-Error</i> .....	147
–	<i>TBS-LocationServerErrorCauses</i> .....	148
–	<i>TBS-TargetDeviceErrorCauses</i> .....	148
6.5.4.7	TBS Assistance Data .....	148
–	<i>TBS-ProvideAssistanceData</i> .....	148
6.5.4.8	TBS Assistance Data Elements .....	149
–	<i>TBS-AssistanceDataList</i> .....	149
–	<i>MBS-AlmanacAssistance</i> .....	149
–	<i>MBS-AcquisitionAssistance</i> .....	149
6.5.4.9	TBS Assistance Data Request .....	150
–	<i>TBS-RequestAssistanceData</i> .....	150
6.5.5	Sensor based Positioning .....	150
6.5.5.1	Sensor Location Information .....	150
–	<i>Sensor-ProvideLocationInformation</i> .....	150
6.5.5.2	Sensor Location Information Elements .....	150
–	<i>Sensor-MeasurementInformation</i> .....	150
6.5.5.3	Sensor Location Information Request .....	151
–	<i>Sensor-RequestLocationInformation</i> .....	151
6.5.5.4	Sensor Capability Information .....	151
–	<i>Sensor-ProvideCapabilities</i> .....	151
6.5.5.5	Sensor Capability Information Request .....	152
–	<i>Sensor-RequestCapabilities</i> .....	152
6.5.5.6	Sensor Error Elements .....	152
–	<i>Sensor-Error</i> .....	152
–	<i>Sensor-LocationServerErrorCauses</i> .....	153
–	<i>Sensor-TargetDeviceErrorCauses</i> .....	153
6.5.5.7	Sensor Assistance Data .....	153



–	<i>Sensor-ProvideAssistanceData</i> .....	153
6.5.5.8	Sensor Assistance Data Elements .....	153
–	<i>Sensor-AssistanceDataList</i> .....	153
6.5.5.9	Sensor Assistance Data Request .....	154
–	<i>Sensor-RequestAssistanceData</i> .....	154
6.5.6	WLAN-based Positioning .....	154
6.5.6.1	WLAN Location Information .....	154
–	<i>WLAN-ProvideLocationInformation</i> .....	154
6.5.6.2	WLAN Location Information Elements .....	154
–	<i>WLAN-MeasurementInformation</i> .....	154
6.5.6.3	WLAN Location Information Request .....	156
–	<i>WLAN-RequestLocationInformation</i> .....	156
6.5.6.4	WLAN Capability Information .....	156
–	<i>WLAN-ProvideCapabilities</i> .....	156
6.5.6.5	WLAN Capability Information Request .....	157
–	<i>WLAN-RequestCapabilities</i> .....	157
6.5.6.6	WLAN Error Elements .....	157
–	<i>WLAN-Error</i> .....	157
–	<i>WLAN-LocationServerErrorCauses</i> .....	158
–	<i>WLAN-TargetDeviceErrorCauses</i> .....	158
6.5.7	Bluetooth-based Positioning .....	161
6.5.7.1	Bluetooth Location Information .....	161
–	<i>BT-ProvideLocationInformation</i> .....	161
6.5.7.2	Bluetooth Location Information Elements .....	162
–	<i>BT-MeasurementInformation</i> .....	162
6.5.7.3	Bluetooth Location Information Request .....	162
–	<i>BT-RequestLocationInformation</i> .....	162
6.5.7.4	Bluetooth Capability Information .....	163
–	<i>BT-ProvideCapabilities</i> .....	163
6.5.7.5	Bluetooth Capability Information Request .....	163
–	<i>BT-RequestCapabilities</i> .....	163
6.5.7.6	BT Error Elements .....	164
–	<i>BT-Error</i> .....	164
–	<i>BT-LocationServerErrorCauses</i> .....	164
–	<i>BT-TargetDeviceErrorCauses</i> .....	164
–	<i>End of LPP-PDU-Definitions</i> .....	164
<b>Annex A (informative):</b>	<b>Change History</b> .....	<b>166</b>
History .....		169

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

The present document contains the definition of the LTE Positioning Protocol (LPP).

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.305: "Stage 2 functional specification of User Equipment (UE) positioning in E-UTRAN".
- [3] 3GPP TS 23.271: "Functional stage 2 description of Location Services (LCS)".
- [4] IS-GPS-200, Revision D, Navstar GPS Space Segment/Navigation User Interfaces, March 7<sup>th</sup>, 2006.
- [5] IS-GPS-705, Navstar GPS Space Segment/User Segment L5 Interfaces, September 22, 2005.
- [6] IS-GPS-800, Navstar GPS Space Segment/User Segment L1C Interfaces, September 4, 2008.
- [7] IS-QZSS, Quasi Zenith Satellite System Navigation Service Interface Specifications for QZSS, Ver.1.1, July 31, 2009.
- [8] Galileo OS Signal in Space ICD (OS SIS ICD), Issue 1.2, February 2014, European Union.
- [9] Global Navigation Satellite System GLONASS Interface Control Document, Version 5.1, 2008.
- [10] Specification for the Wide Area Augmentation System (WAAS), US Department of Transportation, Federal Aviation Administration, DTFA01-96-C-00025, 2001.
- [11] RTCM-SC104, RTCM Recommended Standards for Differential GNSS Service (v.2.3), August 20, 2001.
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); "Radio Resource Control (RRC); Protocol specification".
- [13] 3GPP TS 25.331: "Radio Resource Control (RRC); Protocol Specification".
- [14] 3GPP TS 44.031: "Location Services (LCS); Mobile Station (MS) - Serving Mobile Location Centre (SMLC) Radio Resource LCS Protocol (RRLP)".
- [15] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [16] 3GPP TS 36.211: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical Channels and Modulation".
- [17] 3GPP TS 36.214: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer – Measurements".
- [18] 3GPP TS 36.133: "Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for support of radio resource management".