

---

---

**Industrial tyres and rims — Rubber  
solid tyres (metric series) for  
pneumatic tyre rims —**

Part 1:  
**Designation, dimensions and marking**

*Pneumatiques et jantes industriels pour matériel de manutention —  
Bandages pleins en caoutchouc (série millimétrique) pour jantes de  
pneumatiques —*

*Partie 1: Désignation, cotes et marquage*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Tyre designations</b> .....	<b>1</b>
4.1 General.....	1
4.2 Nominal section width.....	2
4.3 Nominal aspect ratio.....	2
4.4 Nominal rim diameter code.....	2
4.5 Nominal rim width code.....	2
<b>5 Marking</b> .....	<b>3</b>
<b>6 Tyre dimensions</b> .....	<b>3</b>
6.1 General.....	3
6.2 Tyre section width.....	3
6.3 Tyre section height.....	3
6.4 Overall diameter.....	3
<b>7 Tyre size range</b> .....	<b>3</b>
<b>Bibliography</b> .....	<b>6</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 31, *Tyres, rims and valves*, Subcommittee SC 7, *Industrial tyres and rims*.

This second edition cancels and replaces the first edition (ISO 10499-1:1991) which has been technically revised. It also incorporates the Technical Corrigendum ISO 10499-1:1991/Cor. 1:1997. The main changes compared to the previous edition are as follows:

- addition of a new subclause on overall diameter in [Clause 6](#).

A list of all parts in the ISO 10499 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Industrial tyres and rims — Rubber solid tyres (metric series) for pneumatic tyre rims —

## Part 1: Designation, dimensions and marking

### 1 Scope

This document specifies the main requirements, including designations, dimensions and markings, of the metric series of rubber solid tyres for pneumatic tyre rims primarily intended for industrial machines for use on prepared surfaces.

Rim contours fitting these tyres are specified in ISO 3739-1 and ISO 3739-3.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3739-1, *Industrial tyres and rims — Part 1: Pneumatic tyres (metric series) on 5 degrees tapered or flat base rims — Designation, dimensions and marking*

ISO 3877-4, *Tyres, valves and tubes — List of equivalent terms — Part 4: Solid tyres*

ISO 4223-2, *Definitions of some terms used in the tyre industry — Part 2: Solid tyres*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4223-2 and ISO 3877-4 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 4 Tyre designations

#### 4.1 General

The dimensional and constructional characteristics shall be indicated as shown in [Figure 1](#):



**Figure 1 — — Indication of dimensional and constructional characteristics**