



Universal Mobile Telecommunications System (UMTS); LTE;

**Telecommunication management;
Subscription Management (SuM)
Network Resource Model (NRM)
Integration Reference Point (IRP);
Information Service (IS)**

(3GPP TS 28.752 version 13.0.0 Release 13)



Reference

RTS/TSGS-0528752vd00

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	9
4 Model	10
4.1 Imported information entities and local labels	10
4.2 Class diagram	10
4.2.1 Relationships.....	10
4.2.2 Inheritance	14
4.3 Class definitions	17
4.3.1 SuMService.....	17
4.3.1.1 Definition	17
4.3.1.2 Attributes.....	17
4.3.1.3 Attribute constraints.....	17
4.3.1.4 Notifications.....	17
4.3.2 CSService	17
4.3.2.1 Definition	17
4.3.2.2 Attributes.....	18
4.3.2.3 Attribute constraints.....	19
4.3.2.4 Notifications.....	19
4.3.3 GPRSService	19
4.3.3.1 Definition	19
4.3.3.2 Attributes.....	20
4.3.3.3 Attribute constraints.....	21
4.3.3.4 Notifications.....	21
4.3.4 IMSService	22
4.3.4.1 Definition	22
4.3.4.2 Attributes.....	22
4.3.4.3 Attribute constraints.....	22
4.3.4.4 Notifications.....	22
4.3.5 SuMSubscribedService	23
4.3.5.1 Definition	23
4.3.5.2 Attributes.....	23
4.3.5.3 Attribute constraints.....	23
4.3.5.4 Notifications.....	23
4.3.6 CSSubscribedService.....	23
4.3.6.1 Definition	23
4.3.6.2 Attributes.....	24
4.3.6.3 Attribute constraints.....	25
4.3.6.4 Notifications.....	25
4.3.7 GPRSSubscribedService.....	25
4.3.7.1 Definition	25
4.3.7.2 Attributes.....	26
4.3.7.3 Attribute constraints.....	27
4.3.7.4 Notifications.....	27
4.3.8 IMSSubscribedService.....	27

4.3.8.1	Definition	27
4.3.8.2	Attributes.....	28
4.3.8.3	Attribute constraints.....	28
4.3.8.4	Notifications.....	28
4.3.9	SuMSubscriberProfile.....	28
4.3.9.1	Definition	28
4.3.9.2	Attributes.....	29
4.3.9.3	Attribute constraints.....	29
4.3.9.4	Notifications.....	29
4.3.10	SuMServiceProfile.....	29
4.3.10.1	Definition	29
4.3.10.2	Attributes.....	29
4.3.10.3	Attribute constraints.....	29
4.3.10.4	Notifications.....	29
4.3.11	CSServiceProfile.....	29
4.3.11.1	Definition	29
4.3.11.2	Attributes.....	30
4.3.11.3	Attribute constraints.....	32
4.3.11.4	Notifications.....	32
4.3.12	GPRSSServiceProfile	32
4.3.12.1	Definition	32
4.3.12.2	Attributes.....	33
4.3.12.3	Attribute constraints.....	33
4.3.12.4	Notifications.....	34
4.3.13	IMSServiceProfile	34
4.3.13.1	Definition	34
4.3.13.2	Attributes.....	34
4.3.13.3	Attribute constraints.....	34
4.3.13.4	Notifications.....	35
4.3.14	SubscriptionFunction.....	35
4.3.14.1	Definition	35
4.3.14.2	Attributes.....	35
4.3.14.3	Attribute constraints.....	35
4.3.14.4	Notifications.....	35
4.3.15	SuMCSSupplService	35
4.3.15.1	Definition	35
4.3.15.2	Attributes.....	36
4.3.15.3	Attribute constraints.....	36
4.3.15.4	Notifications.....	36
4.3.16	SuMGPRSSupplService	37
4.3.16.1	Definition	37
4.3.16.2	Attributes.....	37
4.3.16.3	Attribute constraints.....	37
4.3.16.4	Notifications.....	37
4.3.17	SuMUser	37
4.3.17.1	Definition	37
4.3.17.2	Attributes.....	37
4.3.17.3	Attribute constraints.....	37
4.3.17.4	Notifications.....	38
4.3.18	SuMCredentials	38
4.3.18.1	Definition	38
4.3.18.2	Attributes.....	38
4.3.18.3	Attribute constraints.....	38
4.3.18.4	Notifications.....	38
4.3.19	IMSPublicIdentification.....	39
4.3.19.1	Definition	39
4.3.19.2	Attributes.....	39
4.3.19.3	Attribute constraints.....	39
4.3.19.4	Notifications.....	39
4.3.20	MobileUserData.....	39
4.3.20.1	Definition	39
4.3.20.2	Attributes.....	39

4.3.20.3	Attribute constraints	39
4.3.20.4	Notifications	39
4.3.21	SuMServiceParameter	40
4.3.21.1	Definition	40
4.3.21.2	Attributes	40
4.3.21.3	Attribute constraints	40
4.3.21.4	Notifications	40
4.3.22	SuMIdentity	40
4.3.22.1	Definition	40
4.3.22.2	Attributes	40
4.3.22.3	Attribute constraints	40
4.3.22.4	Notifications	40
4.3.23	ServerCapabilities	40
4.3.23.1	Definition	40
4.3.23.2	Attributes	41
4.3.23.3	Attribute constraints	41
4.3.23.4	Notifications	41
4.3.24	EPSService	41
4.3.24.1	Definition	41
4.3.24.2	Attributes	42
4.3.24.3	Attribute constraints	43
4.3.24.4	Notifications	43
4.3.25	EPSSubscribedService	43
4.3.25.1	Definition	43
4.3.25.2	Attributes	44
4.3.25.3	Attribute constraints	44
4.3.25.4	Notifications	45
4.3.26	EPSServiceProfile	45
4.3.26.1	Definition	45
4.3.26.2	Attributes	45
4.3.26.3	Attribute constraints	45
4.3.26.4	Notifications	45
4.3.27	PSCCommonServiceProfile	46
4.3.27.1	Definition	46
4.3.27.2	Attributes	46
4.3.27.3	Attribute constraints	46
4.3.27.4	Notifications	46
4.3.28	IWANParameters	47
4.3.28.1	Definition	47
4.3.28.2	Attributes	47
4.3.28.3	Attribute constraints	47
4.3.28.4	Notifications	47
4.3.29	OptHandover3GPP2Parameters	48
4.3.29.1	Definition	48
4.3.29.2	Attributes	48
4.3.29.3	Attribute constraints	48
4.3.29.4	Notifications	48
4.3.30	Non3GPPAccessParameters	48
4.3.30.1	Definition	48
4.3.30.2	Attributes	48
4.3.30.3	Attribute constraints	48
4.3.30.4	Notifications	48
4.3.31	Common3GPPAccessServiceProfile	49
4.3.31.1	Definition	49
4.3.31.2	Attributes	49
4.3.31.3	Attribute constraints	49
4.3.31.4	Notifications	49
4.4	Attribute definitions	49
4.4.1	Attribute properties	49
4.4.2	Constraints	71
4.5	Common notifications	71

Annex A (informative):	Change history	72
	History	73

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The interface Itf-N, defined in 3GPP TS 32.102 [2], is built up by a number of Integration Reference Points (IRPs) and a related Name Convention, which realise the functional capabilities over this interface. The basic structure of the IRPs is defined in 3GPP TS 32.101 [1] and 3GPP TS 32.102 [2].

The present document is part of a TS-family covering the 3rd Generation Partnership Project: Technical Specification Group Services and System Aspects; Telecommunication management, as identified below:

- TS 32.140: Subscription Management (SuM) requirements.
- TS 32.141: Subscription Management (SuM) architecture.
- TS 28.751: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements.
- TS 28.752: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS).**
- TS 28.753: Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Sets (SS) definitions.

1 Scope

The present document defines the Network Resource Model (NRM) for the SuM IRP which can be communicated between an IRP Agent and IRP Managers for subscription management purposes, including in the context of converged networks.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 32.101: "Telecommunication management; Principles and high level requirements".
- [2] 3GPP TS 32.102: "Telecommunication management; Architecture".
- [3] 3GPP TS 32.140: "Telecommunication management; Subscription Management (SuM) Requirements".
- [4] 3GPP TS 32.141: "Telecommunication management; Subscription Management (SuM) Architecture."
- [5] 3GPP TS 28.751: "Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements".
- [6] 3GPP TS 28.622: "Telecommunication management; Generic Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [7] 3GPP TS 23.008: "Organization of subscriber data".
- [8] 3GPP TS 29.228: "IP Multimedia (IM) Subsystem Cx and Dx interfaces; Signalling flows and message contents".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply. For terms and definitions not found here, please refer to 3GPP TS 32.101 [1], 3GPP TS 32.102 [2], 3GPP TS 32.140 [3] and TS 32.141 [4].

Subscription Profile: see 3GPP TS 32.140 [3].

Subscription Profile Component: see 3GPP TS 32.140 [3].

Subscription Profile Component Definition: specifies a Subscription Profile Component.

Subscriber Profile: see 3GPP TS 32.140 [3].

User: see 3GPP TS 32.140 [3].