

BS EN 60079-26:2015



BSI Standards Publication

Explosive atmospheres

Part 26: Equipment with Equipment
Protection Level (EPL) Ga

National foreword

This British Standard is the UK implementation of EN 60079-26:2015. It is identical to IEC 60079-26:2014. It supersedes BS EN 60079-26:2007 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EXL/31, Equipment for explosive atmospheres.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 82843 0
ICS 29.260.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60079-26

January 2015

ICS 29.260.20

Supersedes EN 60079-26:2007

English Version

**Explosive atmospheres -
Part 26: Equipment with Equipment Protection Level (EPL) Ga
(IEC 60079-26:2014)**

Atmosphères explosives -
Partie 26: Matériel d'un niveau de protection du matériel
(EPL) Ga
(IEC 60079-26:2014)

Explosionsgefährdete Bereiche -
Teil 26: Betriebsmittel mit Geräteschutzniveau (EPL) Ga
(IEC 60079-26:2014)

This European Standard was approved by CENELEC on 2014-12-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 31/1146/FDIS, future edition 3 of IEC 60079-26, prepared by IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-26:2015.

The following dates are fixed:

- latest date by which the document has to be (dop) 2015-09-02
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2017-12-02
standards conflicting with the
document have to be withdrawn

This document supersedes EN 60079-26:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

Endorsement notice

The text of the International Standard IEC 60079-26:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-7	NOTE	Harmonized as EN 60079-7.
IEC 60079-14	NOTE	Harmonized as EN 60079-14.
IEC 60079-18	NOTE	Harmonized as EN 60079-18.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	-	-
IEC 60079-1	-	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"	EN 60079-1	-
IEC 60079-11	-	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	-
IEC 60695-11-10	-	Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-

Annex ZZ (informative)

Coverage of Essential Requirements of EU Directives

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers only the following essential requirements out of those given in Annex II of the EU Directive 94/9/EC:

- ER 1.0.1 (partly), 1.0.2 (partly), ER 1.0.3 to ER 1.0.6
- ER 1.1.1, ER 1.1.2
- ER 1.2.1, ER 1.2.3, ER 1.2.5 (partly), ER 1.2.8, ER 1.2.9
- ER 1.3.1 (partly), ER 1.3.3, ER 1.3.4
- ER 1.4.1, ER 1.4.2
- ER 2.1.1
- ER 2.1.1.1, ER 2.1.1.2 (partly)

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive[s] concerned.

WARNING: Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

Annex ZY (informative)

Significant changes between this European Standard and EN 60079-26:2007

This European Standard supersedes EN 60079-26:2007.

The significant changes with respect to EN 60079-26:2007 are as listed below.

		Type		
Changes	Clause	Minor and editorial changes	Extension	Major technical changes
Notes deleted	1	X		
Reference to associated apparatus deleted	1	X		
Additional normative references included	3	X		
Requirements against mechanical and electrostatic ignition hazards deleted (now covered in EN 60079-0)	4.1	X		
Requirement for separation element detailed regarding external influences	4.1.3.2	X		
Intrinsic safety Ex ia as single type of protection including associated apparatus deleted (now covered by EPL)	4.2.2 (ed.2)	X		
Encapsulation Ex ma as single type of protection deleted (now covered by EPL)	4.2.3 (ed.2)	X		
Conditions a) and b) linked with an “and”, therefore requirement of “flameproof joint” deleted in following clause. Both requirements already covered by separation elements and standardised process connections.	4.3	X		
Process connection requires a sufficiently tight joint: IP66 added alternatively to IP67	4.3		X	
Requirement for isolated conductive components deleted (now covered in EN 60079-0)	4.4 (ed.2)	X		
Requirements for non-conductive enclosures deleted (now covered in EN 60079-0)	4.5 (ed.2)	X		
Test of partition walls according to 4.1.3.2 b) is specified in more detail	5.2			C1
Marking example for associated apparatus deleted	6.2 b)	X		
Note 3 with an additional example added	6.2	X		
Specification of material of partition wall required in instructions (also required in 4.1.3.2)	7	X		
Alternative risk assessment method deleted (is now generally introduced)	Annex A (ed.2)	X		

NOTE The technical changes referred to include the significance of technical changes in the revised EN standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance may be found by referring to the Redline Version of the standard.

Explanations:

A) Definitions

1) Minor and editorial changes:

- clarification
- decrease of technical requirements
- minor technical change
- editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

2) Extension: Addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

3) Major technical change:

- addition of technical requirements
- increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in Clause B) below.

NOTE: These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

B) Information about the background of ‘Major Technical Changes’

C1 – Introduction of type tests for separation elements according to “4.1.3.2 b)”

CONTENTS

1	Scope.....	6
2	Normative references.....	6
3	Terms and definitions	7
4	Requirements for design and construction.....	7
4.1	Protection measures against ignition hazards of the electrical circuits	7
4.1.1	General	7
4.1.2	Application of two independent Types of Protection providing EPL Gb.....	7
4.1.3	Application of a Type of Protection providing EPL Gb and a separation element	8
4.2	Equipment with moving parts.....	12
4.2.1	Frictional heating	12
4.2.2	Damage arising from failure of moving parts	12
4.2.3	Light metals	12
4.3	Process connection	13
5	Type tests	13
5.1	Standardized types of protection	13
5.2	Separation elements	13
5.3	Temperature evaluation.....	13
6	Marking	14
6.1	General.....	14
6.2	Examples of marking	14
7	Instructions.....	14
7.1	Separation elements:	14
7.2	Process connection:.....	15
7.3	EPL allocation.....	15
	Bibliography	16
	Figure 1 – Example of a partition wall with a conductor bushing considered as gas diffusion tight.....	9
	Figure 2 – Example of a separation element with a cylindrical shaft joint and natural ventilation	12
	Table 1 – Separation elements.....	11

EXPLOSIVE ATMOSPHERES –

Part 26: Equipment with Equipment Protection Level (EPL) Ga

1 Scope

This part of IEC 60079 specifies alternative requirements for construction, test and marking for electrical equipment that provides Equipment Protection Level (EPL) Ga when single standardised Types of Protection (e.g. Ex “ia” , Ex “ma”, Ex “da”) cannot be applied. This standard also applies to equipment mounted across a boundary where different Equipment Protection Levels may be required.

EXAMPLE: Equipment installed in the wall of a storage vessel containing Zone 0 (requiring EPL Ga) inside an area defined as Zone 1 (requiring EPL Gb).

This electrical equipment, within the operational parameters specified by the manufacturer, ensures a very high Level of Protection that includes rare malfunctions related to the equipment or two malfunctions occurring independently of each other.

NOTE A malfunction may result from a failure of the component parts of the electrical equipment or from anticipated externally applied influences. Two independent malfunctions which may occur more frequently and which, separately, would not create an ignition hazard but which, in combination, could create a potential ignition hazard, are regarded as occurring together to form a rare malfunction.

This standard supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures “d”*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety “i”*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*