



Edition 4.0 2018-06

INTERNATIONAL STANDARD

Low-frequency cables and wires with PVC insulation and PVC sheath – Part 1: General test and measuring methods





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.



Edition 4.0 2018-06

INTERNATIONAL STANDARD

Low-frequency cables and wires with PVC insulation and PVC sheath – Part 1: General test and measuring methods

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.120.20 ISBN 978-2-8322-5765-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

+(JKEWO	RD	2			
1	Scop	e	6			
2	Norm	ative references	6			
3	Term	Terms and definitions				
4		Standard conditions for testing				
5		Dimensions				
5						
	5.1	Selection and preparation of samples				
	5.1.1	Insulation				
	5.1.2					
	5.1.3					
	5.2	Measurement of dimensions				
	5.2.1					
	5.2.2					
_	5.2.3					
6		anical tests				
	6.1	Selection, marking and preparation of samples for tensile tests				
	6.1.1	Conductors				
	6.1.2					
	6.1.3					
	6.2	Measurement of cross-sectional area for tensile test				
	6.2.1	General				
	6.2.2					
	6.2.3					
	6.3	Tensile test				
	6.3.1					
	6.3.2	5 1				
	6.3.3	•				
	6.4	Stripping properties of insulation				
	6.4.1	General				
_	6.4.2					
7	,					
	7.1	Accelerated ageing				
	7.2	Pressure test at high temperature				
	7.3	Resistance to flame propagation				
	7.3.1	General				
	7.3.2					
	7.3.3					
	7.4	Cold bend test				
	7.4.1	General				
	7.4.2					
	7.4.3					
	7.5	Heat shock test				
	7.5.1	General				
	7.5.2					
	7.5.3					
	7.6	Measurement of insulation shrinkage after overheating of conductor	15			

	7.7	Combined shrinkage and heat shock test	15
	7.8	Solder test on tinned conductors	15
8	Elect	rical tests	16
	8.1	Electrical resistance of conductors	16
	8.2	Dielectric strength	16
	8.2.1	General	16
	8.2.2	Wires	16
	8.2.3	Cables	16
	8.3	Insulation resistance	17
	8.3.1	General	17
	8.3.2	Wires	17
	8.3.3	Cables	17
	8.4	Mutual capacitance	17
	8.5	Capacitance unbalance (conductor to conductor)	17
Fi	gure 1 -	- Dumb-bell test piece	11
Fi	gure 2 –	- Small dumb-bell test piece	11
Fi	gure 3 -	- Stripping properties of insulation	13
		- Position of the sample in the text apparatus	
Ta	able 1 –	Mandrel diameter according to mean thickness of sheath	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH –

Part 1: General test and measuring methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicy Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60189-1 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

This fourth edition cancels and replaces the third edition published in 2007. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- a) Test methods for dielectric strength and insulation resistance that were referenced in the previous edition have been withdrawn. They have been replaced with references to similar test methods described in current standards.
- b) References to the IEC 60811 series have been updated as the numbering of this series has completely been changed.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
46C/1099/FDIS	46C/1100/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60189 series, under the general title *Low-frequency cables* and wires with PVC insulation and PVC sheath, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

LOW-FREQUENCY CABLES AND WIRES WITH PVC INSULATION AND PVC SHEATH –

Part 1: General test and measuring methods

1 Scope

This part of IEC 60189 specifies mechanical, electrical and climatic test methods for low-frequency cables and wires designed for use in telecommunication inside plants and equipment and in electronic devices employing similar techniques.

NOTE The other parts of IEC 60189 describe the construction and characteristics of each type of cable and wire.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068 (all parts), Environmental testing

IEC 60068-2-20:1979¹, Basic environmental testing procedures – Part 2: Tests – Test T: Soldering

IEC 60227-2:1997, Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 2: Test methods

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW premixed flame

IEC 60332-2-2, Tests on electric and optical fibre cables under fire conditions – Part 2-2: Test for vertical flame propagation for a single small insulated wire or cable – Procedure for diffusion flame

IEC 60811-201, Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness

IEC 60811-202, Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath

IEC 60811-203, Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions

IEC 60811-401, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven

¹ This fourth edition was replaced in 2008 by a fifth edition *Environmental testing – Part 2-20: Tests – Test T:*Test methods for solderability and resistance to soldering heat of devices with leads.